



US 20030224418A1

(19) **United States**

(12) **Patent Application Publication** (10) **Pub. No.: US 2003/0224418 A1**
Braun et al. (43) **Pub. Date: Dec. 4, 2003**

(54) **GENES AND POLYMORPHISMS
ASSOCIATED WITH CARDIOVASCULAR
DISEASE AND THEIR USE**

(76) Inventors: **Andreas Braun**, San Diego, CA (US);
Patrick W. Kleyn, Concord, MA (US);
Aruna Bansal, Landbeach (GB)

Correspondence Address:
**HELLER EHRMAN WHITE & MCAULIFFE
LLP
4350 LA JOLLA VILLAGE DRIVE
7TH FLOOR
SAN DIEGO, CA 92122-1246 (US)**

(21) Appl. No.: **10/403,902**

(22) Filed: **Mar. 27, 2003**

Related U.S. Application Data

(62) Division of application No. 09/802,640, filed on Mar. 9, 2001, now abandoned.

Publication Classification

(51) **Int. Cl.⁷** **C12Q 1/68**
(52) **U.S. Cl.** **435/6**

(57) **ABSTRACT**

Genes and polymorphisms associated with cardiovascular disease, methods that use the polymorphism to detect a predisposition to developing high cholesterol, low HDL or cardiovascular disease, to profile the response of subjects to therapeutic drugs and to develop therapeutic drugs are provided.

Results Pooling and Individual Genotyping Assay #50981
(Cytochrome C oxidase Vib)




FIG. 1

Results Pooling and Individual Genotyping Assay # 52278
(N-acetylglucosaminyl transferase component)




FIG. 2

GENES AND POLYMORPHISMS ASSOCIATED WITH CARDIOVASCULAR DISEASE AND THEIR USE

RELATED APPLICATIONS

[0001] This application is a divisional application of copending U.S. patent application Ser. No. 09/802,640, filed Mar. 9, 2001, to Andreas Braun, Aruna Bansal and Patrick Kleyn, entitled "GENES AND POLYMORPHISMS ASSOCIATED WITH CARDIOVASCULAR DISEASE AND THEIR USE." The benefit of priority to this application is claimed and the subject matter of the application is incorporated herein in its entirety.

FIELD OF THE INVENTION

[0002] The field of the invention involves genes and polymorphisms of these genes that are associated with development of cardiovascular disease. Methods that use polymorphic markers for prognosticating, profiling drug response and drug discovery are provided.

BACKGROUND OF THE INVENTION

[0003] Diseases in all organisms have a genetic component, whether inherited or resulting from the body's response to environmental stresses, such as viruses and toxins. The ultimate goal of ongoing genomic research is to use this information to develop new ways to identify, treat and potentially cure these diseases. The first step has been to screen disease tissue and identify genomic changes at the level of individual samples. The identification of these "disease" markers has then fueled the development and commercialization of diagnostic tests that detect these errant genes or polymorphisms. With the increasing numbers of genetic markers, including single nucleotide polymorphisms (SNPs), microsatellites, tandem repeats, newly mapped introns and exons, the challenge to the medical and pharmaceutical communities is to identify genotypes which not only identify the disease but also follow the progression of the disease and are predictive of an organism's response to treatment.

[0004] Polymorphisms

[0005] Polymorphisms have been known since 1901 with the identification of blood types. In the 1950's they were identified on the level of proteins using large population genetic studies. In the 1980's and 1990's many of the known protein polymorphisms were correlated with genetic loci on genomic DNA. For example, the gene dose of the apolipoprotein E type 4 allele was correlated with the risk of Alzheimer's disease in late onset families (see, e.g., Corder et al. (1993) *Science* 261: 921-923; mutation in blood coagulation factor V was associated with resistance to activated protein C (see, e.g., Bertina et al. (1994) *Nature* 369:64-67); resistance to HIV-1 infection has been shown in Caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene (see, e.g., Samson et al. (1996) *Nature* 382:722-725); and a hypermutable tract in antigen presenting cells (APC, such as macrophages), has been identified in familial colorectal cancer in individuals of Ashkenazi Jewish background (see, e.g., Laken et al. (1997) *Nature Genet.* 17:79-83). There may be more than three million polymorphic sites in the human genome. Many have been identified, but not yet characterized or mapped or

associated with a disease. Polymorphisms of the genome can lead to altered gene function, protein function or mRNA instability. To identify those polymorphisms that have clinical relevance is the goal of a world-wide scientific effort. Discovery of such polymorphisms will have a fundamental impact on the identification and development of diagnostics and drug discovery.

[0006] Single Nucleotide Polymorphisms (SNPs)

[0007] Much of the focus of genomics has been in the identification of SNPs, which are important for a variety of reasons. They allow indirect testing (association of haplotypes) and direct testing (functional variants). They are the most abundant and stable genetic markers. Common diseases are best explained by common genetic alterations, and the natural variation in the human population aids in understanding disease, therapy and environmental interactions.

[0008] The organization of SNPs in the primary sequence of a gene into one of the limited number of combinations that exist as units of inheritance is termed a haplotype. Each haplotype therefore contains significantly more information than individual unorganized polymorphisms and provides an accurate measurement of the genomic variation in the two chromosomes of an individual. While it is well-established that many diseases are associated with specific variation in gene sequences and there are examples in which individual polymorphisms act as genetic markers for a particular phenotype, in other cases an individual polymorphism may be found in a variety of genomic backgrounds and therefore shows no definitive coupling between the polymorphism and the phenotype. In these instances, the observed haplotype and its frequency of occurrence in various genotypes will provide a better genetic marker for the phenotype.

[0009] Although risk factors for the development of cardiovascular disease are known, such as high serum cholesterol levels and low serum high density lipoprotein (HDL) levels, the genetic basis for the manifestation of these phenotypes remains unknown. An understanding of the genes that are responsible for controlling cholesterol and HDL levels, along with useful genetic markers and mutations in these genes that affect these phenotypes, will allow for detection of a predisposition for these risk factors and/or cardiovascular disease and the development of therapeutics to modulate such alterations. Therefore, it is an object herein to provide methods for using polymorphic markers to detect a predisposition to the manifestation of high serum cholesterol, low serum HDL and cardiovascular disease. The ultimate goals are the elucidation of pathological pathways, developing new diagnostic assays, determining genetic profiles for positive responses to therapeutic drugs, identifying new potential drug targets and identifying new drug candidates.

SUMMARY OF THE INVENTION

[0010] A database of twins was screened for individuals which exhibit high or low levels of serum cholesterol or HDL. Using a full genome scanning approach, SNPs present in DNA samples from these individuals were examined for alleles that associate with either high levels of cholesterol or low levels of HDL. This led to the discovery of the association of the cytochrome C oxidase subunit VIIb (COX6B) gene and the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene with these risk factors for

developing cardiovascular disease. Specifically, a previously undetermined association of an allelic variant at nucleotide 86 of the COX6B gene and high serum cholesterol levels has been discovered. In addition, it has been discovered that an allelic variant at nucleotide 2577 of the GPI-1 gene is associated with low serum HDL levels. There was no previously known association between these two genes and risk factors related to cardiovascular disease.

[0011] Methods are provided for detecting the presence or absence of at least one allelic variant associated with high cholesterol, low HDL and/or cardiovascular disease by detecting the presence or absence of at least one allelic variant of the COX6B gene or the GPI-1 gene, individually or in combination with one or more allelic variants of other genes associated with cardiovascular disease.

[0012] Also provided are methods for indicating a predisposition to manifesting high serum cholesterol, low serum HDL and/or cardiovascular disease based on detecting the presence or absence of at least one allelic variant of the COX6B or GPI-1 genes, alone or in combination with one or more allelic variants of other genes associated with cardiovascular disease. These methods, referred to as haplotyping, are based on assaying more than one polymorphism of the COX6B and/or GPI-1 genes. One or more polymorphisms of other genes associated with cardiovascular disease may also be assayed at the same time. A collection of allelic variants of one or more genes may be more informative than a single allelic variant of any one gene. A single polymorphism of a collection of polymorphisms present in the COX6B and/or GPI-1 genes and in other genes associated with cardiovascular disease may be assayed individually or the collection may be assayed simultaneously using a multiplex assay method.

[0013] Also provided are microarrays comprising a probe selected from among an oligonucleotide complementary to a polymorphic region surrounding position 86 of the sense strand of the COX6B gene coding sequence; an oligonucleotide complementary to a polymorphic region surrounding the position of the antisense strand of COX6B corresponding to position 86 of the sense strand of the COX6B gene coding sequence; an oligonucleotide complementary to a polymorphic region surrounding position 2577 of the sense strand of the GPI-1 gene; and an oligonucleotide complementary to a polymorphic region surrounding the position of the antisense strand of GPI-1 corresponding to position 2577 of the sense strand of the GPI-1 gene. Microarrays are well known and can be made, for example, using methods set forth in U.S. Pat. Nos. 5,837,832; 5,858,659; 6,043,136; 6,043,031 and 6,156,501.

[0014] Further provided are methods of utilizing allelic variants of the COX6B or GPI-1 gene individually or together with one or more allelic variants of other genes associated with cardiovascular disease to predict a subject's response to a biologically active agent that modulates serum cholesterol, serum HDL, or a cardiovascular drug.

[0015] Also provided are methods to screen candidate biologically active agents for modulation of cholesterol, HDL or other factors associated with cardiovascular disease. These methods utilize cells or transgenic animals containing one or more allelic variants of the COX6B gene and/or the GPI-1 gene alone or in combination with allelic variants of one or more other genes associated with cardiovascular

disease. Such animals should exhibit high cholesterol, low HDL or other known phenotypes associated with cardiovascular disease. Also, provided are methods to construct transgenic animals that are useful as models for cardiovascular disease by using one or more allelic variants of the COX6B gene and/or the GPI-1 gene alone or in combination with allelic variants of one or more other genes associated with cardiovascular disease.

[0016] Further provided are combinations of probes and primers and kits for predicting a predisposition to high serum cholesterol, low HDL levels and/or cardiovascular disease. In particular, combinations and kits comprise probes or primers which are capable of hybridizing adjacent to or at polymorphic regions of the COX6B and/or GPI-1 gene. The combinations and kits can also contain probes or primers which are capable of hybridizing adjacent to or at polymorphic regions of other genes associated with cardiovascular disease. The kits also optionally contain instructions for carrying out assays, interpreting results and for aiding in diagnosing a subject as having a predisposition towards developing high serum cholesterol, low HDL levels and/or cardiovascular disease. Combinations and kits are also provided for predicting a subject's response to a therapeutic agent directed toward modulating cholesterol, HDL, or another phenotype associated with cardiovascular disease. Such combinations and kits comprise probes or primers as described above.

[0017] In particular for the methods, combinations, kits and arrays described above, the polymorphisms are SNPs. The detection or identification is of a T nucleotide at position 86 of the sense strand of the COX6B gene coding sequence or the detection or identification of an A nucleotide at the corresponding position in the antisense strand of the COX6B gene coding sequence. Also embodied is the detection or identification of an A nucleotide at position 2577 of the sense strand of the GPI-1 gene or the detection or identification of a T nucleotide at the corresponding position in the antisense strand of the GPI-1 gene. In addition to the SNPs discussed above, other polymorphisms of the COX6B and GPI-1 genes can be assayed for association with high cholesterol or low HDL, respectively, and utilized as disclosed above.

[0018] Other genes containing allelic variants associated with high serum cholesterol, low HDL and/or cardiovascular disease, include, but are not limited to: cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit, and angiotensin II type 1 receptor gene.

[0019] The detection of the presence or absence of an allelic variant can utilize, but are not limited to, methods such as allele specific hybridization, primer specific extension, oligonucleotide ligation assay, restriction enzyme site analysis and single-stranded conformation polymorphism analysis.

[0020] In particular, primers utilized in primer specific extension hybridize adjacent to nucleotide 86 of the COX6B gene or nucleotide 2577 of the GPI-1 gene or the corre-

sponding positions on the antisense strand (numbers refer to GenBank sequences, see pages 15-17). A primer can be extended in the presence of at least one dideoxynucleotide, particularly ddG, or two dideoxynucleotides, particularly ddG and ddC. Preferably, detection of extension products is by mass spectrometry. Detection of allelic variants can also involve signal moieties such as radioisotopes, enzymes, antigens, antibodies, spectrophotometric reagents, chemiluminescent reagents, fluorescent reagents and other light producing reagents.

[0021] Other probes and primers useful for the detection of allelic variants include those which hybridize at or adjacent to the SNPs described in Tables 1-3 and specifically those that comprise SEQ ID NOs.: 5, 10, 43, 48, 53, 58, 63, 68, 73, 78, 83, 88, 93, 98, 103, 108, 113, and 118.

DESCRIPTION OF THE DRAWINGS

[0022] **FIG. 1** depicts the allelic frequency and genotype for pools and individually determined samples of blood from individuals having low cholesterol levels and those with high cholesterol levels.

[0023] **FIG. 2** depicts the allelic frequency and genotype for pools and individually determined samples of blood from individuals having high HDL levels and those with low HDL levels.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

[0024] A. Definitions

[0025] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of skill in the art to which this invention belongs. All patents, patent applications and publications referred to throughout the disclosure herein are, unless noted otherwise, incorporated by reference in their entirety. In the event that there are a plurality of definitions for terms herein, those in this section prevail.

[0026] As used herein, sequencing refers to the process of determining a nucleotide sequence and can be performed using any method known to those of skill in the art. For example, if a polymorphism is identified or known, and it is desired to assess its frequency or presence in nucleic acid samples taken from the subjects that comprise the database, the region of interest from the samples can be isolated, such as by PCR or restriction fragments, hybridization or other suitable method known to those of skill in the art, and sequenced. For purposes herein, sequencing analysis is preferably effected using mass spectrometry (see, e.g., U.S. Pat. Nos. 5,547,835, 5,622,824, 5,851,765, and 5,928,906). Nucleic acids can also be sequenced by hybridization (see, e.g., U.S. Pat. Nos. 5,503,980, 5,631,134, 5,795,714) and including analysis by mass spectrometry (see, U.S. application Ser. Nos. 08/419,994 and 09/395,409). Alternatively, sequencing may be performed using other known methods, such as set forth in U.S. Pat. Nos. 5,525,464; 5,695,940; 5,834,189; 5,869,242; 5,876,934; 5,908,755; 5,912,118; 5,952,174; 5,976,802; 5,981,186; 5,998,143; 6,004,744; 6,017,702; 6,018,041; 6,025,136; 6,046,005; 6,087,095; 6,117,634; 6,013,431, WO 98/30883; WO 98/56954; WO 99/09218; WO/00/58519, and the others.

[0027] As used herein, "polymorphism" refers to the coexistence of more than one form of a gene or portion thereof.

A portion of a gene of which there are at least two different forms, i.e., two different nucleotide sequences, is referred to as a "polymorphic region of a gene". A polymorphic region can be a single nucleotide, the identity of which differs in different alleles. A polymorphic region can also be several nucleotides in length.

[0028] As used herein, "polymorphic gene" refers to a gene having at least one polymorphic region.

[0029] As used herein, "allele", which is used interchangeably herein with "allelic variant" refers to alternative forms of a gene or portions thereof. Alleles occupy the same locus or position on homologous chromosomes. When a subject has two identical alleles of a gene, the subject is said to be homozygous for the gene or allele. When a subject has two different alleles of a gene, the subject is said to be heterozygous for the gene. Alleles of a specific gene can differ from each other in a single nucleotide, or several nucleotides, and can include substitutions, deletions, and insertions of nucleotides. An allele of a gene can also be a form of a gene containing a mutation.

[0030] As used herein, the term "subject" refers to mammals and in particular human beings.

[0031] As used herein, the term "gene" or "recombinant gene" refers to a nucleic acid molecule comprising an open reading frame and including at least one exon and (optionally) at least one intron sequence. A gene can be either RNA or DNA. Genes may include regions preceding and following the coding region (leader and trailer).

[0032] As used herein, "intron" refers to a DNA sequence present in a given gene which is spliced out during mRNA maturation.

[0033] As used herein, the term "coding sequence" refers to that portion of a gene that encodes an amino acid sequence of a protein.

[0034] As used herein, the term "sense strand" refers to that strand of a double-stranded nucleic acid molecule that encodes the sequence of the mRNA that encodes the amino acid sequence encoded by the double-stranded nucleic acid molecule.

[0035] As used herein, the term "antisense strand" refers to that strand of a double-stranded nucleic acid molecule that is the complement of the sequence of the mRNA that encodes the amino acid sequence encoded by the double-stranded nucleic acid molecule.

[0036] As used herein, a DNA or nucleic acid homolog refers to a nucleic acid that includes a preselected conserved nucleotide sequence. By the term "substantially homologous" is meant having at least 80%, preferably at least 90%, most preferably at least 95% homology therewith or a less percentage of homology or identity and conserved biological activity or function.

[0037] Regarding hybridization, as used herein, stringency conditions to achieve specific hybridization refer to the washing conditions for removing the non-specific probes or primers and conditions that are equivalent to either high, medium, or low stringency as described below:

1) high stringency:	0.1 × SSPE, 0.1% SDS, 65° C.
2) medium stringency:	0.2 × SSPE, 0.1% SDS, 50° C.
3) low stringency:	1.0 × SSPE, 0.1% SDS, 50° C.

[0038] It is understood that equivalent stringencies may be achieved using alternative buffers, salts and temperatures.

[0039] As used herein, “heterologous DNA” is DNA that encodes RNA and proteins that are not normally produced in vivo by the cell in which it is expressed or that mediates or encodes mediators that alter expression of endogenous DNA by affecting transcription, translation, or other regulatable biochemical processes or is not present in the exact orientation or position as the counterpart DNA in a wildtype cell. Heterologous DNA may also be referred to as foreign DNA. Any DNA that one of skill in the art would recognize or consider as heterologous or foreign to the cell in which is expressed is herein encompassed by heterologous DNA. Examples of heterologous DNA include, but are not limited to, DNA that encodes traceable marker proteins, such as a protein that confers drug resistance, DNA that encodes therapeutically effective substances, such as anti-cancer agents, enzymes and hormones, and DNA that encodes other types of proteins, such as antibodies. Antibodies that are encoded by heterologous DNA may be secreted or expressed on the surface of the cell in which the heterologous DNA has been introduced.

[0040] As used herein, a “promoter region” refers to the portion of DNA of a gene that controls transcription of the DNA to which it is operatively linked. The promoter region includes specific sequences of DNA that are sufficient for RNA polymerase recognition, binding and transcription initiation. This portion of the promoter region is referred to as the promoter. In addition, the promoter region includes sequences that modulate this recognition, binding and transcription initiation activity of the RNA polymerase. These sequences may be cis acting or may be responsive to trans acting factors. Promoters, depending upon the nature of the regulation, may be constitutive or regulated.

[0041] As used herein, the phrase “operatively linked” generally means the sequences or segments have been covalently joined into one piece of DNA, whether in single or double stranded form, whereby control or regulatory sequences on one segment control or permit expression or replication or other such control of other segments. The two segments are not necessarily contiguous. For gene expression a DNA sequence and a regulatory sequence(s) are connected in such a way to control or permit gene expression when the appropriate molecular, e.g., transcriptional activator proteins, are bound to the regulatory sequence(s).

[0042] As used herein, the term “vector” refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of preferred vector is an episome, i.e., a nucleic acid capable of extra-chromosomal replication. Preferred vectors are those capable of autonomous replication and/or expression of nucleic acids to which they are linked. Vectors capable of directing the expression of genes to which they are operatively linked are referred to herein as “expression vectors”. In general, expression vectors of utility in recombinant DNA techniques are often in

the form of “plasmids” which refer generally to circular double stranded DNA loops which, in their vector form are not bound to the chromosome. “Plasmid” and “vector” are used interchangeably as the plasmid is the most commonly used form of vector. Also included are other forms of expression vectors that serve equivalent functions and that become known in the art subsequently hereto.

[0043] As used herein, “indicating” or “determining” means that the presence or absence of an allelic variant may be one of many factors that are considered when a subject’s predisposition to a disease or disorder is evaluated. Thus a predisposition to a disease or disorder is not necessarily conclusively determined by only ascertaining the presence or absence of one or more allelic variants, but the presence of one of more of such variants is among an number of factors considered.

[0044] As used herein, “predisposition to develop a disease or disorder” means that a subject having a particular genotype and/or haplotype has a higher likelihood than one not having such a genotype and/or haplotype for developing a particular disease or disorder.

[0045] As used herein, “transgenic animal” refers to any animal, preferably a non-human animal, e.g. a mammal, bird or an amphibian, in which one or more of the cells of the animal contain heterologous nucleic acid introduced by way of human intervention, such as by transgenic techniques well known in the art. The nucleic acid is introduced into the cell, directly or indirectly by introduction into a precursor of the cell, by way of deliberate genetic manipulation, such as by microinjection or by infection with a recombinant virus. The term genetic manipulation does not include classical cross-breeding, or in vitro fertilization, but rather is directed to the introduction of a recombinant DNA molecule. This molecule may be integrated within a chromosome, or it may be extrachromosomally replicating DNA. In the typical transgenic animals described herein, the transgene causes cells to express a recombinant form of a protein. However, transgenic animals in which the recombinant gene is silent are also contemplated, as for example, using the FLP or CRE recombinase dependent constructs. Moreover, “transgenic animal” also includes those recombinant animals in which gene disruption of one or more genes is caused by human intervention, including both recombination and antisense techniques.

[0046] As used herein, “associated” refers to coincidence with the development or manifestation of a disease, condition or phenotype. Association may be due to, but is not limited to, genes responsible for housekeeping functions, those that are part of a pathway that is involved in a specific disease, condition or phenotype and those that indirectly contribute to the manifestation of a disease, condition or phenotype.

[0047] As used herein, “high serum cholesterol” refers to a level of serum cholesterol that is greater than that considered to be in the normal range for a given age in a population, e.g., about 5.25 mmol/L or greater, i.e., approximately one standard deviation or more away from the age-adjusted mean.

[0048] As used herein, “low serum HDL” refers to a level of serum HDL that is less than that considered to be in the normal range for a given age in a population, e.g. about 1.11

mmoles/L or less, i.e., approximately one standard deviation or more away from the age-adjusted mean.

[0049] As used herein, "cardiovascular disease" refers to any manifestation of or predisposition to cardiovascular disease including, but not limited to, coronary artery disease and myocardial infarction. Included in predisposition is the manifestation of risks factors such as high serum cholesterol levels and low serum HDL levels.

[0050] As used herein, "target nucleic acid" refers to a nucleic acid molecule which contains all or a portion of a polymorphic region of a gene of interest.

[0051] As used herein, "signal moiety" refers to any moiety that allows for the detection of a nucleic acid molecule. Included are moieties covalently attached to nucleic acids and those that are not.

[0052] As used herein, "biologically active agent that modulates serum cholesterol" refers to any drug, small molecule, nucleic acid (sense and antisense), protein, peptide, lipid, carbohydrate etc. or combination thereof, that exhibits some effect directly or indirectly on the cholesterol measured in a subject's serum.

[0053] As used herein, "biologically active agent that modulates serum HDL" refers to any drug, small molecule, nucleic acid (sense and antisense), protein, peptide, lipid, carbohydrate etc. or combination thereof that exhibits some effect directly or indirectly on the HDL measured in a subject's serum.

[0054] As used herein, "expression and/or activity" refers to the level of transcription or translation of the COX6B or GPI-1 gene, mRNA stability, protein stability or biological activity.

[0055] As used herein, "cardiovascular drug" refers to a drug used to treat cardiovascular disease or a risk factor for the disease, either prophylactically or after a risk factor or disease condition has developed. Cardiovascular drugs include those drugs used to lower serum cholesterol and those used to alter the level of serum HDL.

[0056] As used herein, "combining" refers to contacting the biologically active agent with a cell or animal such that the agent is introduced into the cell or animal. For a cell any method that results in an agent traversing the plasma membrane is useful. For an animal any of the standard routes of administration of an agent, e.g. oral, rectal, transmucosal, intestinal, intravenous, intraperitoneal, intraventricular, subcutaneous, intramuscular, etc., can be utilized.

[0057] As used herein, "positive response" refers to improving or ameliorating at least one symptom or detectable characteristic of a disease or condition, e.g., lowering serum cholesterol levels or raising serum HDL levels.

[0058] As used herein, "biological sample" refers to any cell type or tissue of a subject from which nucleic acid, particularly DNA, can be obtained.

[0059] As used herein, "array" refers to a collection of three or more items, such a collection of immobilized nucleic acid probes arranged on a solid substrate, such as silica, polymeric materials or glass.

[0060] As used herein, a composition refers to any mixture. It may be a solution, a suspension, liquid, powder, a paste, aqueous, non-aqueous or any combination thereof.

[0061] As used herein, a combination refers to any association between two or among more items.

[0062] As used herein, "kit" refers to a package that contains a combination, such as one or more primers or probes used to amplify or detect polymorphic regions of genes associated with cardiovascular disease, optionally including instructions and/or reagents for their use.

[0063] As used herein "specifically hybridizes" refers to hybridization of a probe or primer only to a target sequence preferentially to a non-target sequence. Those of skill in the art are familiar with parameters that affect hybridization; such as temperature, probe or primer length and composition, buffer composition and salt concentration and can readily adjust these parameters to achieve specific hybridization of a nucleic acid to a target sequence.

[0064] As used herein "nucleic acid" refers to polynucleotides such as deoxyribonucleic acid (DNA) and ribonucleic acid (RNA). The term should also be understood to include, as equivalents, derivatives, variants and analogs of either RNA or DNA made from nucleotide analogs, single (sense or antisense) and double-stranded polynucleotides. Deoxyribonucleotides include deoxyadenosine, deoxycytidine, deoxyguanosine and deoxythymidine. For RNA, the uracil base is uridine.

[0065] As used herein, "mass spectrometry" encompasses any suitable mass spectrometric format known to those of skill in the art. Such formats include, but are not limited to, Matrix-Assisted Laser Desorption/Ionization, Time-of-Flight (MALDI-TOF), Electrospray (ES), IR-MALDI (see, e.g., published International PCT Application No. 99/57318 and U.S. Pat. No. 5,118,937) Ion Cyclotron Resonance (ICR), Fourier Transform and combinations thereof. MALDI, particular UV and IR, are among the preferred formats.

[0066] B. Cytochrome c Oxidase VIb Gene

[0067] Cytochrome c oxidase (COX) is a mitochondrial enzyme complex integrated in the inner membrane. It transfers electrons from cytochrome to molecular oxygen in the terminal reaction of the respiratory chain in eukaryotic cells. COX contains of three large subunits encoded by the mitochondrial genome and 10 other subunits, encoded by nuclear genes. The three subunits encoded by mitochondrial genome are responsible for the catalytic activity. The cytochrome c oxidase subunit VIb (COX6B) is one of the nuclear gene products. The function of the nuclear encoded subunits is unknown. One proposed role is in the regulation of catalytic activity; specifically the rate of electron transport and stoichiometry of proton pumping. Other proposed roles are not directly related to electron transport and include energy-dependent calcium uptake and protein import by the mitochondrion. Proteolytic removal of subunits VIa and VIb has been associated with loss of calcium transport in reconstituted vesicles. Steady-state levels of the COX6B transcript are different in different tissues (Taanman et al., *Gene* (1990), 93:285).

[0068] The COX6B gene is generically used to include the human COX6B gene and its homologs from rat, mouse, guinea pig, etc.

[0069] Several single nucleotide polymorphism have been identified in the human COX6B gene. One of these is

located at position 86 and is a C to T transversion which is manifested as a silent mutation in the coding region, ACC to ACT (threonine to threonine)(SEQ ID NO.: 2). Although this is a silent mutation at the amino acid level, it may represent an alteration that changes codon usage, or it may effect mRNA stability or it may be in linkage disequilibrium with a non-silent change. Other known single nucleotide polymorphisms of the COX6B gene include, but are not limited to, those listed in Table 1.

TABLE 1

Gene	GenBank Accession No.	SNP	SNP Location
COX6B (SEQ ID NO.: 1)	NM_001863	C/T	86
		A/G	60
		A/T	324
		A/T	123

[0070] Based on methods disclosed herein and those used in the art, one of skill would be able to utilize all the SNPs described and find additional polymorphic regions of the COX6B gene to determine whether allelic variants of these regions are associated with high cholesterol levels and cardiovascular disease.

[0071] C. GPI-1 Gene

[0072] Glycosylphosphatidylinositol (GPI) functions to anchor various eukaryotic proteins to membranes and is essential for their surface expression. Thus, a defect in GPI anchor synthesis affects various functions of cell, tissues and organs. Biosynthesis of glycosylphosphatidylinositol (GPI) is initiated by the transfer of N-acetylglucosamine (GlcNAc) from UDP-GlcNAc to phosphatidylinositol (PI) and is catalyzed by a GlcNAc transferase, GPI-GlcNAc transferase (GPI-GnT). Four mammalian gene products form a protein complex that is responsible for this enzyme activity (PIG-A, PIG-H, PIG-C and GPI-1). PIG-A, PIG-H, PIG-C are required for the first step in GPI anchor biosynthesis; GPI-1 is not. Stabilization of the enzyme complex, rather than participation in GlcNAc transfer, has been suggested as a possible role for GPI-1 (Watanabe et al. EMBO (1998) 17: 877).

[0073] The GPI-1 gene is generically used to include the human GPI-1 gene and its homologs from rat, mouse, guinea pig, etc.

[0074] A polymorphism has been identified at position 2577 of the human GPI-1 gene. This is a G to A transversion. This SNP is located in the 3' untranslated region of the mRNA, and does not affect protein structure, but may affect mRNA stability or may be in linkage disequilibrium with a non-silent change. Other known single nucleotide polymorphisms of the GPI-1 gene include, but are not limited to, those listed in Table 2.

TABLE 2

Gene	GenBank Accession No.	SNP	SNP Location
GPI-1 (SEQ ID NOS.: 6, 7)	NM_004204	C/T	2829
		A/G	2577
		C/T	2519
		C/T	2289

TABLE 2-continued

Gene	GenBank Accession No.	SNP	SNP Location
		C/T	1938
		C/G	1563
		A/G/C/T	2664
		A/G	2656
		A/C/T	2167
		G/C/A	2166

[0075] Based on methods disclosed herein and those used in the art, one of skill would be able to use all the described SNPs and find additional polymorphic regions of the GPI-1 gene to determine whether allelic variants of these regions are associated with low levels of HDL and cardiovascular disease.

[0076] D. Other Genes and Polymorphism Associated with Cardiovascular Disease

[0077] Many other genes and polymorphisms contained within them have been associated with risks factors for cardiovascular disease (aberrations in lipid metabolism; specifically high levels of serum cholesterol and low levels of HDL, etc.) and/or the clinical phenotypes of atherosclerosis and cardiovascular disease. Table 3 presents a list of some of these genes and some associated polymorphisms (SNPs): cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate r reductase (MTHFR); a gene encoding hepatic lipase (LIPC); E-selectin; G protein beta 3 subunit and angiotensin II type 1 receptor gene. The SNP locations are based on the GenBank sequence. Table 3 is not meant to be exhaustive, as one of skill in the art based on the disclosure would be able to readily use other known polymorphisms in these and other genes, new polymorphisms discovered in previously identified genes and newly identified genes and polymorphisms in the methods and compositions disclosed herein.

TABLE 3

Gene	GenBank Accession No.	SNP	SNP Location
CETP (SEQ ID NOS.: 11, 12)	NM_000078	C/A	991
		C/T	196
		A/G	1586
		A/G	1394
		A/G	1439
		C/G	1297
		C/T	766
		G/A	1131
		G/A	1696
		A/G	1127
LPL (SEQ ID NOS.: 13, 14)	NM_000237	A/C	3447
		C/T	1973
		C/T	3343
		G/A	2851
		C/T	3272
		A/T	2428
		T/C	2743
		G/A	1453

TABLE 3-continued

Gene	GenBank Accession No.	SNP	SNP Location
APO A4 (SEQ ID NOS.: 15, 16)	NM_000482	C/A	3449
		G/A	1282
		G/A	579
		A/C	1338
		A/G/T/C	2416-2426
		A/G	2427
		C/T	1302
		G/A	609
		G/C	1595
		G/A	1309
		C/T	2454
		C/T	2988
		G/A	280
		G/A	1036
		G/T	1122
		G/C	1033
		G/A	1002
		C/T	960
		C/T	894
		G/A	554
APO E (SEQ ID NOS.: 17, 18) (mRNA)	NM_000041	G/A	950
		T/C	336
		G/A	334
		C/T	330
		A/G	201
Hepatic Lipase (SEQ ID NOS.: 19, 20)	NM_000236	A/G	16
		A/T	1213
		C/T	448
		G/A	448
		C/T	586
PON 1 (SEQ ID NOS.: 21, 22)	NM_000446	C/T	197
		C/T	540
		C/G	680
		G/A	1374
		G/A	701
		C/A	1492
		A/G	648
		G/C	729
		G/A	340
		G/T	522
PON 2 (SEQ ID NOS.: 23, 24)	XM_004947	A/T	172
		A/G	584
		G/C	190
APO C3 (SEQ ID NOS.: 25, 26)	NM_000040	C/G	475
		C/G	964
		C/T	148
		T/A	471
		G/C	386
ABC 1 (SEQ ID NOS.: 27, 28)	XM_005567	G/T	417
		T/A	495
		G/A	8591
APO A1 (SEQ ID NOS.: 29, 30)	NM_000039	C/G	770
		G/A	656
		C/G	589
		C/G	414
		A/T	430
		C/T	708
		C/T	221
		T/G	223
		C/T	597
		A/G	340
APO B (SEQ ID NOS.: 31, 32)	NM_000384	G/C	690
		A/G/C/T	13141
		A/G/C/T	12669
		C/T	11323
		G/C	10422
		A/C	10408
		C/G	10083
		C/T	7064
		C/T	6666
		C/T	1980
		C/G	5751

TABLE 3-continued

Gene	GenBank Accession No.	SNP	SNP Location
APO B (con't)	NM_005957	C/T	7673
		C/A/G/T	8344
		G/C/T/A	4393
		A/C/T/G	5894
		A/T	12019
		C/T	11973
		G/C/T/A	7065
		C/G	947
		C/G	7331
		A/G	7221
		G/C	6402
		G/C	3780
		C/G	1661
		A/T	8167
		C/A	8126
		C/T	421
		C/T	1981
		G/A	12510
		G/C	12937
		G/A	11042
MTHFR (SEQ ID NOS.: 33, 34)	NM_005957	C/T	2834
		A/G	5869
		A/G	11962
		C/G	4439
		G/A	7824
		G/A	13569
		G/A	9489
		G/A	2325
		G/A	10259
		C/G	14
		G/A	5442
		A/G	5113
		A/G	5113
		A/G	5110
		A/G	5102
		A/C/T	5097
		A/C/T	5097
		C/T	5079
		C/T	5079
		T/C	5071
T/C	5071		
T/C	5051		
G/A	5012		
C/A	5000		
A/G	4998		
A/G	4994		
A/G	4994		
A/G	4994		
C/T	4991		
C/T	4991		
C/T	4991		
A/G	4986		
A/G	4986		
A/G	4986		
C/T	4985		
T/A	4982		
T/G	4981		
T/C	4981		
T/C	4981		
MTHFR (con't)	NM_005957	G/C/A	4967
		G/A	4963
		A/G	4962
		G/C/T	4962
		A/C/G/T	4961
		A/C/T	4961
		A/C	4961
		A/C	4961
		A/C/T	4960
		T/C	4938
		T/C	4937
		T/C	4933
		G/C/T	4933
		C/T	4929

TABLE 3-continued

Gene	GenBank Accession No.	SNP	SNP Location
MTHFR (con't)	NM_000450	C/T	4929
		T/A/G	4929
		A/G	4928
		G/C	4928
		C/G	4927
		G/A	4923
		C/T	4919
		A/T/G	4913
		C/T	4912
		A/T	4903
		C/T	4902
		A/G	4900
		G/A	4898
		G/T	4898
		C/T	4897
		G/T	4894
		T/C/G	4836
		C/T	3862
		C/T	4922
		C/T	4959
		T/C	4981
		A/G	4994
		A/G	5044
		T/C	5051
		G/C	5066
		C/T	5079
		C/A/G	5085
		C/T	5092
		A/G	5103
		A/G	5113
		C/T	1021
E-Selectin (SEQ ID NOS.: 35, 36)	NM_000450	G/A	3484
		G/A	3093
		T/G	2939
		T/C	2902
		C/T	1937
		C/T	1916
		C/T	1839
		C/T	1805

TABLE 3-continued

Gene	GenBank Accession No.	SNP	SNP Location
G protein β 3 subunit (SEQ ID NOS.: 37, 38)	NM_002075	C/T	1518
		G/C	1377
		C/T	1376
		G/A	999
		T/C	857
		A/C	561
		C/G	506
		A/G	392
		G/T	98
		C/T	1828
Angiotensin II type 1 receptor gene (SEQ ID NOS.: 39, 40)	NM_00686	C/T	1546
		G/T	1431
		G/A	1231
		C/T	1230
		G/A	1453
		C/G	968
		G/C	966
		T/C	941
		G/A	894
		T/C	659

[0078] Assays to identify the nucleotide present at the polymorphic site include those described herein and all others known to those who practice the art.

[0079] For some of the SNPs described above, there are provided a description of the MassEXTEND™ reaction components that can be utilized to determine the allelic variant that is present. Included are the forward and reverse primers used for amplification. Also included are the MassEXTEND™ primer used in the primer extension reaction and the extended MassEXTEND™ primers for each allele. MassEXTEND™ reactions are carried out and the products analyzed as described in Examples 2 and 3.

[0080] CETP

Position 991 (C/A)
PCR primers:

Forward: ACTGCCTGATAACCATGCTG (SEQ ID NO.: 41)

Reverse: ATACTTACACACCAGGAGGG (SEQ ID NO.: 42)

MassEXTEND™ Primer: ATGCCTGCTCCAAAGGCAC (SEQ ID NO.: 43)

Primer Mass: 5757.8

Extended Primer-Allele C: ATGCCTGCTCCAAAGGCACC (SEQ ID NO.: 44)

Extended Primer Mass: 6030.9

Extended Primer-Allele A: ATGCCTGCTCCAAAGGCACAT (SEQ ID NO.: 45)

Extended Primer Mass: 6359.2

Position 196 (C/T)

PCR primers:

Forward: TACTTCTGGTTCTCTGAGCG (SEQ ID NO.: 46)

Reverse: ACTCACCTTGAACCTCGTCTC (SEQ ID NO.: 47)

MassEXTEND™ Primer: TGGTTCTCTGAGCGAGTCTT (SEQ ID NO.: 48)

-continued

Primer Mass: 6130

Extended Primer-Allele C: TGCTTCTCTGAGCGAGTCTTC (SEQ ID NO.: 49)

Extended Primer Mass: 6707.4

Extended Primer-Allele T: TGCTTCTCTGAGCGAGTCTTTC (SEQ ID NO.: 50)

Extended Primer Mass: 6333.1

Position 1586 (AIG)

POR primers:

Forward: TGCAGATGGACTTTGGCTTC (SEQ ID NO.: 51)

Reverse: TGCTTGCCTTCTGCTACAAG (SEQ ID NO.: 52)

MassEXTENDTM Primer: CTCCCTGAGCACCTGCTG (SEQ ID NO.: 53)

Primer Mass: 5715.7

Extended Primer-Allele G: CTCCCTGAGCACCTGCTGGT (SEQ ID NO.: 54)

Extended Primer Mass: 6333.1

Extended Primer-Allele A: CTCCCTGAGCACCTGCTGA (SEQ ID NO.: 55)

Extended Primer Mass: 601 2.9

APOA4

Position 1122 (GIT)

POR primers:

Forward: AACAGCTCAGGACGAACTG (SEQ ID NO.: 56)

Reverse: AGAAGGAGTTGACCTTGTC (SEQ ID NO.: 57)

MassEXTEND " Primer: GGAAGCTCAAGTGGCCTTC (SEQ ID NO.: 58)

Primer Mass: 5828.8

Extended Primer-Allele G: GGAAGCTCAAGTGGCCTTCC (SEQ ID NO.: 59)

Extended Primer Mass: 6102.0

Extended Primer-Allele T: GGAAGCTCAAGTGGCCTTCAAC (SEQ ID NO.: 60)

Extended Primer Mass: 6728.4

Position 1033 (GIC)

PCR primers:

Forward: AAGTCACTGGCAGAGCTGG (SEQ ID NO.: 61)

Reverse: GCACCAGGGCTTTGTGAAG (SEQ ID NO.: 62)

MassEXTEND " Primer: TTTTCCCCGTAGGGCTCCA (SEQ ID NO.: 63)

Primer Mass: 5730.7

Extended Primer-Allele G: TTTTCCCCGTAGGGCTCCAC (SEQ ID NO.: 64)

Extended Primer Mass: 6003.9

Extended Primer-Allele C: TTTTCCCCGTAGGGCTCCAGC (SEQ ID NO.: 65)

Extended Primer Mass: 6333.1

Position 1002 (G/A)

-continued

PCR primers:

Forward: TGCAGAAGTCACTGGCAGAG (SEQ ID NO.: 66)
Reverse: GTTGAAGTTTCCCCGTAGG (SEQ ID NO.: 67)
MassEXTEND " Primer: ACTCCTCCACCTGCTGGTC (SEQ ID NO.: 68)
Primer Mass: 5675.7
Extended Primer-Allele G: ACTCCTCCACCTGCTGGTCC (SEQ ID NO.: 69)
Extended Primer Mass: 5948.9
Extended Primer-Allele A: ACTCCTCCACCTGCTGGTCTA (SEQ ID NO.: 70)
Extended Primer Mass: 6277.1

Position 960 (CIT)

PCR primers:

Forward: AGGACGTGCGTGGCAACCTG (SEQ ID NO.: 71)
Reverse: AGCTGTGCCAGTGACTTCTG (SEQ ID NO.: 72)
MassEXTEND " Primer: GTGACTTCTGCAGCCCTC (SEQ ID NO.: 73)
Primer Mass: 571 5.7
Extended Primer-Allele T: GTGACTTCTGCAGCCCTCA (SEQ ID NO.: 74)
Extended Primer Mass: 601 2.9
Extended Primer-Allele C: GTGACTTCTGCAGCCCTCGGT (SEQ ID NO.: 75)
Extended Primer Mass: 6662.3

Position 894 (CIT)

PCR primers:

Forward: CCTGACCTTCCAGATGAAG (SEQ ID NO.: 76)
Reverse: TCAGGTGCCACGCACGTC (SEQ ID NO.: 77)
MassEXTEND " Primer: CAGGATCTCGGCCAGTGC (SEQ ID NO.: 78)
Primer Mass: 5500.6
Extended Primer-Allele C: CAGGATCTCGGCCAGTGCC (SEQ ID NO.: 79)
Extended Primer Mass: 5773.8
Extended Primer-Allele T: CAGGATCTCGGCCAGTGCTG (SEQ ID NO.: 80)
Extended Primer Mass: 61 18.0

Position 554 (G/A)

PCR primers:

Forward: ACCTGCGAGAGCTTCAGCAG (SEQ ID NO.: 81)
Reverse: TCTCCATGCGCTGTGCGTAG (SEQ ID NO.: 82)
MassEXTEND " Primer: AGCTGCGCACCCAGGTCA (SEQ ID NO.: 83)
Primer Mass: 5469.6
Extended Primer-Allele A: AGCTGCGCACCCAGGTCAA (SEQ ID NO.: 84)
Extended Primer Mass: 5766.8

-continued

Extended Primer-Allele G: AGCTGCGCACCCAGGTCAGC (SEQ ID NO.: 85)
Extended Primer Mass: 6072.0
APOE
Position 448 (C/T)
PCR primers:
Forward: TGTCCAAGGAGCTGCAGGC (SEQ ID NO.: 86)
Reverse: CTTACGCAGCTTGCGCAGGT (SEQ ID NO.: 87)
MassEXTEND " Primer: GCGGAGATGGAGGACGTG (SEQ ID NO.: 88)
Primer Mass: 5629.7
Extended Primer-Allele C: GCGGACATGGAGGACGTGC (SEQ ID NO.: 89)
Extended Primer Mass: 5902.8
Extended Primer-Allele T: GCGGACATGGAGGACGTGTG (SEQ ID NO.: 90)
Extended Primer Mass: 6247.1
LPL
Position 1127 (A/G)
PCR primers:
Forward: GTTGTTAGAAAGAACCGCTGC (SEQ ID NO.: 91)
Reverse: GAGAACGAGTCTTCAGGTAC (SEQ ID NO.: 92)
MassEXTEND " Primer: ACAATCTGGGCTATGAGATCA (SEQ ID NO.: 93)
Primer Mass: 6454.2
Extended Primer-Allele A: ACAATCTGGGCTATGAGATCAA (SEQ ID NO.: 94)
Extended Primer Mass: 6751.4
Extended Primer-Allele G: ACAATCTGGGCTATGAGATCAGT (SEQ ID NO.: 95)
Extended Primer Mass: 7071.6
Position 3447 (A/C)
PCR primers:
Forward: GACTCTACACTGCATGTCTC (SEQ ID NO.: 96)
Reverse: ACCCTTCTGAAAAGGAGAGG (SEQ ID NO.: 97)
MassEXTENDTM Primer: GACGAGAGACAAGGCAGATA (SEQ ID NO.: 98)
Primer Mass: 6273.1
Extended Primer-Allele A: GAGGAGAGACAAGGCAGATAT (SEQ ID NO.: 99)
Extended Primer Mass: 6561.3
Extended Primer-Allele C: GACGAGAGACAAGGCAGATAGT (SEQ ID NO.: 100)
Extended Primer Mass: 6890.5
Position 1973 (C/T)
PCR primers:
Forward: AAAGGTTTCAGTTGCTGCTGC (SEQ ID NO.: 101)
Reverse: GCTGGGAAGGTCTAATAAC (SEQ ID NO.: 102)

-continued

MassEXTEND™ Primer: GTTGCTGCTGCCTCGAATG (SEQ ID NO.: 103)
Primer Mass: 5770.7
Extended Primer-Allele C: GTTGCTGCTGCCTCGAATCC (SEQ ID NO.: 104)
Extended Primer Mass: 6043.9
Extended Primer-Allele T: GTTGCTGCTGCCTCGAATCTG (SEQ ID NO.: 105)
Extended Primer Mass: 6388.2
LIPC
Position 680 (CIG)
PCR primers:
Forward: CGTCTTCTCCAGATGATGC (SEQ ID NO.: 106)
Reverse: AGTGTCTATGGGCTGTTG (SEQ ID NO.: 107)
MassEXTEND™ Primer: GGATGCCATTCATACCTTTAC (SEQ ID NO.: 108)
Primer Mass: 6556.1
Extended Primer-Allele C: GGATGCCATTCATACCTTTACC (SEQ ID NO.: 109)
Extended Primer Mass: 6629.3
Extended Primer-Allele G: GGATGCCATTCATACCTTTACGC (SEQ ID NO.: 110)
Extended Primer Mass: 6958.5
Position 1374 (GIA)
PCR primers:
Forward: TGGGAAAACAGTGCAGTGTG (SEQ ID NO.: 111)
Reverse: TGATCGTCTTCAGAACGAGG (SEQ ID NO.: 112)
MassEXTEND™ Primer: CCAGACCATCATCCCATGGA (SEQ ID NO.: 113)
Primer Mass: 6030.9
Extended Primer-Allele A: CCAGACCATCATCCCATGGAA (SEQ ID NO.: 114)
Extended Primer Mass: 6328.1
Extended Primer-Allele G: CCAGACCATCATCCCATGGAGC (SEQ ID NO.: 115)
Extended Primer Mass: 6633.3
Position 701 (G/A)
PCR primers:
Forward: CAGCAATCGTCTTTCTCCAG (SEQ ID NO.: 116)
Reverse: TCCTATGGGCTGTTTGATGC (SEQ ID NO.: 117)
MassEXTEND™ Primer: GTCTTTCTCCAGATGATGCCA (SEQ ID NO.: 118)
Primer Mass: 6372.2
Extended Primer-Allele A: GTCTTTCTCCAGATGATGCCAA (SEQ ID NO.: 119)
Extended Primer Mass: 6669.4
Extended Primer-Allele G: GTCTTTCTCCAGATGATGCCAGT (SEQ ID NO.: 120)
Extended Primer Mass: 6989.6

[0081] E. Databases

[0082] Databases for determining an association between polymorphic regions of genes and intermediate and clinical phenotypes, comprise biological samples (e.g., blood) which provide a source of nucleic acid and clinical data covering diseases (e.g., age, sex, ethnicity medical history and family medical history) from both individuals exhibiting the phenotype (intermediate phenotype (risk factor) or clinical phenotype (disease)) and those who do not. These databases include human population groups such as twins, diverse affected families, isolated founder populations and drug trial subjects. The quality and consistency of the clinical resources are of primary importance.

[0083] F. Association Studies

[0084] The examples set forth below utilized an extreme trait analysis to discover an association between an allelic variant of the COX6B gene and high cholesterol and an association between an allelic variant of the GPI-1 gene and low HDL. This analysis is based on comparing a pair of pools of DNA from individuals who exhibit respectively hypo or hypernormal levels of a biochemical trait (e.g., cholesterol or HDL) and individually examining SNPs for a difference in allelic frequency between the pools. An association is considered to be positive if a statistically significant value of at least 3.841 using a 1-degree-of-freedom chi-squared test of association, $p=0.05$, is obtained. Standard multiple testing corrections are applied if more than one SNP is considered at a time, i.e., multiple SNPs are tested during the same study. Although not always required, it may be necessary to further examine the frequency of allelic variants in other populations, including those exhibiting normal levels of the given trait.

[0085] For a qualitative trait (e.g., hypertension) association studies are based on determining the occurrence of certain alleles in a given population of diseased vs. healthy individuals.

[0086] Allelic variants of COX6B, GPI-1 and other genes found to associate with high cholesterol, low HDL and/or cardiovascular disease can represent useful markers for indicating a predisposition for developing a risk factor for cardiovascular disease. These allelic variants may not necessarily represent functional variants affecting the expression, stability, or activity of the encoded protein product. Those of skill in the art would be able to determine which allelic variants are to be used, alone or in conjunction with other variants, only for indicating a predisposition for cardiovascular disease or for profiling of drug reactivity and for determining those which may be also useful for screening for potential therapeutics.

[0087] Any method used to determine association can be utilized to discover or confirm the association of other polymorphic regions in the COX6B gene, the GPI-1 gene or any other gene that may be associated with cardiovascular disease.

[0088] G. Detection of Polymorphisms**[0089] 1. Nucleic Acid Detection Method**

[0090] Generally, these methods are based in sequence-specific polynucleotides, oligonucleotides, probes and primers. Any method known to those of skill in the art for detecting a specific nucleotide within a nucleic acid

sequence or for determining the identity of a specific nucleotide in a nucleic acid sequence is applicable to the methods of determining the presence or absence of an allelic variant of a COX6B gene or GPI-1 gene or another gene associated with cardiovascular disease. Such methods include, but are not limited to, techniques utilizing nucleic acid hybridization of sequence-specific probes, nucleic acid sequencing, selective amplification, analysis of restriction enzyme digests of the nucleic acid, cleavage of mismatched heteroduplexes of nucleic acid and probe, alterations of electrophoretic mobility, primer specific extension, oligonucleotide ligation assay and single-stranded conformation polymorphism analysis. In particular, primer extension reactions that specifically terminate by incorporating a dideoxynucleotide are useful for detection. Several such general nucleic acid detection assays are described in U.S. Pat. No. 6,030,778.

[0091] a. Primer Extension-Based Methods

[0092] Several primer extension-based methods for determining the identity of a particular nucleotide in a nucleic acid sequence have been reported (see, e.g., PCT Application No. PCT/US96/03651 (WO96/29431), PCT Application No. PCT/US97/20444 (WO 98/20019), PCT Application No. PCT/US91/00046 (WO91/13075), and U.S. Pat. No. 5,856,092). In general, a primer is prepared that specifically hybridizes adjacent to a polymorphic site in a particular nucleic acid sequence. The primer is then extended in the presence of one or more dideoxynucleotides, typically with at least one of the dideoxynucleotides being the complement of the nucleotide that is polymorphic at the site. The primer and/or the dideoxynucleotides may be labeled to facilitate a determination of primer extension and identity of the extended nucleotide.

[0093] In a preferred method, primer extension and/or the identity of the extended nucleotide(s) are determined by mass spectrometry (see, e.g., PCT Application Nos. PCT/US96/03651 (WO96/29431) and PCT/US97/20444 (WO 98/20019)).

[0094] b. Polymorphism-Specific Probe Hybridization

[0095] A preferred detection method is allele specific hybridization using probes overlapping the polymorphic site and having about 5, 10, 15, 20, 25, or 30 nucleotides around the polymorphic region. The probes can contain naturally occurring or modified nucleotides (see U.S. Pat. No. 6,156,501). For example, oligonucleotide probes may be prepared in which the known polymorphic nucleotide is placed centrally (allele-specific probes) and then hybridized to target DNA under conditions which permit hybridization only if a perfect match is found (Saiki et al. (1986) *Nature* 324: 163; Saiki et al. (1989) *Proc. Natl. Acad. Sci. USA* 86: 6230; and Wallace et al. (1979) *Nucl. Acids Res.* 6: 3543). Such allele specific oligonucleotide hybridization techniques may be used for the simultaneous detection of several nucleotide changes in different polymorphic regions. For example, oligonucleotides having nucleotide sequences of specific allelic variants are attached to a hybridizing membrane and this membrane is then hybridized with labeled sample nucleic acid. Analysis of the hybridization signal will then reveal the identity of the nucleotides of the sample nucleic acid. In a preferred embodiment, several probes capable of hybridizing specifically to allelic variants are attached to a solid phase support, e.g., a "chip". Oligonucleotides can be bound to a solid support by a variety of processes, including

lithography. For example a chip can hold up to 250,000 oligonucleotides (GeneChip, Affymetrix, Santa Clara, Calif.). Mutation detection analysis using these chips comprising oligonucleotides, also termed "DNA probe arrays" is described e.g., in Cronin et al. (1996) *Human Mutation* 7: 244 and in Kozal et al. (1996) *Nature Medicine* 2: 753. In one embodiment, a chip includes all the allelic variants of at least one polymorphic region of a gene. The solid phase support is then contacted with a test nucleic acid and hybridization to the specific probes is detected. Accordingly, the identity of numerous allelic variants of one or more genes can be identified in a simple hybridization experiment.

[0096] C. Nucleic Acid Amplification-Based Methods

[0097] In other detection methods, it is necessary to first amplify at least a portion of a COX6B gene, GPI-1 gene or another gene associated with cardiovascular disease prior to identifying the allelic variant. Amplification can be performed, e.g., by PCR and/or LCR, according to methods known in the art. In one embodiment, genomic DNA of a cell is exposed to two PCR primers and amplification is performed for a number of cycles sufficient to produce the required amount of amplified DNA. In preferred embodiments, the primers are located between 150 and 350 base pairs apart.

[0098] Alternative amplification methods include: self sustained sequence replication (Guatelli, J. C. et al. (1990) *Proc. Natl. Acad. Sci. U.S.A.* 87: 1874-1878); transcriptional amplification system (Kwoh, D. Y. et al. (1989) *Proc. Natl. Acad. Sci. U.S.A.* 86: 1173-1177), Q-Beta Replicase (Lizardi, P. M. et al. (1988) *Bio/Technology* 6: 1197), or any other nucleic acid amplification method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially useful for the detection of nucleic acid molecules if such molecules are present in very low numbers.

[0099] Alternatively, allele specific amplification technology, which depends on selective PCR amplification may be used in conjunction with the alleles provided herein. Oligonucleotides used as primers for specific amplification may carry the allelic variant of interest in the center of the molecule (so that amplification depends on differential hybridization) (Gibbs et al. (1989) *Nucleic Acids Res.* 17:2437-2448) or at the extreme 3' end of one primer where, under appropriate conditions, mismatch can prevent, or reduce polymerase extension (Prossner (1993) *Tibtech* 11:238; Newton et al. (1989) *Nucl. Acids Res.* 17:2503). In addition it may be desirable to introduce a restriction site in the region of the mutation to create cleavage-based detection (Gasparini et al. (1992) *Mol. Cell Probes* 6:1).

[0100] d. Nucleic Acid Sequencing-Based Methods

[0101] In one embodiment, any of a variety of sequencing reactions known in the art can be used to directly sequence at least a portion of the COX6B gene, GPI-1 gene or other gene associated with cardiovascular disease and to detect allelic variants, e.g., mutations, by comparing the sequence of the sample sequence with the corresponding wild-type (control) sequence. Exemplary sequencing reactions include those based on techniques developed by Maxam and Gilbert (Proc. Natl. Acad. Sci. USA (1977) 74:560) or Sanger (Sanger et al. (1977) *Proc. Natl. Acad. Sci.* 74:5463). It is also contemplated that any of a variety of automated

sequencing procedures may be used when performing the subject assays (Biotechniques (1995) 19:448), including sequencing by mass spectrometry (see, for example, U.S. Pat. No. 5,547,835 and International PCT Application No. WO 94/16101, entitled DNA Sequencing by Mass Spectrometry by H. Koster; U.S. Pat. No. 5,547,835 and International PCT Application No. WO 94/21822, entitled "DNA Sequencing by Mass Spectrometry Via Exonuclease Degradation" by H. Koster), and U.S. Pat. No. 5,605,798 and International Patent Application No. PCT/US96/03651 entitled DNA Diagnostics Based on Mass Spectrometry by H. Koster; Cohen et al. (1996) *Adv Chromatogr* 36:127-162; and Griffin et al. (1993) *Appl Biochem Biotechnol* 38:147-159). It will be evident to one skilled in the art that, for certain embodiments, the occurrence of only one, two or three of the nucleic acid bases need be determined in the sequencing reaction. For instance, A-track sequencing or an equivalent, e.g., where only one nucleotide is detected, can be carried out. Other sequencing methods are disclosed, e.g., in U.S. Pat. No. 5,580,732 entitled "Method of DNA sequencing employing a mixed DNA-polymer chain probe" and U.S. Pat. No. 5,571,676 entitled "Method for mismatch-directed in vitro DNA sequencing".

[0102] e. Restriction Enzyme Digest Analysis

[0103] In some cases, the presence of a specific allele in nucleic acid, particularly DNA, from a subject can be shown by restriction enzyme analysis. For example, a specific nucleotide polymorphism can result in a nucleotide sequence containing a restriction site which is absent from the nucleotide sequence of another allelic variant.

[0104] f. Mismatch Cleavage

[0105] Protection from cleavage agents, such as, but not limited to, a nuclease, hydroxylamine or osmium tetroxide and with piperidine, can be used to detect mismatched bases in RNA/RNA DNA/DNA, or RNA/DNA heteroduplexes (Myers, et al. (1985) *Science* 230:1242). In general, the technique of "mismatch cleavage" starts by providing heteroduplexes formed by hybridizing a control nucleic acid, which is optionally labeled, e.g., RNA or DNA, comprising a nucleotide sequence of an allelic variant with a sample nucleic acid, e.g., RNA or DNA, obtained from a tissue sample. The double-stranded duplexes are treated with an agent, which cleaves single-stranded regions of the duplex such as duplexes formed based on basepair mismatches between the control and sample strands. For instance, RNA/DNA duplexes can be treated with RNase and DNA/DNA hybrids treated with S1 nuclease to enzymatically digest the mismatched regions.

[0106] In other embodiments, either DNA/DNA or RNA/DNA duplexes can be treated with hydroxylamine or osmium tetroxide and with piperidine in order to digest mismatched regions. After digestion of the mismatched regions, the resulting material is then separated by size on denaturing polyacrylamide gels to determine whether the control and sample nucleic acids have an identical nucleotide sequence or in which nucleotides they differ (see, for example, Cotton et al. (1988) *Proc. Natl Acad Sci USA* 85: 4397; Saleeba et al. (1992) *Methods Enzymol.* 217: 286-295). The control or sample nucleic acid is labeled for detection.

[0107] g. Electrophoretic Mobility Alterations

[0108] In other embodiments, alteration in electrophoretic mobility is used to identify the type of allelic variant in the COX6B gene, GPI-1 gene or other gene associated with cardiovascular disease. For example, single-strand conformation polymorphism (SSCP) may be used to detect differences in electrophoretic mobility between mutant and wild type nucleic acids (Orita et al. (1989) *Proc. Natl. Acad. Sci. USA* 86:2766, see also Cotton (1993) *Mutat Res* 285:125-144; and Hayashi (1992) *Genet Anal Tech Appl* 9:73-79). Single-stranded DNA fragments of sample and control nucleic acids are denatured and allowed to renature. The secondary structure of single-stranded nucleic acids varies according to sequence, the resulting alteration in electrophoretic mobility enables the detection of even a single base change. The DNA fragments may be labeled or detected with labeled probes. The sensitivity of the assay may be enhanced by using RNA (rather than DNA), in which the secondary structure is more sensitive to a change in sequence. In another preferred embodiment, the subject method utilizes heteroduplex analysis to separate double stranded heteroduplex molecules on the basis of changes in electrophoretic mobility (Keen et al. (1991) *Trends Genet* 7:5).

[0109] h. Polyacrylamide Gel Electrophoresis

[0110] In yet another embodiment, the identity of an allelic variant of a polymorphic region in the COX6B gene, GPI-1 gene or other gene associated with cardiovascular disease is obtained by analyzing the movement of a nucleic acid comprising the polymorphic region in polyacrylamide gels containing a gradient of denaturant is assayed using denaturing gradient gel electrophoresis (DGGE) (Myers et al. (1985) *Nature* 313:495). When DGGE is used as the method of analysis, DNA will be modified to ensure that it does not completely denature, for example by adding a GC clamp of approximately 40 bp of high-melting GC-rich DNA by PCR. In a further embodiment, a temperature gradient is used in place of a denaturing agent gradient to identify differences in the mobility of control and sample DNA (Rosenbaum and Reissner (1987) *Biophys Chem* 265:1275).

[0111] i. Oligonucleotide Ligation Assay (OLA)

[0112] In another embodiment, identification of the allelic variant is carried out using an oligonucleotide ligation assay (OLA), as described, e.g., in U.S. Pat. No. 4,998,617 and in Landegren, U. et al., *Science* 241:1077-1080 (1988). The OLA protocol uses two oligonucleotides which are designed to be capable of hybridizing to abutting sequences of a single strand of a target. One of the oligonucleotides is linked to a separation marker, e.g., biotinylated, and the other is detectably labeled. If the precise complementary sequence is found in a target molecule, the oligonucleotides will hybridize such that their termini abut, and create a ligation substrate. Ligation then permits the labeled oligonucleotide to be recovered using avidin, or another biotin ligand. Nickerson, D. A. et al. have described a nucleic acid detection assay that combines attributes of PCR and OLA (Nickerson, D. A. et al., *Proc. Natl. Acad. Sci. (U.S.A.)* 87:8923-8927 (1990). In this method, PCR is used to achieve the exponential amplification of target DNA, which is then detected using OLA.

[0113] Several techniques based on this OLA method have been developed and can be used to detect specific allelic

variants of a polymorphic region of a gene. For example, U.S. Pat. No. 5,593,826 discloses an OLA using an oligonucleotide having 3'-amino group and a 5'-phosphorylated oligonucleotide to form a conjugate having a phosphoramidate linkage. In another variation of OLA described in Tobe et al. (1996) *Nucl. Acids Res.* 24: 3728, OLA combined with PCR permits typing of two alleles in a single microtiter well. By marking each of the allele-specific primers with a unique hapten, i.e. digoxigenin and fluorescein, each OLA reaction can be detected by using hapten specific antibodies that are labeled with different enzyme reporters, alkaline phosphatase or horseradish peroxidase. This system permits the detection of the two alleles using a high throughput format that leads to the production of two different colors.

[0114] j. SNP Detection Methods

[0115] Also provided are methods for detecting single nucleotide polymorphisms. Because single nucleotide polymorphisms constitute sites of variation flanked by regions of invariant sequence, their analysis requires no more than the determination of the identity of the single nucleotide present at the site of variation and it is unnecessary to determine a complete gene sequence for each patient. Several methods have been developed to facilitate the analysis of such single nucleotide polymorphisms.

[0116] In one embodiment, the single base polymorphism can be detected by using a specialized exonuclease-resistant nucleotide, as disclosed, e.g., in Mundy, C. R. (U.S. Pat. No. 4,656,127). According to the method, a primer complementary to the allelic sequence immediately 3' to the polymorphic site is permitted to hybridize to a target molecule obtained from a particular animal or human. If the polymorphic site on the target molecule contains a nucleotide that is complementary to the particular exonuclease-resistant nucleotide derivative present, then that derivative will be incorporated onto the end of the hybridized primer. Such incorporation renders the primer resistant to exonuclease, and thereby permits its detection. Since the identity of the exonuclease-resistant derivative of the sample is known, a finding that the primer has become resistant to exonucleases reveals that the nucleotide present in the polymorphic site of the target molecule was complementary to that of the nucleotide derivative used in the reaction. This method has the advantage that it does not require the determination of large amounts of extraneous sequence data.

[0117] In another embodiment, a solution-based method for determining the identity of the nucleotide of a polymorphic site is employed (Cohen, D. et al. (French Patent 2,650,840; PCT Application No. WO91/02087)). As in the Mundy method of U.S. Pat. No. 4,656,127, a primer is employed that is complementary to allelic sequences immediately 3' to a polymorphic site. The method determines the identity of the nucleotide of that site using labeled dideoxynucleotide derivatives, which, if complementary to the nucleotide of the polymorphic site will become incorporated onto the terminus of the primer.

[0118] k. Genetic Bit Analysis

[0119] An alternative method, known as Genetic Bit Analysis or GBA™ is described by Goelet, et al. (U.S. Pat. No. 6,004,744, PCT Application No. 92/15712). The method of Goelet, et al. uses mixtures of labeled terminators and a primer that is complementary to the sequence 3' to a

polymorphic site. The labeled terminator that is incorporated is thus determined by, and complementary to, the nucleotide present in the polymorphic site of the target molecule being evaluated. In contrast to the method of Cohen et al. (French Patent 2,650,840; PCT Application No. WO91/02087), the method of Goelet, et al. is preferably a heterogeneous phase assay, in which the primer or the target molecule is immobilized to a solid phase.

[0120] I. Other Primer-Guided Nucleotide Incorporation Procedures

[0121] Other primer-guided nucleotide incorporation procedures for assaying polymorphic sites in DNA have been described (Komher, J. S. et al., *Nucl. Acids Res.* 17:7779-7784 (1989); Sokolov, B. P., *Nucl. Acids Res.* 18:3671 (1990); Syvanen, A. C., et al., *Genomics* 8:684-692 (1990); Kuppaswamy, M. N. et al., *Proc. Natl. Acad. Sci. (U.S.A.)* 88:1143-1147 (1991); Prezant, T. R. et al., *Hum. Mutat.* 1:159-164 (1992); Ugozzoli, L. et al., *GATA* 9:107-112 (1992); Nyren, P. et al., *Anal. Biochem.* 208:171-175 (1993)). These methods differ from GBA™ in that they all rely on the incorporation of labeled deoxynucleotides to discriminate between bases at a polymorphic site. In such a format, since the signal is proportional to the number of deoxynucleotides incorporated, polymorphisms that occur in runs of the same nucleotide can result in signals that are proportional to the length of the run (Syvanen, A. C., et al., *Amer. J. Hum. Genet.* 52:46-59 (1993)).

[0122] For determining the identity of the allelic variant of a polymorphic region located in the coding region of a gene, yet other methods than those described above can be used. For example, identification of an allelic variant which encodes a mutated protein can be performed by using an antibody specifically recognizing the mutant protein in, e.g., immunohistochemistry or immunoprecipitation. Binding assays are known in the art and involve, e.g., obtaining cells from a subject, and performing binding experiments with a labeled lipid, to determine whether binding to the mutated form of the protein differs from binding to the wild-type protein.

[0123] m. Molecular Structure Determination

[0124] If a polymorphic region is located in an exon, either in a coding or non-coding region of the gene, the identity of the allelic variant can be determined by determining the molecular structure of the mRNA, pre-mRNA, or cDNA. The molecular structure can be determined using any of the above described methods for determining the molecular structure of the genomic DNA, e.g., sequencing and SSCP.

[0125] n. Mass Spectrometric Methods

[0126] Nucleic acids can also be analyzed by detection methods and protocols, particularly those that rely on mass spectrometry (see, e.g., U.S. Pat. No. 5,605,798, allowed co-pending U.S. application Ser. No. 08/617,256, allowed co-pending U.S. application Ser. No. 08/744,481, U.S. application Ser. No. 08/990,851, International PCT Application No. WO 98/20019). These methods can be automated (see, e.g., co-pending U.S. application Ser. No. 09/285,481, which describes an automated process line). Preferred among the methods of analysis herein are those involving the primer oligo base extension (PROBE) reaction with mass spectrometry for detection (described herein and elsewhere, see e.g., U.S. application Ser. Nos. 08/617,256,

09/287,681, 09/287,682, 09/287,141 and 09/287,679, allowed co-pending U.S. application Ser. No. 08/744,481, International PCT Application No. PCT/US97/20444, published as International PCT Application No. WO 98/20019, and based upon U.S. application Ser. Nos. 08/744,481, 08/744,590, 08/746,036, 08/746,055, 08/786,988, 08/787,639, 08/933,792, 08/746,055, 08/786,988 and 08/787,639; see, also U.S. application Ser. No. 09/074,936, allowed U.S. application Ser. No. 08/787,639, and U.S. application Ser. Nos. 08/746,055 and 08/786,988, and published International PCT Application No. WO 98/20020).

[0127] A preferred format for performing the analyses is a chip based format in which the biopolymer is linked to a solid support, such as a silicon or silicon-coated substrate, preferably in the form of an array. More preferably, when analyses are performed using mass spectrometry, particularly MALDI, nanoliter volumes of sample are loaded on, such that the resulting spot is about, or smaller than, the size of the laser spot. It has been found that when this is achieved, the results from the mass spectrometric analysis are quantitative. The area under the peaks in the resulting mass spectra are proportional to concentration (when normalized and corrected for background). Methods for preparing and using such chips are described in allowed co-pending U.S. application Ser. No. 08/787,639, co-pending U.S. application Ser. Nos. 08/786,988, 09/364,774, 09/371,150 and 09/297,575; see, also U.S. application Ser. No. PCT/US97/20195, which published as International PCT Application No. WO 98/20020. Chips and kits for performing these analyses are commercially available from SEQUENOM under the trademark MassARRAY™. MassARRAY™ relies on the fidelity of the enzymatic primer extension reactions combined with the miniaturized array and MALDI-TOF (Matrix-Assisted Laser Desorption Ionization-Time of Flight) mass spectrometry to deliver results rapidly. It accurately distinguishes single base changes in the size of DNA fragments relating to genetic variants without tags.

[0128] Multiplex methods allow for the simultaneous detection of more than one polymorphic region in a particular gene or polymorphic regions in several genes. This is the preferred method for carrying out haplotype analysis of allelic variants of the COX6B and/or GPI-1 genes separately, or along with allelic variants of one or more other genes associated with cardiovascular disease.

[0129] Multiplexing can be achieved by several different methodologies. For example, several mutations can be simultaneously detected on one target sequence by employing corresponding detector (probe) molecules (e.g., oligonucleotides or oligonucleotide mimetics). The molecular weight differences between the detector oligonucleotides must be large enough so that simultaneous detection (multiplexing) is possible. This can be achieved either by the sequence itself (composition or length) or by the introduction of mass-modifying functionalities into the detector oligonucleotides (see below).

[0130] Mass modifying moieties can be attached, for instance, to either the 5'-end of the oligonucleotide, to the nucleobase (or bases), to the phosphate backbone, and to the 2'-position of the nucleoside (nucleosides) and/or to the terminal 3'-position. Examples of mass modifying moieties include, for example, a halogen, an azido, or of the type, XR, wherein X is a linking group and R is a mass-modifying

functionality. The mass-modifying functionality can thus be used to introduce defined mass increments into the oligonucleotide molecule.

[0131] The mass-modifying functionality can be located at different positions within the nucleotide moiety (see, e.g., U.S. Pat. No. 5,547,835 and International PCT Application No. WO 94/21822). For example, the mass-modifying moiety, M, can be attached either to the nucleobase, (in case of the c⁷-deazanucleosides also to C-7), to the triphosphate group at the alpha phosphate or to the 2'-position of the sugar ring of the nucleoside triphosphate. Modifications introduced at the phosphodiester bond, such as with alpha-thio nucleoside triphosphates, have the advantage that these modifications do not interfere with accurate Watson-Crick base-pairing and additionally allow for the one-step post-synthetic site-specific modification of the complete nucleic acid molecule e.g., via alkylation reactions (see, e.g., Nakamaye et al. (1988) *Nucl. Acids Res.* 16:9947-59). Particularly preferred mass-modifying functionalities are boron-modified nucleic acids since they are better incorporated into nucleic acids by polymerases (see, e.g., Porter et al. (1995) *Biochemistry* 34:11963-11969; Hasan et al. (1996) *Nucleic Acids Res.* 24:2150-2157; Li et al. (1995) *Nucl. Acids Res.* 23:4495-4501).

[0132] Furthermore, the mass-modifying functionality can be added so as to affect chain termination, such as by attaching it to the 3'-position of the sugar ring in the nucleoside triphosphate. For those skilled in the art, it is clear that many combinations can be used in the methods provided herein. In the same way, those skilled in the art will recognize that chain-elongating nucleoside triphosphates can also be mass-modified in a similar fashion with numerous variations and combinations in functionality and attachment positions.

[0133] For example, without being bound to any particular theory, the mass-modification can be introduced for X in XR as well as using oligo-/polyethylene glycol derivatives for R. The mass-modifying increment (m) in this case is 44, i.e. five different mass-modified species can be generated by just changing m from 0 to 4 thus adding mass units of 45 (m=0), 89 (m=1), 133 (m=2), 177 (m=3) and 221 (m=4) to the nucleic acid molecule (e.g., detector oligonucleotide (D) or the nucleoside triphosphates, respectively). The oligo/polyethylene glycols can also be monoalkylated by a lower alkyl such as, but are not limited to, methyl, ethyl, propyl, isopropyl and t-butyl. Other chemistries can be used in the mass-modified compounds (see, e.g., those described in *Oligonucleotides and Analogues, A Practical Approach*, F. Eckstein, editor, IRL Press, Oxford, 1991).

[0134] In yet another embodiment, various mass-modifying functionalities, R, other than oligo/polyethylene glycols, can be selected and attached via appropriate linking chemistries, X. A simple mass-modification can be achieved by substituting H for halogens, such as F, Cl, Br and/or I, or pseudohalogens such as CN, SCN, NCS, or by using different alkyl, aryl or aralkyl moieties such as methyl, ethyl, propyl, isopropyl, t-butyl, hexyl, phenyl, substituted phenyl, benzyl, or functional groups such as CH₂F, CHF₂, CF₃, Si(CH₃)₃, Si(CH₃)₂(C₂H₅), Si(CH₃)(C₂H₅)₂, Si(C₂H₅)₃. Yet another mass-modification can be obtained by attaching homo- or heteropeptides through the nucleic acid molecule (e.g., detector (D)) or nucleoside triphosphates). One

example, useful in generating mass-modified species with a mass increment of 57, is the attachment of oligoglycines (m) to nucleic acid molecules (r), e.g., mass-modifications of 74 (r=1, m=0), 131 (r=1, m=1), 188 (r=1, m=2), 245 (r=1, m=3) are achieved. Simple oligoamides also can be used, e.g., mass-modifications of 74 (r=1, m=0), 88 (r=2, m=0), 102 (r=3, m=0), 116 (r=4, m=0), etc. are obtainable. Variations in additions to those set forth herein will be apparent to the skilled artisan.

[0135] Different mass-modified detector oligonucleotides can be used to simultaneously detect all possible variants/mutants simultaneously. Alternatively, all four base permutations at the site of a mutation can be detected by designing and positioning a detector oligonucleotide, so that it serves as a primer for a DNA/RNA polymerase with varying combinations of elongating and terminating nucleoside triphosphates. For example, mass modifications also can be incorporated during the amplification process.

[0136] A different multiplex detection format is one in which differentiation is accomplished by employing different specific capture sequences which are position-specifically immobilized on a flat surface (e.g., a 'chip array'). If different target sequences T1-Tn are present, their target capture sites TCS1-TCSn will specifically interact with complementary immobilized capture sequences C1-Cn. Detection is achieved by employing appropriately mass differentiated detector oligonucleotides D1 -Dn, which are mass modifying functionalities M1-Mn.

[0137] o. Other Methods p Additional methods of analyzing nucleic acids include amplification-based methods including polymerase chain reaction (PCR), ligase chain reaction (LCR), mini-PCR, rolling circle amplification, autocatalytic methods, such as those using OJ replicase, TAS, 3SR, and any other suitable method known to those of skill in the art.

[0138] Other methods for analysis and identification and detection of polymorphisms, include but are not limited to, allele specific probes, Southern analyses, and other such analyses.

[0139] 2. Primers and Probes

[0140] Primers refer to nucleic acids which are capable of specifically hybridizing to a nucleic acid sequence which is adjacent to a polymorphic region of interest or to a polymorphic region and are extended. A primer can be used alone in a detection method, or a primer can be used together with at least one other primer or probe in a detection method. Primers can also be used to amplify at least a portion of a nucleic acid. For amplifying at least a portion of a nucleic acid, a forward primer (i.e., 5' primer) and a reverse primer (i.e., 3' primer) will preferably be used. Forward and reverse primers hybridize to complementary strands of a double stranded nucleic acid, such that upon extension from each primer, a double stranded nucleic acid is amplified.

[0141] Probes refer to nucleic acids which hybridize to the region of interest and which are not further extended. For example, a probe is a nucleic acid which hybridizes adjacent to or at a polymorphic region of a COX6B gene, a GPI-1 gene or another gene associated with cardiovascular disease and which by hybridization or absence of hybridization to the DNA of a subject will be indicative of the identity of the allelic variant of the polymorphic region of the gene. Pre-

ferred probes have a number of nucleotides sufficient to allow specific hybridization to the target nucleotide sequence. Where the target nucleotide sequence is present in a large fragment of DNA, such as a genomic DNA fragment of several tens or hundreds of kilobases, the size of a probe may have to be longer to provide sufficiently specific hybridization, as compared to a probe which is used to detect a target sequence which is present in a shorter fragment of DNA. For example, in some diagnostic methods, a portion of a COX6B gene, a GPI-1 gene or another gene associated with cardiovascular disease may first be amplified and thus isolated from the rest of the chromosomal DNA and then hybridized to a probe. In such a situation, a shorter probe will likely provide sufficient specificity of hybridization. For example, a probe having a nucleotide sequence of about 10 nucleotides may be sufficient.

[0142] Preferred primers and probes hybridize adjacent to or at the polymorphic sites described in TABLES 1-3. In addition, preferred primers include SEQ ID NOS.: 5, 10, 43, 48, 53, 58, 63, 68, 73, 78, 83, 88, 93, 98, 103, 108, 113, and 118.

[0143] Primers and probes (RNA, DNA (single-stranded or double-stranded), PNA and their analogs) described herein may be labeled with any detectable reporter or signal moiety including, but not limited to radioisotopes, enzymes, antigens, antibodies, spectrophotometric reagents, chemiluminescent reagents, fluorescent and any other light producing chemicals. Additionally, these probes may be modified without changing the substance of their purpose by terminal addition of nucleotides designed to incorporate restriction sites or other useful sequences, proteins, signal generating ligands such as acridinium esters, and/or paramagnetic particles.

[0144] These probes may also be modified by the addition of a capture moiety (including, but not limited to paramagnetic particles, biotin, fluorescein, dioxigenin, antigens, antibodies) or attached to the walls of microtiter trays to assist in the solid phase capture and purification of these probes and any DNA or RNA hybridized to these probes. Fluorescein may be used as a signal moiety as well as a capture moiety, the latter by interacting with an anti-fluorescein antibody.

[0145] Any probe or primer can be prepared according to methods well known in the art and described, e.g., in Sambrook, J. Fritsch, E. F., and Maniatis, T. (1989) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. For example, discrete fragments of the DNA can be prepared and cloned using restriction enzymes. Alternatively, probes and primers can be prepared using the Polymerase Chain Reaction (PCR) using primers having an appropriate sequence.

[0146] Oligonucleotides may be synthesized by standard methods known in the art, e.g. by use of an automated DNA synthesizer (such as are commercially available from Biosearch (Novato, Calif.); Applied Biosystems (Foster City, Calif.), etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein et al. (1988, *Nucl. Acids Res.* 16:3209), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, *Proc. Natl. Acad. Sci. U.S.A.* 85:7448-7451), etc.

[0147] H. Transgenic Animals

[0148] Methods for making transgenic animals using a variety of transgenes have been described in Wagner et al. (1981) *Proc. Nat. Acad. Sc. U.S.A.* 78: 5016; Stewart et al. (1982) *Science* 217: 1046; Constantini et al. (1981) *Nature* 294: 92; Lacy et al. (1983) *Cell* 34: 343; McKnight et al. (1983) *Cell* 34: 335; Brinster et al. (1983) *Nature* 306: 332; Palmiter et al. (1982) *Nature* 300: 611; Palmiter et al. (1982) *Cell* 29: 701; and Palmiter et al. (1983) *Science* 222: 809. Such methods are described in U.S. Pat. Nos. 6,175,057; 6,180,849 and 6,133,502.

[0149] The term "transgene" is used herein to describe genetic material that has been or is about to be artificially inserted into the genome of a mammalian cell, particularly a mammalian cell of a living animal. The transgene is used to transform a cell, meaning that a permanent or transient genetic change, preferably a permanent genetic change, is induced in a cell following incorporation of exogenous DNA. A permanent genetic change is generally achieved by introduction of the DNA into the genome of the cell. Vectors for stable integration include, but are not limited to, plasmids, retroviruses and other animal viruses and YACS. Of interest are transgenic mammals, including, but are not limited to, cows, pigs, goats, horses and others, and particularly rodents, including rats and mice. Preferably, the transgenic-animals are mice.

[0150] Transgenic animals contain an exogenous nucleic acid sequence present as an extrachromosomal element or stably integrated in all or a portion of its cells, especially germ cells. Unless otherwise indicated, it will be assumed that a transgenic animal comprises stable changes to the germline sequence. During the initial construction of the animal, "chimeras" or "chimeric animals" are generated, in which only a subset of cells have the altered genome. Chimeras are primarily used for breeding purposes in order to generate the desired transgenic animal. Animals having a heterozygous alteration are generated by breeding of chimeras. Male and female heterozygotes are typically bred to generate homozygous animals.

[0151] The exogenous gene is usually either from a different species than the animal host, or is otherwise altered in its coding or non-coding sequence. The introduced gene may be a wild-type gene, naturally occurring polymorphism (e.g., as described for COX6B, GPI-1 and other genes associated with cardiovascular disease) or a genetically manipulated sequence, for example having deletions, substitutions or insertions in the coding or non-coding regions. When the introduced gene is a coding sequence, it is usually operably linked to a promoter, which may be constitutive or inducible, and other regulatory sequences required for expression in the host animal.

[0152] Transgenic animals can comprise other genetic alterations in addition to the presence of alleles of COX6B and/or GPI-1 genes. For example, the genome can be altered to affect the function of the endogenous genes, contain marker genes, or contain other genetic alterations (e.g., alleles of other genes associated with cardiovascular disease).

[0153] A "knock-out" of a gene means an alteration in the sequence of the gene that results in a decrease of function of the target gene, preferably such that target gene expression

is undetectable or insignificant. A knock-out of an endogenous COX6B or GPI-1 gene means that function of the gene has been substantially decreased so that expression is not detectable or only present at insignificant levels. "Knock-out" transgenics can be transgenic animals having a heterozygous knock-out of the COX6B or GPI-1 gene or a homozygous knock-out of one or both of these genes. "Knock-outs" also include conditional knock-outs, where alteration of the target gene can occur upon, for example, exposure of the animal to a substance that promotes target gene alteration, introduction of an enzyme that promotes recombination at the target gene site (e.g., Cre in the Cre-lox system), or other method for directing the target gene alteration postnatally.

[0154] A "knock-in" of a target gene means an alteration in a host cell genome that results in altered expression (e.g., increased (including ectopic)) of the target gene, e.g., by introduction of an additional copy of the target gene, or by operatively inserting a regulatory sequence that provides for enhanced expression of an endogenous copy of the target gene. "Knock-in" transgenics of interest can be transgenic animals having a knock-in of the COX6B or GPI-1. Such transgenics can be heterozygous or homozygous for the knock-in gene. "Knock-ins" also encompass conditional knock-ins.

[0155] A construct is suitable for use in the generation of transgenic animals if it allows the desired level of expression of a COX6B or GPI-1 encoding sequence or the encoding sequence of another gene associated with cardiovascular disease. Methods of isolating and cloning a desired sequence, as well as suitable constructs for expression of a selected sequence in a host animal, are well known in the art and are described below.

[0156] For the introduction of a gene into the subject animal, it is generally advantageous to use the gene as a gene construct wherein the gene is ligated downstream of a promoter capable of and operably linked to expressing the gene in the subject animal cells. Specifically, a transgenic non-human mammal showing high expression of the desired gene can be created by microinjecting a vector ligated with said gene into a fertilized egg of the subject non-human mammal (e.g., rat fertilized egg) downstream of various promoters capable of expressing the protein and/or the corresponding protein derived from various mammals (rabbits, dogs, cats, guinea pigs, hamsters, rats, mice etc., preferably rats etc.) Useful vectors include *Escherichia coli*-derived plasmids, *Bacillus subtilis*-derived plasmids, yeast-derived plasmids, bacteriophages such as lambda, phage, retroviruses such as Moloney leukemia virus, and animal viruses such as vaccinia virus or baculovirus.

[0157] Useful promoters for such gene expression regulation include, for example, promoters for genes derived from viruses (cytomegalovirus, Moloney leukemia virus, JC virus, breast cancer virus etc.), and promoters for genes derived from various mammals (humans, rabbits, dogs, cats, guinea pigs, hamsters, rats, mice etc.) and birds (chickens etc.) (e.g., genes for albumin, insulin II, erythropoietin, endothelin, osteocalcin, muscular creatine kinase, platelet-derived growth factor beta, keratins K1, K10 and K14, collagen types I and II, atrial natriuretic factor, dopamine beta-hydroxylase, endothelial receptor tyrosine kinase (generally abbreviated Tie2), sodium-potassium adenosine triph-

osphorylase (generally abbreviated Na,K-ATPase), neurofilament light chain, metallothioneins I and IIA, metalloproteinase I tissue inhibitor, MHC class I antigen (generally abbreviated H-2L), smooth muscle alpha actin, polypeptide chain elongation factor 1 alpha (EF-1 alpha), beta actin, alpha and beta myosin heavy chains, myosin light chains 1 and 2, myelin base protein, serum amyloid component, myoglobin, renin etc.).

[0158] It is preferable that the above-mentioned vectors have a sequence for terminating the transcription of the desired messenger RNA in the transgenic animal (generally referred to as terminator); for example, gene expression can be manipulated using a sequence with such function contained in various genes derived from viruses, mammals and birds. Preferably, the simian virus SV40 terminator etc. are commonly used. Additionally, for the purpose of increasing the expression of the desired gene, the splicing signal and enhancer region of each gene, a portion of the intron of a eukaryotic organism gene may be ligated 5' upstream of the promoter region, or between the promoter region and the translational region, or 3' downstream of the translational region as desired.

[0159] A translational region for a protein of interest can be obtained using the entire or portion of genomic DNA of blood, kidney or fibroblast origin from various mammals (humans, rabbits, dogs, cats, guinea pigs, hamsters, rats, mice etc.) or of various commercially available genomic DNA libraries, as a starting material, or using complementary DNA prepared by a known method from RNA of blood, kidney or fibroblast origin as a starting material. Also, an exogenous gene can be obtained using complementary DNA prepared by a known method from RNA of human fibroblast origin as a starting material. All these translational regions can be utilized in transgenic animals.

[0160] To obtain the translational region, it is possible to prepare DNA incorporating an exogenous gene encoding the protein of interest in which the gene is ligated downstream of the above-mentioned promoter (preferably upstream of the translation termination site) as a gene construct capable of being expressed in the transgenic animal.

[0161] DNA constructs for random integration need not include regions of homology to mediate recombination. Where homologous recombination is desired, the DNA constructs will comprise at least a portion of the target gene with the desired genetic modification, and will include regions of homology to the target locus. Conveniently, markers for positive and negative selection are included. Methods for generating cells having targeted gene modifications through homologous recombination are known in the art. For various techniques for transfecting mammalian cells, see Keown et al. (1990) *Methods in Enzymology* 185:527-537.

[0162] The transgenic animal can be created by introducing a COX6B or GPI-1 gene construct into, for example, an unfertilized egg, a fertilized egg, a spermatozoon or a germinal cell containing a primordial germinal cell thereof, preferably in the embryogenic stage in the development of a non-human mammal (more preferably in the single-cell or fertilized cell stage and generally before the 8-cell phase), by standard means, such as the calcium phosphate method, the electric pulse method, the lipofection method, the agglutination method, the microinjection method, the particle gun

method, the DEAE-dextran method and other such method. Also, it is possible to introduce a desired COX6B or GPI-1 gene into a somatic cell, a living organ, a tissue cell, or the like, by gene transformation methods, and utilize it for cell culture, tissue culture etc. Furthermore, these cells may be fused with the above-described germinal cell by a commonly known cell fusion method to create a transgenic animal.

[0163] For embryonic stem (ES) cells, an ES cell line may be employed, or embryonic cells may be obtained freshly from a host, e.g. mouse, rat, guinea pig, etc. Such cells are grown on an appropriate fibroblast-feeder layer or grown in the presence of appropriate growth factors, such as leukemia inhibiting factor (LIF). When ES cells have been transformed, they may be used to produce transgenic animals. After transformation, the cells are plated onto a feeder layer in an appropriate medium. Cells containing the construct may be detected by employing a selective medium. After sufficient time for colonies to grow, they are picked and analyzed for the occurrence of homologous recombination or integration of the construct. Those colonies that are positive may then be used for embryo manipulation and blastocyst injection. Blastocysts are obtained from 4 to 6 week old superovulated females. The ES cells are trypsinized, and the modified cells are injected into the blastocoel of the blastocyst. After injection, the blastocysts are returned to each uterine horn of pseudopregnant females. Females are then allowed to go to term and the resulting litters screened for mutant cells having the construct. By providing for a different phenotype of the blastocyst and the ES cells, chimeric progeny can be readily detected. The chimeric animals are screened for the presence of the modified gene and males and females having the modification are mated to produce homozygous progeny. If the gene alterations cause lethality at some point in development, tissues or organs can be maintained as allogeneic or congenic grafts or transplants, or in in vitro culture.

[0164] Animals containing more than one transgene, such as allelic variants of COX6B and/or GPI-1 and/or other genes associated with cardiovascular disease can be made by sequentially introducing individual alleles into an animal in order to produce the desired phenotype (manifestation or predisposition to cardiovascular disease).

[0165] I. Effect of Allelic Variants on the Encoded Protein and Disease Related Phenotype

[0166] The effect of an allelic variant on a COX6B or GPI-1 protein (altered amount, stability, location and/or activity) can be determined according to methods known in the art. Allelic variants of the COX6B and GPI-1 genes can be assayed individually or in combination with other variants known to be associated with cardiovascular disease.

[0167] If the mutation is located in an intron, the effect of the mutation can be determined, e.g., by producing transgenic animals in which the allelic variant linked to lipid metabolism and/or cardiovascular disease has been introduced and in which the wild-type gene or predominant allele may have been knocked out. Comparison of the level of expression of the protein in the mice transgenic for the allelic variant with mice transgenic for the predominant allele will reveal whether the mutation results in increased or decreased synthesis of the associated protein and/or aberrant tissue distribution of the associated protein. Such analysis

could also be performed in cultured cells, in which the human variant allele gene is introduced and, e.g., replaces the endogenous gene in the cell. Thus, depending on the effect of the alteration a specific treatment can be administered to a subject having such a mutation. Accordingly, if the mutation results in decreased production of a COX6B or GPI-1 protein, the subject can be treated by administration of a compound which increases synthesis, such as by increasing COX6B or GPI-1 gene expression, and wherein the compound acts at a regulatory element different from the one which is mutated. Alternatively, if the mutation results in increased COX6B or GPI-1 protein levels, the subject can be treated by administration of a compound which reduces protein production, e.g., by reducing COX6B or GPI-1 gene expression or a compound which inhibits or reduces the activity of COX6B or GPI-1 protein.

[0168] J. Diagnostic and Prognostic Assays

[0169] Typically, an individual allelic variant that associates with a risk factor for cardiovascular disease will not be used in isolation as a prognosticator for a subject developing high cholesterol, low HDL or cardiovascular disease. An allelic variant typically will be one of a plurality of indicators that are utilized. The other indicators may be the manifestation of other risk factors for cardiovascular disease, e.g., family history, high blood pressure, weight, activity level, etc., or additional allelic variants in the same or other genes associated with altered lipid metabolism and/or cardiovascular disease.

[0170] Useful combinations of allelic variants of the COX6B gene and/or the GPI-1 gene can be determined by examining combinations of variants of these genes, which are assayed individually or assayed simultaneously using multiplexing methods as described above or any other labelling method that allows different variants to be identified. In particular, variants of COX6B gene and/or the GPI-1 gene may be assayed using kits (see below) or any of a variety microarrays known to those in the art. For example, oligonucleotide probes comprising the polymorphic regions surrounding any polymorphism in the COX6B or GPI-1 gene may be designed and fabricated using methods such as those described in U.S. Pat. Nos. 5,492,806; 5,525,464; 5,695,940; 6,018,041; 6,025,136; WO 98/30883; WO 98/56954; WO99/09218; WO 00/58516; WO 00/58519, or references cited therein. Similarly one of skill in the art can determine useful combinations of allelic variants of the COX6B and/or GPI-1 genes along with variants of other genes associated with cardiovascular disease.

[0171] K. Pharmacogenomics

[0172] It is likely that subjects having one or more different allelic variants of the COX6B or GPI-1 polymorphic regions will respond differently to therapeutic drugs to treat cardiovascular disease or conditions. For example, there are numerous drugs available for lowering cholesterol levels: including lovastatin (MEVACOR; Merck & Co.), simvastatin (XOCOR; Merck & Co.), dextrothyroxine (CHOLEXIN; Knoll Pharmaceutical Co.), pamaqueside (Pfizer), cholestyramine (QUESTRAN; Bristol-Myers Squibb), colestipol (COLESTID; Pharmacia & Upjohn), acipimox (Pharmacia & Upjohn), fenofibrate (LIPIDIL), gemfibrozil (LOPID; Warner-Lambert), cerivastatin (LIPOBAY; Bayer), fluvastatin (LESCOL; Novartis), atorvastatin (LIPITOR; Warner-Lambert), etofylline clofibrate

(DUOLIP; Merckle (Germany)), probucol (LORELCO; Hoechst Marion Roussel), omacor (Pronova (Norway)), etofibrate (Merz (Germany)), clofibrate (ATROMID-S; Wyeth-Ayerst (AHP)), and niacin (numerous manufacturers). All patients do not respond identically to these drugs. Alleles of the COX6B or the GPI-1 gene which associate with altered lipid metabolism will be useful alone or in conjunction with markers in other genes associated with the development of cardiovascular disease to predict a subject's response to a therapeutic drug. For example, multiplex primer extension assays or microarrays comprising probes for alleles are useful formats for determining drug response. A correlation between drug responses and specific alleles or combinations of alleles of the COX6B or GPI-1 genes and other genes associated with cardiovascular disease can be shown, for example, by clinical studies wherein the response to specific drugs of subjects having different allelic variants of polymorphic regions of the COX6B or GPI-1 genes alone or in combination with allelic variants of other genes are compared. Such studies can also be performed using animal models, such as mice having various alleles and in which, e.g., the endogenous COX6B or GPI-1 genes have been inactivated such as by a knock-out mutation. Test drugs are then administered to the mice having different alleles and the response of the different mice to a specific compound is compared. Accordingly, assays, microarrays and kits are provided for determining the drug which will be best suited for treating a specific disease or condition in a subject based on the individual's genotype. For example, it will be possible to select drugs which will be devoid of toxicity, or have the lowest level of toxicity possible for treating a subject having a disease or condition, e.g., cardiovascular disease or high cholesterol or low HDL.

[0173] L. Kits

[0174] Kits can be used to indicate whether a subject is at risk of developing high cholesterol, low HDL and/or cardiovascular disease. The kits can also be used to determine if a subject who has high cholesterol or low HDL carries associated variants in the COX6B or GPI-1 genes or other cardiovascular disease-related genes. This information could be used, e.g., to optimize treatment of such individuals as a particular genotype may be associated with drug response.

[0175] In preferred embodiments, the kits comprise a probe or primer which is capable of hybridizing adjacent to or at a polymorphic region of a COX6B or GPI-1 gene and thereby identifying whether the COX6B or GPI-1 gene contains an allelic variant which is associated with cardiovascular disease. Primers or probes that specifically hybridize at or adjacent to the SNPs described in Tables 1-3 could be included. In particular, primers or probes which comprise the sequences of SEQ ID NOs.: 5, 10, 43, 48, 53, 58, 63, 68, 73, 78, 83, 88, 93, 98, 103, 108, 113, and 118 could be included in the kits. The kits preferably further comprise instructions for use in carrying out assays, interpreting results and diagnosing a subject as having a predisposition toward developing high cholesterol, low HDL and/or cardiovascular disease.

[0176] Preferred kits for amplifying a region of a COX6B gene, GPI-1 gene, or other genes associated with cardiovascular disease (such as those listed in Table 3) comprise two primers which flank a polymorphic region of the gene of interest. For example primers can comprise the sequences of

SEQ ID NOs.: 3, 4, 8, 9, 41, 42, 46, 47, 51, 52, 56, 57, 61, 62, 66, 67, 71, 72, 76, 77, 81, 82, 86, 87, 91, 92, 96, 97, 101, 102, 106, 107, 111, 112, 116, and 117. For other assays, primers or probes hybridize to a polymorphic region or 5' or 3' to a polymorphic region depending on which strand of the target nucleic acid is used. For example, specific probes and primers comprise sequences designated as SEQ ID NOs.: 5, 10, 43, 48, 53, 58, 63, 68, 73, 78, 83, 88, 93, 98, 103, 108, 113, and 118. Those of skill in the art can synthesize primers and probes which hybridize adjacent to or at the polymorphic regions described in TABLES 1-3 and other SNPs in genes associated with cardiovascular disease.

[0177] Yet other kits comprise at least one reagent necessary to perform an assay. For example, the kit can comprise an enzyme, such as a nucleic acid polymerase. Alternatively the kit can comprise a buffer or any other necessary reagent.

[0178] Yet other kits comprise microarrays of probes to detect allelic variants of COX6B, GPI-1, and other genes associated with cardiovascular disease. The kits further comprise instructions for their use and interpreting the results.

[0179] The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention. The practice of methods and development of the products provided herein employ, unless otherwise indicated, conventional techniques of cell biology, cell culture, molecular biology, transgenic biology, microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the literature. See, for example, *Molecular Cloning A Laboratory Manual*, 2nd Ed., ed. by Sambrook, Fritsch and Maniatis (Cold Spring Harbor Laboratory Press: 1989); *DNA Cloning*, Volumes I and II (D. N. Glover ed., 1985); *Oligonucleotide Synthesis* (M. J. Gait ed., 1984); Mullis et al. U.S. Pat. No. 4,683,195; *Nucleic Acid Hybridization* (B. D. Hames & S. J. Higgins eds. 1984); *Transcription and Translation* (B. D. Hames & S. J. Higgins eds. 1984); *Culture of Animal Cells* (R. I. Freshney, Alan R. Liss, Inc., 1987); *Immobilized Cells and Enzymes* (IRL Press, 1986); B. Perbal, *A Practical Guide To Molecular Cloning* (1984); the treatise, *Methods In Enzymology* (Academic Press, Inc., New York); *Gene Transfer Vectors For Mammalian Cells* (J. H. Miller and M. P. Calos eds., 1987, Cold Spring Harbor Laboratory); *Methods In Enzymology*, Vols. 154 and 155 (Wu et al. eds., Immunochemical Methods In Cell and Molecular Biology (Mayer and Walker, eds., Academic Press, London, 1987); *Handbook of Experimental Immunology*, Volumes I-IV (D. M. Weir and C. C. Blackwell, eds., 1986); *Manipulating the Mouse Embryo*, (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1986).

EXAMPLE 1

[0180] Isolation of DNA from Blood Samples of a Stratified Population

[0181] Blood samples were obtained from a population of unrelated Caucasian women between the ages of 18-79 (average age=48). The women had, no response to media campaigns, attended the Twin Research Unit at the St. Thomas Hospital in London, England. For current purposes, only one member of a twin pair was used to insure that all observations were independent. Blood samples from 1400 unrelated individuals were measured for levels of cholest-

terol and HDL. Cholesterol and HDL level in blood samples were quantitated using standard assay methods.

[0182] The population was stratified into pools of 200 people, which represented the lower extreme and the upper extreme for serum levels of cholesterol and HDL.

Cholesterol	
Pool 1:	Individuals were considered to have low cholesterol (0.12–3.6 mmol/L).
Pool 2:	Individuals were considered to have high cholesterol (5.25–11.57 mmol/L).
HDL	
Pool 3:	Individuals were considered to have low levels of HDL (0.240–1.11 mmol/L).
Pool 4:	Individuals were considered to have high levels of HDL (2.10–3.76 mmol/L).

[0183] DNA Extraction Protocol

[0184] DNA was extracted from blood samples of each of the pools by utilizing the following protocol.

[0185] Section 1

[0186] 1. Blood was extracted into EDTA tubes.

[0187] 2. Blood sample was spun at 3,000 rpm for 10 minutes in a clinical centrifuge.

[0188] 3. The buffy coat (the leukocytes, a yellowish layer of cells on top of the red blood cells) was removed and pooled into a 1 ml conical tube.

[0189] 4. 0.9% saline was added to fill the tube and resuspend the leukocytes. Sample were immediately further processed or stored at 4° C. for 24 hrs.

[0190] 5. The sample was spun at 2,500 rpm for 10 minutes.

[0191] 6. The buffy coat was again removed as cleanly as possible leaving behind any red cells, the sample was suspended in red cell lysis buffer and left for 20 minutes at 4° C.

[0192] 7. The sample was spun again at 2,500 rpm for 10 minutes. If a pellet of unlysed red cells remained lying above the leukocytes the treatment with red cell lysis buffer was repeated.

[0193] 8. The leucocyte pellet was resuspended in 2 ml 0.9% saline.

[0194] 9. The DNA was liberated by the addition of leucocyte lysis buffer—the tube was capped and gently inverted several times, until the liquid became viscous with DNA. The samples were handled with care to avoid shearing and damage to the DNA.

[0195] 10. Samples were frozen for storage prior to full extraction.

[0196] Section 2

[0197] 11. 2 ml of 5 M sodium perchlorate was added to the thawed sample and mixed by inversion. The sample was heated to 60° C. for 30-40 minutes to fully denature proteins.

[0198] 12. An equal volume of chloroform/isoamyl alcohol (24:1) was added at room temperature and the sample mixed for 10 minutes.

[0199] 13. The sample was spun without a break at 3,000 rpm for 10 minutes.

[0200] 14. The top aqueous phase was removed into a clean tube and two volumes of cold 100% ethanol added and mixed by inversion to precipitate DNA.

[0201] 15. The DNA was removed using a sterile loop and resuspended in 1-5 ml TE buffer depending on the DNA yield.

[0202] 16. The optical density was measured at 260 and 280 nm to check yield and purity of the DNA sample. For use in Examples 2 and 3, all DNA had an absorbance ratio of 1.6 at 260/280, a total yield of 32 µg and a concentration of 10 ng/µl. If initial purity levels were unacceptable a re-extraction was carried out (sections 12-15 above).

EXAMPLE 2

[0203] Detection of an Association Between an SNP at Position 86 of the Human COX6B Gene and High Cholesterol

[0204] DNA samples (as prepared in Example 1), representing 200 women, from the lower extreme, pool 1 (low levels of cholesterol) and the upper extreme, pool 2 (high levels of cholesterol) were amplified and analyzed for genetic differences using a MassEXTEND™ assay detection method. For each pool, single nucleotide polymorphisms were examined throughout the entire genome to detect differences in allelic frequency of a variant allele between the pools.

[0205] PCR Amplification of Samples from Pools 1 and 2

[0206] PCR primers were synthesized by Operon (Alameda, Calif.) using phosphoramidite chemistry. Amplification of the COX6B target sequence was carried out in two 50 µl PCR reactions with 100 ng of pooled human genomic DNA, obtained as described in Example 1, taken from samples in pool 1 or pool 2, although amounts ranging from 100 ng to 1 µg could be used. Individual DNA concentrations within the pooled samples were present in equal concentration with a final concentration of 0.5 ng. Each reaction contained 1×PCR buffer (Qiagen, Valencia, Calif.), 200 µM dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, Calif.), 4 mM MgCl₂, and 25 pmols of the long primer containing both the universal primer sequence and the target specific sequence 5'-AGCGGATAACAATTTACACACAGGTAGTCTGGTTCTGGTTGGGG-3' (SEQ ID NO.: 4), 2 pmols of the short primer 5'-AGGATTCAGCACCATGGC-3' (SEQ ID NO.: 3) and 10 pmols of a biotinylated universal primer complementary to the 5' end of the PCR amplicon 5'-AGCGGATAACAATTTACACACAGG-3' (SEQ ID NO.: 121). Alternatively, the biotinylated universal primer could be 5'-GGCGCACGCCTCCACG-3' (SEQ ID NO.: 122). After an initial round of amplification with the target with the specific forward (long) and reverse primer (short), the 5' biotinylated universal primer then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture moiety into the molecule. The amplification protocol results in a 5'-biotinylated double stranded

DNA amplicon and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2 mL tubes or 96 well plate using an MJ Research Thermal Cycler (Waltham, Mass.) (calculated temperature) with the following cycling parameters: 94° C. for 5 min; 45 cycles: 94° C. for 20 sec, 56° C. for 30 sec, 72° C. for 60 sec; 72° C. 3 min.

[0207] Immobilization of DNA

[0208] The 50 μ L PCR reaction was added to 25 μ L of streptavidin coated magnetic bead (Dyna, Lake Success, N.Y.) prewashed three times and resuspended in 1 M NH_4Cl , 0.06 M NH_4OH . The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was released from the double stranded amplicons by incubation in 100 mM NaOH and washing of the beads three times with 10 mM Tris pH 8.0.

[0209] Genotyping

[0210] The frequency of the alleles at position 86 in the COX6B gene was measured using the MassEXTEND™ assay and MALDI-TOF. The SNP identified at position 86 of COX6B in the GenBank sequence is represented as a C to T transversion. The MassEXTEND™ assay used detected the sequence of the complementary strand, thus the SNP was represented as G to A in the primer extension products. The DNA coated magnetic beads were resuspended in 26 mM Tris-HCl pH 9.5, 6.5 mM MgCl_2 and 50 mM each of dTTPs and 50 mM each of ddCTP, ddATP, ddGTP, 2.5 U of a thermostable DNA polymerase (Amersham Pharmacia Biotech, Piscataway, N.J.) and 20 pmoles of a template specific oligonucleotide primer 5'-AATCAAGAACTACAAGAC-3' (SEQ ID NO.: 5) (Operon, Alameda, Calif.). Primer extension occurred with three cycles of oligonucleotide primer hybridization and extension. The extension products were analyzed after denaturation from the template with 50 mM NH_4Cl and transfer of 150 nl of each sample to a silicon chip preloaded with 150 nl of H3PA (3-hydroxy picolinic acid) (Sigma Aldrich, St Louis, Mo.) matrix material. The sample material was allowed to crystallize and analyzed by MALDI-TOF (Bruker Daltonics, Billerica, Mass.; PerSeptive, Foster City, Calif.). The mass of the primer used in the MassEXTEND™ reaction was 5493.70 daltons. The predominant allele is extended by the addition of ddC, which has a mass of 5766.90 daltons. The allelic variant results in the addition of dT and ddG to the primer to produce an extension product having a mass of 6111.10 daltons.

[0211] In addition to being analyzed as part of a pool, each individual sample (0.5 ng) was amplified as described above and analyzed individually using a MassEXTEND™ reaction as described above.

[0212] Pooled populations of women (200 women per pool) with high cholesterol (pool 2) showed an increase in the frequency of the A allele at nucleotide position 86 of COX6B as compared with those with low levels of cholesterol (pool 1) (see FIG. 1). The association of this allelic variant of the COX6B gene with high cholesterol gave a statistically significant value of 14.30 using a 1-degree-of-freedom chi-squared test of association. In other words, the increase of 2.75% to 9.05% is significant, with a p value of

0.000156 (see FIG. 1). The genotype of each of the individuals in the pooled population was also determined by carrying out MassEXTEND™ reactions on each DNA samples individually. These analysis confirmed the pooling data showing that there was an increase in the frequency of the A allele of 2.27% to 9.93%, ($p=0.0000061$). The genotypes in pool 2 showed a decrease in the homozygous GG genotype from 95.4% to 82.35% and an increase in the heterozygous GA genotype from 4.55% to 15.44%. None of the individuals with low levels of serum cholesterol exhibited the homozygous AA genotype.

EXAMPLE 3

[0213] Detection of an Association Between an SNP at Position 2577 of the Human GPI-1 Gene and Low HDL

[0214] DNA samples (as prepared in Example 1), representing 200 women, from pool 3 (low level of HDL) and pool 4 (high levels of HDL) were amplified and analyzed for genetic differences using a MassEXTEND™ detection method. For each pool, SNPs were examined throughout the genome to detect differences in allelic frequency of variant alleles between the pools.

[0215] PCR Amplification of Samples from Pools 3 and 4

[0216] PCR primers were synthesized by Operon (Alameda, Calif.) using phosphoramidite chemistry. Amplification of the GPI-1 target sequence was carried out in single 50 μ L PCR reaction with 100 ng of pooled human genomic DNA (200 samples), obtained as described in Example 1, taken from samples in pool 3 or pool 4, although amounts ranging from 100 ng to 1 μ g could be used. Individual DNA concentrations within the pooled samples were present in equal concentration with the final concentration of 0.5 ng. Each reaction contained 1 \times PCR buffer (Qiagen, Valencia, Calif.), 200 μ M dNTPs, 1U Hotstar Taq polymerase (Qiagen, Valencia, Calif.), 4 mM MgCl_2 , and 25 pmoles of the forward primer containing both the universal primer sequence and the target specific short sequence 5'-AGCAGGGCTTCCTCCTTC-3' (SEQ ID NO.: 8) 2 pmoles of the long primer 5'-AGCGGATAACAATTTCA-CACAGGTGACCCAGCCGTACCTATTC-3' (SEQ ID NO.: 9) and 10 pmoles of a biotinylated universal primer complementary to the 5' end of the PCR amplicon 5'-AGCG-GATAACAATTTACACAGG-3' (SEQ ID NO.: 121). After an initial round of amplification with the target with the specific forward (long) and reverse primer (short), the 5' biotinylated universal primer then hybridized and acted as a reverse primer thereby introducing a 3' biotin capture moiety into the molecule. The amplification protocol results in a 5'-biotinylated double stranded DNA amplicon and dramatically reduces the cost of high throughput genotyping by eliminating the need to 5' biotin label each forward primer used in a genotyping. Thermal cycling was performed in 0.2 mL tubes or 96 well plate using an MJ Research Thermal Cycler (Waltham, Mass.) (calculated temperature) with the following cycling parameters: 94° C. for 5 min; 45 cycles: 94° C. for 20 sec, 56° C. for 30 sec, 72° C. for 60 sec; 72° C. 3 min.

[0217] Immobilization of DNA

[0218] The 50 μ L PCR reaction was added to 25 μ L of streptavidin coated magnetic bead (Dyna, Lake Success, N.Y.) prewashed three times and resuspended in 1 M NH_4Cl ,

0.06 M NH₄OH. The PCR amplicons were allowed to bind to the beads for 15 minutes at room temperature. The beads were then collected with a magnet and the supernatant containing unbound DNA was removed. The unbound strand was released from the double stranded amplicons by incubation in 100 mM NaOH and washing of the beads three times with 10 mM Tris pH 8.0.

[0219] Genotyping

[0220] The frequency of the alleles at position 2577 in the GPI-1 gene was measured using the MassEXTEND™ assay and MALDI-TOF. The SNP identified at position 2577 of GPI-1 in the GenBank sequence is represented as a G to A transversion. The MassEXTEND™ assay used detected this sequence, thus the SNP was represented as C to T in the primer extension products. The DNA coated magnetic beads were resuspended in 26 mM Tris-HCL pH 9.5, 6.5 mM MgCl₂ and 50 mM each of dTTPs and 50 mM each of ddCTP, ddATP, ddGTP, 2.5 U of a thermostable DNA polymerase (Amersham Pharmacia Biotech, Piscataway, N.J.) and 20 pmoles of a template specific oligonucleotide primer 5'-AAGGGAGACAGATTGGC-3' (SEQ ID NO.: 10) (Operon, Alameda, Calif.). Primer extension occurred with three cycles of oligonucleotide primer hybridization and extension. The extension products were analyzed after denaturation from the template with 50 mM NH₄Cl and transfer of 150 nl each sample to a silicon chip preloaded with 150 nl of H3PA matrix material. The sample material was allowed to crystallize and analyzed by MALDI-TOF (Bruker Daltonics, Billerica, Mass.; PerSeptive, Foster City, Calif.). The mass of the primer used in the MassEXTEND™ reaction was 561 2.70 daltons. The predominant allele is

extended by the addition of ddC, which has a mass of 5885.90 daltons. The allelic variant results in the addition of dT and ddG to the primer to produce an extension product having a mass of 6230.10 daltons.

[0221] In addition to being analyzed as a pool, each individual sample (0.5 ng) was amplified as described above and analyzed individually using the MassEXTEND™ reaction as described above.

[0222] Pooled populations of women (200 women per pool) with low HDL (pool 3) showed an increase in the T allele of 11.33% at nucleotide position 2577 as compared with those with high levels of HDL (pool 4). The association of this allelic variant of the GPI-1 gene with low HDL gave a statistically significant value of 15.04 using a 1-degree-of-freedom chi-squared test of association. In other words, the increase of 16.23% to 27.57% is significant, with a p value of 0.0001064 (see FIG. 2). The genotype of each of the individuals in the pooled population was also determined by carrying out individual MassEXTEND™ reactions on individual DNA samples. These analysis confirmed the pooling data showing that there was an increase in the frequency of the T allele of 19.49% to 26.1%, (p=0.024). The measured genotypes in pool 3 showed a decrease in the homozygous CC genotype from 65.24% to 54.21% and an increase in the heterozygous CT genotype from 30.51% to 39.25%. The homozygous TT genotypes increased 2.3%.

[0223] Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 122

<210> SEQ ID NO 1

<211> LENGTH: 439

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (45)...(305)

<400> SEQUENCE: 1

ttgagctgca ggttgaatcc ggggtgcctt taggattcag cacc atg gcg gaa gac	56
Met Ala Glu Asp	
1	
atg gag acc aaa atc aag aac tac aag acc gcc cct ttt gac agc cgc	104
Met Glu Thr Lys Ile Lys Asn Tyr Lys Thr Ala Pro Phe Asp Ser Arg	
5 10 15 20	
ttc ccc aac cag aac cag act aga aac tgc tgg cag aac tac ctg gac	152
Phe Pro Asn Gln Asn Gln Thr Arg Asn Cys Trp Gln Asn Tyr Leu Asp	
25 30 35	
ttc cac cgc tgt cag aag gca atg acc gct aaa gga ggc gat atc tct	200
Phe His Arg Cys Gln Lys Ala Met Thr Ala Lys Gly Gly Asp Ile Ser	
40 45 50	
gtg tgc gaa tgg tac cag cgt gtg tac cag tcc ctc tgc ccc aca tcc	248
Val Cys Glu Trp Tyr Gln Arg Val Thr Gln Ser Leu Cys Pro Thr Ser	
55 60 65	

-continued

tgg gtc aca gac tgg gat gag caa cgg gct gaa ggc acg ttt ccc ggg	296
Trp Val Thr Asp Trp Asp Glu Gln Arg Ala Glu Gly Thr Phe Pro Gly	
70 75 80	

aag atc tga actgggtgca totcccttct cctgtctctc catccttctc	345
Lys Ile *	
85	

ccaggatgggt gaaggggggac ctggtaccca gtgatcccca ccccaggatc ctaaatacatg	405
--	-----

acttacctgc taataaaaaac tcattggaaa agtg	439
--	-----

<210> SEQ ID NO 2
 <211> LENGTH: 86
 <212> TYPE: PRT
 <213> ORGANISM: Homo Sapien

<400> SEQUENCE: 2

Met Ala Glu Asp Met Glu Thr Lys Ile Lys Asn Tyr Lys Thr Ala Pro	
1 5 10 15	

Phe Asp Ser Arg Phe Pro Asn Gln Asn Gln Thr Arg Asn Cys Trp Gln	
20 25 30	

Asn Tyr Leu Asp Phe His Arg Cys Gln Lys Ala Met Thr Ala Lys Gly	
35 40 45	

Gly Asp Ile Ser Val Cys Glu Trp Tyr Gln Arg Val Tyr Gln Ser Leu	
50 55 60	

Cys Pro Thr Ser Trp Val Thr Asp Trp Asp Glu Gln Arg Ala Glu Gly	
65 70 75 80	

Thr Phe Pro Gly Lys Ile	
85	

<210> SEQ ID NO 3
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: PCR Primer

<400> SEQUENCE: 3

aggattcagc accatggc	18
---------------------	----

<210> SEQ ID NO 4
 <211> LENGTH: 43
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: PCR Primer

<400> SEQUENCE: 4

agcggataac aatttcacac aggtagtctg gttctggttg ggg	43
---	----

<210> SEQ ID NO 5
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: MassExtend primer

<400> SEQUENCE: 5

aatcaagaac tacaagac	18
---------------------	----

<210> SEQ ID NO 6

-continued

```

<211> LENGTH: 2921
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (103)...(1848)

<400> SEQUENCE: 6

cagcgcgagcgc cgtcgtctgc ccggggccgc ccatcggggt ccccaacccc atccggaccc 60
cgccgcgccga ggcgcgcggcc ccggaagcac ccgcctcccg gc atg gtg ctc aag 114
                               Met Val Leu Lys
                               1

gcc ttc ttc ccc acg tgc tgc gtc tcg gcg gac agc ggg ctg ctg gtg 162
Ala Phe Phe Pro Thr Cys Cys Val Ser Ala Asp Ser Gly Leu Leu Val
5 10 15 20

gga cgg tgg gtg ccg gag cag agc agc gcc gtg gtc ctg gcg gtc ctg 210
Gly Arg Trp Val Trp Glu Gln Ser Ser Ala Val Val Leu Ala Val Leu
25 30 35

cac ttt ccc ttc atc ccc atc cag gtc aag cag ctc ctg gcc cag gtg 258
His Phe Pro Phe Ile Pro Ile Gln Val Lys Gln Leu Leu Ala Gln Val
40 45 50

cgg cag gcc agc cag gtg ggc gtg gcc gtg ctg ggc acc tgg tgc cac 306
Arg Gln Ala Ser Gln Val Gly Val Ala Val Leu Gly Thr Trp Cys His
55 60 65

tgc cgg cag gag ccc gag gag agc ctg ggc cgc ttc ctg gag agc ctg 354
Cys Arg Gln Glu Pro Glu Glu Ser Leu Gly Arg Phe Leu Glu Ser Leu
70 75 80

ggg gct gtc ttc ccc cat gag ccc tgg ctg cgg ctg tgc cgg gag aga 402
Gly Ala Val Phe Pro His Glu Pro Trp Leu Arg Leu Cys Arg Glu Arg
85 90 95

ggc gcc acg ttc tgg agc tgc gag gcc acc cac cgg caa gcg ccc act 450
Gly Gly Thr Phe Trp Ser Cys Glu Ala Thr His Arg Gln Ala Pro Thr
105 110 115

gcc ccc ggt gcc cct ggt gag gac cag gtc atg ctc atc ttc tat gac 498
Ala Pro Gly Ala Pro Gly Glu Asp Gln Val Met Leu Ile Phe Tyr Asp
120 125 130

cag cgc cag gtg ttg ctg tca cag cta cac ctg ccc acc gtc ctg ccc 546
Gln Arg Gln Val Leu Leu Ser Gln Leu His Leu Pro Thr Val Leu Pro
135 140 145

gac cgc cag gct gga gcc acc act gcc agc acg ggg ggc ctg gct gcc 594
Asp Arg Gln Ala Gly Ala Thr Thr Ala Ser Thr Gly Gly Leu Ala Ala
150 155 160

gtc ttc gac acg gta gca cgc agt gag gtg ctc ttc cgc agt gac cgc 642
Val Phe Asp Thr Val Ala Arg Ser Glu Val Leu Phe Arg Ser Asp Arg
165 170 175 180

ttt gat gag ggc ccc gtg cgg ctg agc cac tgg cag tcg gag ggc gtg 690
Phe Asp Glu Gly Pro Val Arg Leu Ser His Trp Gln Ser Glu Gly Val
185 190 195

gag gcc agc atc ctc gcg gag ctg gcc agg cga gcc tcg gga ccc att 738
Glu Ala Ser Ile Leu Ala Glu Leu Ala Arg Arg Ala Ser Gly Pro Ile
200 205 210

tgt ctg ctg ttg gcc agc ctg ctg tcg ctg gtc tca gct gtc agt gcc 786
Cys Leu Leu Leu Ala Ser Leu Leu Ser Leu Val Ser Ala Val Ser Ala
215 220 225

tgc cga gtg ttc aag ctc tgg ccc ctg tcc ttc ctc ggg agc aaa ctc 834
Cys Arg Val Phe Lys Leu Trp Pro Leu Ser Phe Leu Gly Ser Lys Leu
230 235 240

tcc acg tgc gaa cag ctc cgg cac cgg ctg gag cac ctc acg cta atc 882

```

-continued

Ser	Thr	Cys	Glu	Gln	Leu	Arg	His	Arg	Leu	Glu	His	Leu	Thr	Leu	Ile	
245					250					255					260	
ttc	agt	aca	cgg	aag	gcg	gag	aac	cct	gcc	cag	ctg	atg	agg	aag	gcc	930
Phe	Ser	Thr	Arg	Lys	Ala	Glu	Asn	Pro	Ala	Gln	Leu	Met	Arg	Lys	Ala	
				265					270					275		
aac	acg	gtg	gcc	tct	gtg	ctg	ctg	gac	gtg	gcc	ctg	ggc	ctc	atg	ctg	978
Asn	Thr	Val	Ala	Ser	Val	Leu	Leu	Asp	Val	Ala	Leu	Gly	Leu	Met	Leu	
				280				285					290			
ctg	tcc	tgg	ctc	cac	ggg	aga	agc	cgc	atc	ggg	cat	ctg	gcc	gac	gcc	1026
Leu	Ser	Trp	Leu	His	Gly	Arg	Ser	Arg	Ile	Gly	His	Leu	Ala	Asp	Ala	
				295				300				305				
ctc	gtt	cct	gtg	gct	gac	cac	gtg	gcc	gag	gag	ctc	cag	cat	ctg	ctg	1074
Leu	Val	Pro	Val	Ala	Asp	His	Val	Ala	Glu	Glu	Leu	Gln	His	Leu	Leu	
				310				315				320				
cag	tgg	ctg	atg	ggt	gct	ccc	gcc	ggg	ctc	aag	atg	aac	cgt	gca	ctg	1122
Gln	Trp	Leu	Met	Gly	Ala	Pro	Ala	Gly	Leu	Lys	Met	Asn	Arg	Ala	Leu	
				325				330				335			340	
gac	cag	gtg	ctg	ggc	cgc	ttc	ttc	ctc	tac	cac	atc	cac	ctg	tgg	atc	1170
Asp	Gln	Val	Leu	Gly	Arg	Phe	Phe	Leu	Tyr	His	Ile	His	Leu	Trp	Ile	
				345				350						355		
agc	tac	atc	cac	ctc	atg	tcc	ccc	ttc	gtg	gag	cac	atc	ctt	tgg	cac	1218
Ser	Tyr	Ile	His	Leu	Met	Ser	Pro	Phe	Val	Glu	His	Ile	Leu	Trp	His	
				360				365						370		
gtg	ggc	ctc	tgc	gcc	tgc	ctg	ggc	ctg	aag	gtg	gcc	ctg	tcc	ctc	ctc	1266
Val	Gly	Leu	Ser	Ala	Cys	Leu	Gly	Leu	Thr	Val	Ala	Leu	Ser	Leu	Leu	
				375				380						385		
tgc	gac	att	atc	gcc	ctc	ctc	acc	ttc	cac	atc	tac	tgc	ttt	tac	gtc	1314
Ser	Asp	Ile	Ile	Ala	Leu	Leu	Thr	Phe	His	Ile	Tyr	Cys	Phe	Tyr	Val	
				390				395				400				
tat	gga	gcc	agg	ctg	tac	tgc	ctg	aag	atc	cat	ggc	ctg	tcc	tca	ctg	1362
Tyr	Gly	Ala	Arg	Leu	Tyr	Cys	Leu	Lys	Ile	His	Gly	Leu	Ser	Ser	Leu	
				405				410				415			420	
tgg	cgt	ctg	ttc	cgg	ggg	aag	aag	tgg	aac	gtt	ctg	cgc	cag	cgc	gtg	1410
Trp	Arg	Leu	Phe	Arg	Gly	Lys	Lys	Trp	Asn	Val	Leu	Arg	Gln	Arg	Val	
				425				430						435		
gac	tcc	tgt	tcc	tat	gac	ctg	gac	cag	ctg	ttc	atc	ggg	act	ctg	ctc	1458
Asp	Ser	Cys	Ser	Tyr	Asp	Leu	Asp	Gln	Leu	Phe	Ile	Gly	Thr	Leu	Leu	
				440				445					450			
ttc	acc	atc	ctg	ctc	ttc	ctc	ctg	cct	acc	aca	gcc	ctg	tac	tac	ctg	1506
Phe	Thr	Ile	Leu	Leu	Phe	Leu	Leu	Pro	Thr	Thr	Ala	Leu	Tyr	Tyr	Leu	
				455				460					465			
gtg	ttc	acc	ctg	ctc	cgg	ctc	ctg	gtg	gtc	gcc	gtg	cag	ggc	ctg	atc	1554
Val	Phe	Thr	Leu	Leu	Arg	Leu	Leu	Val	Val	Ala	Val	Gln	Gly	Leu	Ile	
				470				475				480				
cat	ctg	ctg	gtg	gac	ctc	atc	aac	tcc	ctg	cgc	ctg	tac	tca	ctg	ggt	1602
His	Leu	Leu	Val	Asp	Leu	Ile	Asn	Ser	Leu	Pro	Leu	Tyr	Ser	Leu	Gly	
				485				490				495			500	
ctt	cgg	ctc	tgc	cgg	ccc	tac	agg	ctg	ggg	gct	ggc	gtg	aag	ttc	cgt	1650
Leu	Arg	Leu	Cys	Arg	Pro	Tyr	Arg	Leu	Ala	Ala	Gly	Val	Lys	Phe	Arg	
				505				510						515		
gtc	ctc	cgg	cac	gag	gcc	agc	agg	ccc	ctc	cgc	ctc	ctg	atg	cag	ata	1698
Val	Leu	Arg	His	Glu	Ala	Ser	Arg	Pro	Leu	Arg	Leu	Leu	Met	Gln	Ile	
				520				525					530			
aac	cca	ctg	ccc	tac	agc	cgc	gtg	gtg	cac	acc	tac	cgc	ctc	ccc	agc	1746
Asn	Pro	Leu	Pro	Tyr	Ser	Arg	Val	Val	His	Thr	Tyr	Arg	Leu	Pro	Ser	
				535				540					545			
tgt	ggc	tgc	cac	ccc	aag	cac	tcc	tgg	ggc	gcc	ctg	tgc	cgc	aag	ctg	1794

-continued

Cys	Gly	Cys	His	Pro	Lys	His	Ser	Trp	Gly	Ala	Leu	Cys	Arg	Lys	Leu	
550						555					560					
ttc	ctt	ggg	gag	ctc	atc	tac	ccc	tgg	agg	cag	aga	ggg	gac	aag	cag	1842
Phe	Leu	Gly	Glu	Leu	Ile	Tyr	Pro	Trp	Arg	Gln	Arg	Gly	Asp	Lys	Gln	
565					570					575					580	
gac	tga	gggaactgct	ggctcgccctg	gcaccaccac	acggccacag	ccagccatct										1898
Asp	*															
gctctgccag	ggtggcacca	gtcagctgg	cgcattgtccc	gtgctttgtg	gacgctgctg											1958
tgtgctcctg	aacacggcag	gccctgctat	cacaccttgg	gcttggagggt	cattgggagt											2018
gagcagatgt	gggggtggcc	agccaggctg	gccgcactcc	atcactggca	ctgcctgcct											2078
tgggaccgcg	ttcccacctg	ctgcggtcac	catggtggcg	agcacagcaa	ccccagggtg											2138
ccagagcact	gccccatgcc	cacctgcat	accagggtcc	agagggtccg	tccaccacag											2198
cagccccagg	tggagggtctg	gtctccctgg	gggctcccca	gtggctctgc	cctggctgtg											2258
gggggtggagg	gaccttgcca	ggatgaaccc	tccagtccca	ggcaccctct	agctccctca											2318
gcgaacacgc	accttgcata	tgggggattg	aagcagtcgc	tgacccccgt	ccccagcggg											2378
cccgggccct	cactccctga	accacacggg	gtttatttgc	ggatgttccc	tggagaggtc											2438
gotttgtgaa	gaaaccatca	gcaggctgtg	agcatcgcca	ggctgctgtg	ggggcgggag											2498
cagcctcagt	gtcaagggcc	tgcccactga	cccagccgta	cctattcgtc	cacgggtgcc											2558
cgtagcagca	ggtcctgcgg	ccaaatctgt	ctcccttcac	gggcctccca	gggaaggagg											2618
aagccctgct	gtgcagacac	ctctgtggcc	ccccaggggt	gtgagcggcc	tggggagggg											2678
gccgtggcac	tgaggccgaa	agtgcctgcc	agacggcacg	gtctgggtgc	gggtgttccc											2738
tgtgagcccc	agtcgccttc	aggaggggag	cctgcagggt	ccggctgggt	aggggatgac											2798
gcgctgtggg	tgggaggagg	cagcgcccat	ctcagcagca	ccaggactgc	ctgggactcc											2858
ctggcaaccc	agcaccgggg	aagccgtcag	ctgctgtgac	aataaaacct	gccccgtgtc											2918
tgg																2921

<210> SEQ ID NO 7
 <211> LENGTH: 581
 <212> TYPE: PRT
 <213> ORGANISM: Homo Sapien

<400> SEQUENCE: 7

Met	Val	Leu	Lys	Ala	Phe	Phe	Pro	Thr	Cys	Cys	Val	Ser	Ala	Asp	Ser	
1				5					10					15		
Gly	Leu	Leu	Val	Gly	Arg	Trp	Val	Pro	Glu	Gln	Ser	Ser	Ala	Val	Val	
			20					25					30			
Leu	Ala	Val	Leu	His	Phe	Pro	Phe	Ile	Pro	Ile	Gln	Val	Lys	Gln	Leu	
		35					40					45				
Leu	Ala	Gln	Val	Arg	Gln	Ala	Ser	Gln	Val	Gly	Val	Ala	Val	Leu	Gly	
	50					55					60					
Thr	Trp	Cys	His	Cys	Arg	Gln	Glu	Pro	Glu	Glu	Ser	Leu	Gly	Arg	Phe	
65					70					75				80		
Leu	Glu	Ser	Leu	Gly	Ala	Val	Phe	Pro	His	Glu	Pro	Trp	Leu	Arg	Leu	
			85						90				95			
Cys	Arg	Glu	Arg	Gly	Gly	Thr	Phe	Trp	Ser	Cys	Glu	Ala	Thr	His	Arg	
		100						105					110			
Gln	Ala	Pro	Thr	Ala	Pro	Gly	Ala	Pro	Gly	Glu	Asp	Gln	Val	Met	Leu	

-continued

115					120					125					
Ile	Phe	Tyr	Asp	Gln	Arg	Gln	Val	Leu	Leu	Ser	Gln	Leu	His	Leu	Pro
130						135					140				
Thr	Val	Leu	Pro	Asp	Arg	Gln	Ala	Gly	Ala	Thr	Thr	Ala	Ser	Thr	Gly
145					150					155					160
Gly	Leu	Ala	Ala	Val	Phe	Asp	Thr	Val	Ala	Arg	Ser	Glu	Val	Leu	Phe
				165					170					175	
Arg	Ser	Asp	Arg	Phe	Asp	Glu	Gly	Pro	Val	Arg	Leu	Ser	His	Trp	Gln
			180					185					190		
Ser	Glu	Gly	Val	Glu	Ala	Ser	Ile	Leu	Ala	Glu	Leu	Ala	Arg	Arg	Ala
	195						200					205			
Ser	Gly	Pro	Ile	Cys	Leu	Leu	Leu	Ala	Ser	Leu	Leu	Ser	Leu	Val	Ser
210					215						220				
Ala	Val	Ser	Ala	Cys	Arg	Val	Phe	Lys	Leu	Trp	Pro	Leu	Ser	Phe	Leu
225					230					235					240
Gly	Ser	Lys	Leu	Ser	Thr	Cys	Glu	Gln	Leu	Arg	His	Arg	Leu	Glu	His
				245					250					255	
Leu	Thr	Leu	Ile	Phe	Ser	Thr	Arg	Lys	Ala	Glu	Asn	Pro	Ala	Gln	Leu
		260						265					270		
Met	Arg	Lys	Ala	Asn	Thr	Val	Ala	Ser	Val	Leu	Leu	Asp	Val	Ala	Leu
		275					280					285			
Gly	Leu	Met	Leu	Leu	Ser	Trp	Leu	His	Gly	Arg	Ser	Arg	Ile	Gly	His
290						295					300				
Leu	Ala	Asp	Ala	Leu	Val	Pro	Val	Ala	Asp	His	Val	Ala	Glu	Glu	Leu
305					310					315					320
Gln	His	Leu	Leu	Gln	Trp	Leu	Met	Gly	Ala	Pro	Ala	Gly	Leu	Lys	Met
				325					330					335	
Asn	Arg	Ala	Leu	Asp	Gln	Val	Leu	Gly	Arg	Phe	Phe	Leu	Tyr	His	Ile
		340						345					350		
His	Leu	Trp	Ile	Ser	Tyr	Ile	His	Leu	Met	Ser	Pro	Phe	Val	Glu	His
		355					360					365			
Ile	Leu	Trp	His	Val	Gly	Leu	Ser	Ala	Cys	Leu	Gly	Leu	Thr	Val	Ala
	370					375					380				
Leu	Ser	Leu	Leu	Ser	Asp	Ile	Ile	Ala	Leu	Leu	Thr	Phe	His	Ile	Tyr
385					390					395					400
Cys	Phe	Tyr	Val	Tyr	Gly	Ala	Arg	Leu	Tyr	Cys	Leu	Lys	Ile	His	Gly
			405						410					415	
Leu	Ser	Ser	Leu	Trp	Arg	Leu	Phe	Arg	Gly	Lys	Lys	Trp	Asn	Val	Leu
			420					425					430		
Arg	Gln	Arg	Val	Asp	Ser	Cys	Ser	Tyr	Asp	Leu	Asp	Gln	Leu	Phe	Ile
		435					440					445			
Gly	Thr	Leu	Leu	Phe	Thr	Ile	Leu	Leu	Phe	Leu	Leu	Pro	Thr	Thr	Ala
	450					455					460				
Leu	Tyr	Tyr	Leu	Val	Phe	Thr	Leu	Leu	Arg	Leu	Leu	Val	Val	Ala	Val
465					470					475					480
Gln	Gly	Leu	Ile	His	Leu	Leu	Val	Asp	Leu	Ile	Asn	Ser	Leu	Pro	Leu
			485						490					495	
Tyr	Ser	Leu	Gly	Leu	Arg	Leu	Cys	Arg	Pro	Tyr	Arg	Leu	Ala	Ala	Gly
		500						505					510		
Val	Lys	Phe	Arg	Val	Leu	Arg	His	Glu	Ala	Ser	Arg	Pro	Leu	Arg	Leu
		515					520					525			

-continued

Leu Met Gln Ile Asn Pro Leu Pro Tyr Ser Arg Val Val His Thr Tyr
 530 535 540

Arg Leu Pro Ser Cys Gly Cys His Pro Lys His Ser Trp Gly Ala Leu
 545 550 555 560

Cys Arg Lys Leu Phe Leu Gly Glu Leu Ile Tyr Pro Trp Arg Gln Arg
 565 570 575

Gly Asp Lys Gln Asp
 580

<210> SEQ ID NO 8
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: PCR primer

<400> SEQUENCE: 8

agcagggtt cctccttc 18

<210> SEQ ID NO 9
 <211> LENGTH: 43
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: PCR primer

<400> SEQUENCE: 9

agcggataac aatttcacac aggtgaccca gccgtaccta ttc 43

<210> SEQ ID NO 10
 <211> LENGTH: 18
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: MassExtend primer

<400> SEQUENCE: 10

aaggagagaca gatttggc 18

<210> SEQ ID NO 11
 <211> LENGTH: 1790
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapien
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (131)...(1612)
 <223> OTHER INFORMATION: Nucleotide sequence encoding Cholesterol ester
 transfer protein (CETP)

<400> SEQUENCE: 11

gtgaatctct ggggccagga agacctgct gcccggaaga gcctcatgtt ccgtgggggc 60

tgggcggaca tacatatacg ggtccaggc tgaacggctc gggccactta cacaccaatg 120

cctgataaac atg ctg gct gcc aca gtc ctg acc ctg gcc ctg ctg gcc 169
 Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly
 1 5 10

aat gcc cat gcc tgc tcc aaa ggc acc tog cac gag gca ggc atc gtg 217
 Asn Ala His Ala Cys Ser Lys Gly Thr Ser His Glu Ala Gly Ile Val
 15 20 25

tgc cgc atc acc aag cct gcc ctc ctg gtg ttg aac cac gag act gcc 265
 Cys Arg Ile Thr Lys Pro Ala Leu Leu Val Leu Asn His Glu Thr Ala

-continued

30	35	40	45	
aag gtg atc cag acc gcc ttc cag cga gcc agc tac cca gat atc acg				313
Lys Val Ile Gln Thr Ala Phe Gln Arg Ala Ser Tyr Pro Asp Ile Thr	50	55	60	
ggc gag aag gcc atg atg ctc ctt ggc caa gtc aag tat ggg ttg cac				361
Gly Glu Lys Ala Met Met Leu Leu Gly Gln Val Lys Tyr Gly Leu His	65	70	75	
aac atc cag atc agc cac ttg tcc atc gcc agc agc cag gtg gag ctg				409
Asn Ile Gln Ile Ser His Leu Ser Ile Ala Ser Ser Gln Val Glu Leu	80	85	90	
gtg gaa gcc aag tcc att gat gtc tcc att cag aac gtg tct gtg gtc				457
Val Glu Ala Lys Ser Ile Asp Val Ser Ile Gln Asn Val Ser Val Val	95	100	105	
ttc aag ggg acc ctg aag tat ggc tac acc act gcc tgg tgg ctg ggt				505
Phe Lys Gly Thr Leu Lys Tyr Gly Tyr Thr Thr Ala Trp Trp Leu Gly	110	115	120	125
att gat cag tcc att gac ttc gag atc gac tct gcc att gac ctc cag				553
Ile Asp Gln Ser Ile Asp Phe Glu Ile Asp Ser Ala Ile Asp Leu Gln	130	135	140	
atc aac aca cag ctg acc tgt gac tct ggt aga gtg cgg acc gat gcc				601
Ile Asn Thr Gln Leu Thr Cys Asp Ser Gly Arg Val Arg Thr Asp Ala	145	150	155	
cct gac tgc tac ctg tct ttc cat aag ctg ctc ctg cat ctc caa ggg				649
Pro Asp Cys Tyr Leu Ser Phe His Lys Leu Leu Leu His Leu Gln Gly	160	165	170	
gag cga gag cct ggg tgg atc aag cag ctg ttc aca aat ttc atc tcc				697
Glu Arg Glu Pro Gly Trp Ile Lys Gln Leu Phe Thr Asn Phe Ile Ser	175	180	185	
ttc acc ctg aag ctg gtc ctg aag gga cag atc tgc aaa gag atc aac				745
Phe Thr Leu Lys Leu Val Leu Lys Gly Gln Ile Cys Lys Glu Ile Asn	190	195	200	205
gtc atc tct aac atc atg gcc gat ttt gtc cag aca agg gct gcc agc				793
Val Ile Ser Asn Ile Met Ala Asp Phe Val Gln Thr Arg Ala Ala Ser	210	215	220	
atc ctt tca gat gga gac att ggg gtg gac att tcc ctg aca ggt gat				841
Ile Leu Ser Asp Gly Asp Ile Gly Val Asp Ile Ser Leu Thr Gly Asp	225	230	235	
ccc gtc atc aca gcc tcc tac ctg gag tcc cat cac aag ggt cat ttc				889
Pro Val Ile Thr Ala Ser Tyr Leu Glu Ser His His Lys Gly His Phe	240	245	250	
atc tac aag aat gtc tca gag gac ctc ccc ctc ccc acc ttc tcg ccc				937
Ile Tyr Lys Asn Val Ser Glu Asp Leu Pro Leu Pro Thr Phe Ser Pro	255	260	265	
aca ctg ctg ggg gac tcc cgc atg ctg tac ttc tgg ttc tct gag cga				985
Thr Leu Leu Gly Asp Ser Arg Met Leu Tyr Phe Trp Phe Ser Glu Arg	270	275	280	285
gtc ttc cac tcg ctg gcc aag gta gct ttc cag gat ggc cgc ctc atg				1033
Val Phe His Ser Leu Ala Lys Val Ala Phe Gln Asp Gly Arg Leu Met	290	295	300	
ctc agc ctg atg gga gac gag ttc aag gca gtg ctg gag acc tgg ggc				1081
Leu Ser Leu Met Gly Asp Glu Phe Lys Ala Val Leu Glu Thr Trp Gly	305	310	315	
ttc aac acc aac cag gaa atc ttc caa gag gtt gtc ggc ggc ttc ccc				1129
Phe Asn Thr Asn Gln Glu Ile Phe Gln Glu Val Val Gly Gly Phe Pro	320	325	330	
agc cag gcc caa gtc acc gtc cac tgc ctc aag atg ccc aag atc tcc				1177
Ser Gln Ala Gln Val Thr Val His Cys Leu Lys Met Pro Lys Ile Ser				

-continued

335	340	345	
tgc caa aac aag gga gtc gtg gtc aat tct tca gtg atg gtg aaa ttc			1225
Cys Gln Asn Lys Gly Val Val Val Asn Ser Ser Val Met Val Lys Phe			
350	355	360	365
ctc ttt cca cgc cca gac cag caa cat tct gta gct tac aca ttt gaa			1273
Leu Phe Pro Arg Pro Asp Gln Gln His Ser Val Ala Tyr Thr Phe Glu			
	370	375	380
gag gat atc gtg act acc gtc cag gcc tcc tat tct aag aaa aag ctc			1321
Glu Asp Ile Val Thr Thr Val Gln Ala Ser Tyr Ser Lys Lys Lys Leu			
	385	390	395
ttc tta agc ctc ttg gat ttc cag att aca cca aag act gtt tcc aac			1369
Phe Leu Ser Leu Leu Asp Phe Gln Ile Thr Pro Lys Thr Val Ser Asn			
	400	405	410
ttg act gag agc agc tcc gag tcc atc cag agc ttc ctg cag tca atg			1417
Leu Thr Glu Ser Ser Ser Glu Ser Ile Gln Ser Phe Leu Gln Ser Met			
	415	420	425
atc acc gct gtg ggc atc cct gag gtc atg tct cgg ctc gag gta gtg			1465
Ile Thr Ala Val Gly Ile Pro Glu Val Met Ser Arg Leu Glu Val Val			
	430	435	440
ttt aca gcc ctc atg aac agc aaa ggc gtg agc ctc ttc gac atc atc			1513
Phe Thr Ala Leu Met Asn Ser Lys Gly Val Ser Leu Phe Asp Ile Ile			
	450	455	460
aac cct gag att atc act cga gat ggc ttc ctg ctg ctg cag atg gac			1561
Asn Pro Glu Ile Ile Thr Arg Asp Gly Phe Leu Leu Leu Gln Met Asp			
	465	470	475
ttt ggc ttc cct gag cac ctg ctg gtg gat ttc ctc cag agc ttg agc			1609
Phe Gly Phe Pro Glu His Leu Leu Val Asp Phe Leu Gln Ser Leu Ser			
	480	485	490
tag aagtctccaa ggaggtcggg atggggcttg tagcagaagg caagcaccag			1662
gctcacagct ggaaccctgg tgtctcctcc agcgtggtgg aagttgggtt aggagtacgg			1722
agatggagat tgggtcccaa ctctcccta tcctaaaggc ccactggcat taaagtgctg			1782
tatccaag			1790
<210> SEQ ID NO 12			
<211> LENGTH: 493			
<212> TYPE: PRT			
<213> ORGANISM: Homo sapien			
<400> SEQUENCE: 12			
Met Leu Ala Ala Thr Val Leu Thr Leu Ala Leu Leu Gly Asn Ala His			
1	5	10	15
Ala Cys Ser Lys Gly Thr Ser His Glu Ala Gly Ile Val Cys Arg Ile			
	20	25	30
Thr Lys Pro Ala Leu Leu Val Leu Asn His Glu Thr Ala Lys Val Ile			
	35	40	45
Gln Thr Ala Phe Gln Arg Ala Ser Tyr Pro Asp Ile Thr Gly Glu Lys			
	50	55	60
Ala Met Met Leu Leu Gly Gln Val Lys Tyr Gly Leu His Asn Ile Gln			
	65	70	75
Ile Ser His Leu Ser Ile Ala Ser Ser Gln Val Glu Leu Val Glu Ala			
	85	90	95
Lys Ser Ile Asp Val Ser Ile Gln Asn Val Ser Val Val Phe Lys Gly			
	100	105	110
Thr Leu Lys Tyr Gly Tyr Thr Thr Ala Trp Trp Leu Gly Ile Asp Gln			

-continued

115					120					125					
Ser	Ile	Asp	Phe	Glu	Ile	Asp	Ser	Ala	Ile	Asp	Leu	Gln	Ile	Asn	Thr
130					135					140					
Gln	Leu	Thr	Cys	Asp	Ser	Gly	Arg	Val	Arg	Thr	Asp	Ala	Pro	Asp	Cys
145					150					155					160
Tyr	Leu	Ser	Phe	His	Lys	Leu	Leu	Leu	His	Leu	Gln	Gly	Glu	Arg	Glu
				165					170					175	
Pro	Gly	Trp	Ile	Lys	Gln	Leu	Phe	Thr	Asn	Phe	Ile	Ser	Phe	Thr	Leu
			180					185					190		
Lys	Leu	Val	Leu	Lys	Gly	Gln	Ile	Cys	Lys	Glu	Ile	Asn	Val	Ile	Ser
	195					200						205			
Asn	Ile	Met	Ala	Asp	Phe	Val	Gln	Thr	Arg	Ala	Ala	Ser	Ile	Leu	Ser
	210				215					220					
Asp	Gly	Asp	Ile	Gly	Val	Asp	Ile	Ser	Leu	Thr	Gly	Asp	Pro	Val	Ile
225					230					235					240
Thr	Ala	Ser	Tyr	Leu	Glu	Ser	His	His	Lys	Gly	His	Phe	Ile	Tyr	Lys
				245					250					255	
Asn	Val	Ser	Glu	Asp	Leu	Pro	Leu	Pro	Thr	Phe	Ser	Pro	Thr	Leu	Leu
			260					265					270		
Gly	Asp	Ser	Arg	Met	Leu	Tyr	Phe	Trp	Phe	Ser	Glu	Arg	Val	Phe	His
	275						280					285			
Ser	Leu	Ala	Lys	Val	Ala	Phe	Gln	Asp	Gly	Arg	Leu	Met	Leu	Ser	Leu
	290				295					300					
Met	Gly	Asp	Glu	Phe	Lys	Ala	Val	Leu	Glu	Thr	Trp	Gly	Phe	Asn	Thr
305					310					315					320
Asn	Gln	Glu	Ile	Phe	Gln	Glu	Val	Val	Gly	Gly	Phe	Pro	Ser	Gln	Ala
				325					330					335	
Gln	Val	Thr	Val	His	Cys	Leu	Lys	Met	Pro	Lys	Ile	Ser	Cys	Gln	Asn
			340					345					350		
Lys	Gly	Val	Val	Val	Asn	Ser	Ser	Val	Met	Val	Lys	Phe	Leu	Phe	Pro
	355						360					365			
Arg	Pro	Asp	Gln	Gln	His	Ser	Val	Ala	Tyr	Thr	Phe	Glu	Glu	Asp	Ile
	370				375					380					
Val	Thr	Thr	Val	Gln	Ala	Ser	Tyr	Ser	Lys	Lys	Lys	Leu	Phe	Leu	Ser
385					390					395					400
Leu	Leu	Asp	Phe	Gln	Ile	Thr	Pro	Lys	Thr	Val	Ser	Asn	Leu	Thr	Glu
				405					410					415	
Ser	Ser	Ser	Glu	Ser	Ile	Gln	Ser	Phe	Leu	Gln	Ser	Met	Ile	Thr	Ala
			420					425					430		
Val	Gly	Ile	Pro	Glu	Val	Met	Ser	Arg	Leu	Glu	Val	Val	Phe	Thr	Ala
	435						440					445			
Leu	Met	Asn	Ser	Lys	Gly	Val	Ser	Leu	Phe	Asp	Ile	Ile	Asn	Pro	Glu
	450				455					460					
Ile	Ile	Thr	Arg	Asp	Gly	Phe	Leu	Leu	Leu	Gln	Met	Asp	Phe	Gly	Phe
465					470					475					480
Pro	Glu	His	Leu	Leu	Val	Asp	Phe	Leu	Gln	Ser	Leu	Ser			
				485					490						

<210> SEQ ID NO 13

<211> LENGTH: 3549

<212> TYPE: DNA

<213> ORGANISM: Homo sapien

-continued

<220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (175)...(1602)
 <223> OTHER INFORMATION: Nucleotide sequence encoding lipoprotein lipase (LPL)

<400> SEQUENCE: 13

```

ccccctcttcc tccctccctcaa gggaaagctg cccacttcta gctgccctgc caccctcttt      60
aaagggcgac ttgctcagcg ccaaaccgcg gctccagccc tctccagcct ccggtcagc      120
cggctcatca gtcggtcgcg gccttgacgc tccctccagag ggacgcgccc cgag atg      177
                                     Met
                                     1

gag agc aaa gcc ctg ctc gtg ctg act ctg gcc gtg tgg ctc cag agt      225
Glu Ser Lys Ala Leu Leu Val Leu Thr Leu Ala Val Trp Leu Gln Ser
                    5                      10                      15

ctg acc gcc tcc cgc gga ggg gtg gcc gcc gcc gac caa aga aga gat      273
Leu Thr Ala Ser Arg Gly Gly Val Ala Ala Ala Asp Gln Arg Arg Asp
                    20                      25                      30

ttt atc gac atc gaa agt aaa ttt gcc cta agg acc cct gaa gac aca      321
Phe Ile Asp Ile Glu Ser Lys Phe Ala Leu Arg Thr Pro Glu Asp Thr
                    35                      40                      45

gct gag gac act tgc cac ctc att ccc gga gta gca gag tcc gtg gct      369
Ala Glu Asp Thr Cys His Leu Ile Pro Gly Val Ala Glu Ser Val Ala
                    50                      55                      60                      65

acc tgt cat ttc aat cac agc agc aaa acc ttc atg gtg atc cat gcc      417
Thr Cys His Phe Asn His Ser Ser Lys Thr Phe Met Val Ile His Gly
                    70                      75                      80

tgg acg gta aca gga atg tat gag agt tgg gtg cca aaa ctt gtg gcc      465
Trp Thr Val Thr Gly Met Tyr Glu Ser Trp Val Pro Lys Leu Val Ala
                    85                      90                      95

gcc ctg tac aag aga gaa cca gac tcc aat gtc att gtg gtg gac tgg      513
Ala Leu Tyr Lys Arg Glu Pro Asp Ser Asn Val Ile Val Val Asp Trp
                    100                      105                      110

ctg tca cgg gct cag gag cat tac cca gtg tcc gcg ggc tac acc aaa      561
Leu Ser Arg Ala Gln Glu His Tyr Pro Val Ser Ala Gly Tyr Thr Lys
                    115                      120                      125

ctg gtg gga cag gat gtg gcc cgg ttt atc aac tgg atg gag gag gag      609
Leu Val Gly Gln Asp Val Ala Arg Phe Ile Asn Trp Met Glu Glu Glu
                    130                      135                      140                      145

ttt aac tac cct ctg gac aat gtc cat ctc ttg gga tac agc ctt gga      657
Phe Asn Tyr Pro Leu Asp Asn Val His Leu Leu Gly Tyr Ser Leu Gly
                    150                      155                      160

gcc cat gct gct ggc att gca gga agt ctg acc aat aag aaa gtc aac      705
Ala His Ala Ala Gly Ile Ala Gly Ser Leu Thr Asn Lys Lys Val Asn
                    165                      170                      175

aga att act ggc ctc gat cca gct gga cct aac ttt gag tat gca gaa      753
Arg Ile Thr Gly Leu Asp Pro Ala Gly Pro Asn Phe Glu Tyr Ala Glu
                    180                      185                      190

gcc cag agt cgt ctt tct cct gat gat gca gat ttt gta gac gtc tta      801
Ala Pro Ser Arg Leu Ser Pro Asp Asp Ala Asp Phe Val Asp Val Leu
                    195                      200                      205

cac aca ttc acc aga ggg tcc cct ggt cga agc att gga atc cag aaa      849
His Thr Phe Thr Arg Gly Ser Pro Gly Arg Ser Ile Gly Ile Gln Lys
                    210                      215                      220                      225

cca gtt ggg cat gtt gac att tac ccg aat gga ggt act ttt cag cca      897
Pro Val Gly His Val Asp Ile Tyr Pro Asn Gly Gly Thr Phe Gln Pro
                    230                      235                      240

```

-continued

gga tgt aac att gga gaa gct atc cgc gtg att gca gag aga gga ctt	945
Gly Cys Asn Ile Gly Glu Ala Ile Arg Val Ile Ala Glu Arg Gly Leu	
245 250 255	
gga gat gtg gac cag cta gtg aag tgc tcc cac gag cgc tcc att cat	993
Gly Asp Val Asp Gln Leu Val Lys Cys Ser His Glu Arg Ser Ile His	
260 265 270	
ctc ttc atc gac tct ctg ttg aat gaa gaa aat cca agt aag gcc tac	1041
Leu Phe Ile Asp Ser Leu Leu Asn Glu Glu Asn Pro Ser Lys Ala Tyr	
275 280 285	
agg tgc agt tcc aag gaa gcc ttt gag aaa ggg ctc tgc ttg agt tgt	1089
Arg Cys Ser Ser Lys Glu Ala Phe Glu Lys Gly Leu Cys Leu Ser Cys	
290 295 300 305	
aga aag aac cgc tgc aac aat ctg ggc tat gag atc aat aaa gtc aga	1137
Arg Lys Asn Arg Cys Asn Asn Leu Gly Tyr Glu Ile Asn Lys Val Arg	
310 315 320	
gcc aaa aga agc agc aaa atg tac ctg aag act cgt tct cag atg ccc	1185
Ala Lys Arg Ser Ser Lys Met Tyr Leu Lys Thr Arg Ser Gln Met Pro	
325 330 335	
tac aaa gtc ttc cat tac caa gta aag att cat ttt tct ggg act gag	1233
Tyr Lys Val Phe His Tyr Gln Val Lys Ile His Phe Ser Gly Thr Glu	
340 345 350	
agt gaa acc cat acc aat cag gcc ttt gag att tct ctg tat ggc acc	1281
Ser Glu Thr His Thr Asn Gln Ala Phe Glu Ile Ser Leu Tyr Gly Thr	
355 360 365	
gtg gcc gag agt gag aac atc cca ttc act ctg cct gaa gtt tcc aca	1329
Val Ala Glu Ser Glu Asn Ile Pro Phe Thr Leu Pro Glu Val Ser Thr	
370 375 380 385	
aat aag acc tac tcc ttc cta att tac aca gag gta gat att gga gaa	1377
Asn Lys Thr Tyr Ser Phe Leu Ile Tyr Thr Glu Val Asp Ile Gly Glu	
390 395 400	
cta ctc atg ttg aag ctc aaa tgg aag agt gat tca tac ttt agc tgg	1425
Leu Leu Met Leu Lys Leu Lys Trp Lys Ser Asp Ser Tyr Phe Ser Trp	
405 410 415	
tca gac tgg tgg agc agt ccc ggc ttc gcc att cag aag atc aga gta	1473
Ser Asp Trp Trp Ser Ser Pro Gly Phe Ala Ile Gln Lys Ile Arg Val	
420 425 430	
aaa gca gga gag act cag aaa aag gtg atc ttc tgt tct agg gag aaa	1521
Lys Ala Gly Glu Thr Gln Lys Lys Val Ile Phe Cys Ser Arg Glu Lys	
435 440 445	
gtg tct cat ttg cag aaa gga aag gca cct gcg gta ttt gtg aaa tgc	1569
Val Ser His Leu Gln Lys Gly Lys Ala Pro Ala Val Phe Val Lys Cys	
450 455 460 465	
cat gac aag tct ctg aat aag aag tca ggc tga aactgggcga atctacagaa	1622
His Asp Lys Ser Leu Asn Lys Lys Ser Gly *	
470 475	
caaagaacgg catgtgaatt ctgtgaagaa tgaagtggag gaagtaactt ttacaaaaca	1682
taaccagtggt ttgggggtgtt tcaaaagtgg attttcttga atattaatcc cagccctacc	1742
cttgtagtatt ttttaggag acagttctcaa gcaactaaaaa gtggctaatt caatttatgg	1802
ggtatagtgg ccaaatagca catcctccaa cgttaaaaga cagtggatca tgaaaagtgc	1862
tgttttgtcc tttgagaaaag aaataattgt ttgagcgag agtaaaataa ggctccttca	1922
tgtggcgtat tggggccatag cctataattg gttagaacct cctattttaa ttggaattct	1982
ggatcttttcg gactgaggcc ttctcaaact ttactctaag tctccaagaa tacagaaaat	2042
gcttttccgc ggcacgaatc agactcatct acacagcagt atgaatgatg ttttagaatg	2102

-continued

```

attccctctt gctattggaa tgtgtgccag acgtcaacca ggaacatgta acttggagag 2162
ggacgaagaa agggctctgat aaacacagag gttttaaaca gtccctacca ttggcctgoa 2222
tcattgacaaa gttacaaaatt caaggagata taaaatctag atcaattaat tcttaatagg 2282
ctttatcggtt tattgcttaa tccctctctc ccccttcttt ttgtgtctca gattatatta 2342
taataatggtt ctctgggttag gtgttgaaaa tgagcctgta atcctcagct gacacataat 2402
ttgaatggtg cagaaaaaaa aaagataccg taattttatt attagattct ccaaatgatt 2462
ttcatcaatt taaaatcatt caatatctga cagttactct tcagtttttag gcttaccttg 2522
gtcatgcttc agttgtactt ccagtcgctc tcttttggtc ctggctttga catgaaaaga 2582
taggtttgag ttcaaatctt gcattgtgtg agcttctaca gatttttagac aaggaccgtt 2642
tttactaagt aaaaggggtg agagggttctt ggggtggatt cctaagcagt gcttgtaaac 2702
catcgctgctc aatgagccag atggagtacc atgaggggtt ttatttggtt tttttaacaa 2762
ctaataaaga gtgagtgaac aactatttat aaactagatc tctatttttt cagaatgctc 2822
ttctacgtat aaatatgaaa tgataaagat gtcaaatac tcagaggcta tagctgggaa 2882
cccgactgtg aaagtatgtg atatctgaac acatactaga aagctctgca tgtgtgttgt 2942
ccttcagcat aattcggaag ggaaaacagt cgaacaaggg atgtattgga acatgtcgga 3002
gtagaaaattg ttctgtatgt gccagaactt cgaccttctc tctgagagag atgacgtgctc 3062
ctataaatag taggaccaat gttgtgatta acatcatcag gcttggaatg aattctctct 3122
aaaaataaaa tgatgtatga ttgtgtgttg gcacccctt tattaattca ttaaatttct 3182
ggatttgggt tgtgacctag ggtgcattaa cttaaaagat tcactaaagc agcacatagc 3242
actgggaact ctggctccga aaaactttgt tatatatatc aaggatgttc tggctttaca 3302
ttttatttat tagctgtaaa tacatgtgtg gatgtgtaaa tggagcttgt acatattgga 3362
aaggtcattg tggctatctg catttataaa tgtgtgtgtc taactgtatg tgtctttatc 3422
agtgtgtgtc tcacagagcc aactcactct tatgaaatgg gctttaacaa aacaagaaag 3482
aaacgtactt aactgtgtga agaaatggaa tcagctttta ataaaattga caacatttta 3542
ttaccac 3549

```

<210> SEQ ID NO 14

<211> LENGTH: 475

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<400> SEQUENCE: 14

```

Met Glu Ser Lys Ala Leu Leu Val Leu Thr Leu Ala Val Trp Leu Gln
 1             5             10             15

```

```

Ser Leu Thr Ala Ser Arg Gly Gly Val Ala Ala Ala Asp Gln Arg Arg
 20             25             30

```

```

Asp Phe Ile Asp Ile Glu Ser Lys Phe Ala Leu Arg Thr Pro Glu Asp
 35             40             45

```

```

Thr Ala Glu Asp Thr Cys His Leu Ile Pro Gly Val Ala Glu Ser Val
 50             55             60

```

```

Ala Thr Cys His Phe Asn His Ser Ser Lys Thr Phe Met Val Ile His
 65             70             75             80

```

```

Gly Trp Thr Val Thr Gly Met Tyr Glu Ser Trp Val Pro Lys Leu Val
 85             90             95

```

-continued

Ala	Ala	Leu	Tyr	Lys	Arg	Glu	Pro	Asp	Ser	Asn	Val	Ile	Val	Val	Asp
		100						105					110		
Trp	Leu	Ser	Arg	Ala	Gln	Glu	His	Tyr	Pro	Val	Ser	Ala	Gly	Tyr	Thr
	115						120					125			
Lys	Leu	Val	Gly	Gln	Asp	Val	Ala	Arg	Phe	Ile	Asn	Trp	Met	Glu	Glu
	130					135					140				
Glu	Phe	Asn	Tyr	Pro	Leu	Asp	Asn	Val	His	Leu	Leu	Gly	Tyr	Ser	Leu
145					150					155					160
Gly	Ala	His	Ala	Ala	Gly	Ile	Ala	Gly	Ser	Leu	Thr	Asn	Lys	Lys	Val
			165						170					175	
Asn	Arg	Ile	Thr	Gly	Leu	Asp	Pro	Ala	Gly	Pro	Asn	Phe	Glu	Tyr	Ala
		180						185					190		
Glu	Ala	Pro	Ser	Arg	Leu	Ser	Pro	Asp	Asp	Ala	Asp	Phe	Val	Asp	Val
		195					200					205			
Leu	His	Thr	Phe	Thr	Arg	Gly	Ser	Pro	Gly	Arg	Ser	Ile	Gly	Ile	Gln
	210					215					220				
Lys	Pro	Val	Gly	His	Val	Asp	Ile	Tyr	Pro	Asn	Gly	Gly	Thr	Phe	Gln
225					230					235					240
Pro	Gly	Cys	Asn	Ile	Gly	Glu	Ala	Ile	Arg	Val	Ile	Ala	Glu	Arg	Gly
			245						250					255	
Leu	Gly	Asp	Val	Asp	Gln	Leu	Val	Lys	Cys	Ser	His	Glu	Arg	Ser	Ile
		260						265					270		
His	Leu	Phe	Ile	Asp	Ser	Leu	Leu	Asn	Glu	Glu	Asn	Pro	Ser	Lys	Ala
	275						280					285			
Tyr	Arg	Cys	Ser	Ser	Lys	Glu	Ala	Phe	Glu	Lys	Gly	Leu	Cys	Leu	Ser
	290					295					300				
Cys	Arg	Lys	Asn	Arg	Cys	Asn	Asn	Leu	Gly	Tyr	Glu	Ile	Asn	Lys	Val
305					310					315					320
Arg	Ala	Lys	Arg	Ser	Ser	Lys	Met	Tyr	Leu	Lys	Thr	Arg	Ser	Gln	Met
			325						330					335	
Pro	Tyr	Lys	Val	Phe	His	Tyr	Gln	Val	Lys	Ile	His	Phe	Ser	Gly	Thr
		340						345					350		
Glu	Ser	Glu	Thr	His	Thr	Asn	Gln	Ala	Phe	Glu	Ile	Ser	Leu	Tyr	Gly
		355					360					365			
Thr	Val	Ala	Glu	Ser	Glu	Asn	Ile	Pro	Phe	Thr	Leu	Pro	Glu	Val	Ser
	370					375					380				
Thr	Asn	Lys	Thr	Tyr	Ser	Phe	Leu	Ile	Tyr	Thr	Glu	Val	Asp	Ile	Gly
385					390					395					400
Glu	Leu	Leu	Met	Leu	Lys	Leu	Lys	Trp	Lys	Ser	Asp	Ser	Tyr	Phe	Ser
			405						410					415	
Trp	Ser	Asp	Trp	Trp	Ser	Ser	Pro	Gly	Phe	Ala	Ile	Gln	Lys	Ile	Arg
		420						425					430		
Val	Lys	Ala	Gly	Glu	Thr	Gln	Lys	Lys	Val	Ile	Phe	Cys	Ser	Arg	Glu
		435					440					445			
Lys	Val	Ser	His	Leu	Gln	Lys	Gly	Lys	Ala	Pro	Ala	Val	Phe	Val	Lys
	450					455					460				
Cys	His	Asp	Lys	Ser	Leu	Asn	Lys	Lys	Ser	Gly					
465					470					475					

<210> SEQ ID NO 15

<211> LENGTH: 1466

<212> TYPE: DNA

-continued

```

<213> ORGANISM: Homo sapien
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (115)...(1305)
<223> OTHER INFORMATION: Nucleotide sequence encoding apolipoprotein
      A-IV (APOA4)

<400> SEQUENCE: 15

agttcccaact gcagcgcagg tgagctctcc tgaggacctc tctgtcagct cccctgattg      60
tagggaggcca tccagtgtgg caagaaactc ctccagccca gcaagcagct cagg atg      117
                                     Met
                                     1

ttc ctg aag gcc gtg gtc ctg acc ctg gcc ctg gtg gct gtc gcc gga      165
Phe Leu Lys Ala Val Val Leu Thr Leu Ala Leu Val Ala Val Ala Gly
                                     5
                                     10
                                     15

gcc agg gct gag gtc agt gct gac cag gtg gcc aca gtg atg tgg gac      213
Ala Arg Ala Glu Val Ser Ala Asp Gln Val Ala Thr Val Met Trp Asp
                                     20
                                     25
                                     30

tac ttc agc cag ctg agc aac aat gcc aag gag gcc gtg gaa cat ctc      261
Tyr Phe Ser Gln Leu Ser Asn Asn Ala Lys Glu Ala Val Glu His Leu
                                     35
                                     40
                                     45

cag aaa tct gaa ctc acc cag caa ctc aat gcc ctc ttc cag gac aaa      309
Gln Lys Ser Glu Leu Thr Gln Gln Leu Asn Ala Leu Phe Gln Asp Lys
                                     50
                                     55
                                     60
                                     65

ctt gga gaa gtg aac act tac gca ggt gac ctg cag aag aag ctg gtg      357
Leu Gly Glu Val Asn Thr Tyr Ala Gly Asp Leu Gln Lys Lys Leu Val
                                     70
                                     75
                                     80

ccc ttt gcc acc gag ctg cat gaa cgc ctg gcc aag gac tcg gag aaa      405
Pro Phe Ala Thr Glu Leu His Glu Arg Leu Ala Lys Asp Ser Glu Lys
                                     85
                                     90
                                     95

ctg aag gag gag att ggg aag gag ctg gag gag ctg agg gcc cgg ctg      453
Leu Lys Glu Glu Ile Gly Lys Glu Leu Glu Glu Leu Arg Ala Arg Leu
                                     100
                                     105
                                     110

ctg ccc cat gcc aat gag gtg agc cag aag atc ggg gac aac ctg cga      501
Leu Pro His Ala Asn Glu Val Ser Gln Lys Ile Gly Asp Asn Leu Arg
                                     115
                                     120
                                     125

gag ctt cag cag cgc ctg gag ccc tac ggc gac cag ctg cgc acc cag      549
Glu Leu Gln Gln Arg Leu Glu Pro Tyr Ala Asp Gln Leu Arg Thr Gln
                                     130
                                     135
                                     140
                                     145

gtc aac acg cag gcc gag cag ctg cgg cgc cag ctg acc ccc tac gca      597
Val Asn Thr Gln Ala Glu Gln Leu Arg Arg Gln Leu Thr Pro Tyr Ala
                                     150
                                     155
                                     160

cag cgc atg gag aga gtg ctg cgg gag aac gcc gac agc ctg cag gcc      645
Gln Arg Met Glu Arg Val Leu Arg Glu Asn Ala Asp Ser Leu Gln Ala
                                     165
                                     170
                                     175

tcg ctg agg ccc cac gcc gac gag ctc aag gcc aag atc gac cag aac      693
Ser Leu Arg Pro His Ala Asp Glu Leu Lys Ala Lys Ile Asp Gln Asn
                                     180
                                     185
                                     190

gtg gag gag ctc aag gga cgc ctt acg ccc tac gct gac gaa ttc aaa      741
Val Glu Glu Leu Lys Gly Arg Leu Thr Pro Tyr Ala Asp Glu Phe Lys
                                     195
                                     200
                                     205

gtc aag att gac cag acc gtg gag gag ctg cgc cgc agc ctg gct ccc      789
Val Lys Ile Asp Gln Thr Val Glu Glu Leu Arg Arg Ser Leu Ala Pro
                                     210
                                     215
                                     220
                                     225

tat gct cag gac acg cag gag aag ctc aac cac cag ctt gag gcc ctg      837
Tyr Ala Gln Asp Thr Gln Glu Lys Leu Asn His Gln Leu Glu Gly Leu
                                     230
                                     235
                                     240

acc ttc cag atg aag aag aac gcc gag gag ctc aag gcc agg atc tcg      885

```

-continued

Thr	Phe	Gln	Met	Lys	Lys	Asn	Ala	Glu	Glu	Leu	Lys	Ala	Arg	Ile	Ser	
			245					250					255			
gcc	agt	gcc	gag	gag	ctg	cgg	cag	agg	ctg	gcg	ccc	ttg	gcc	gag	gac	933
Ala	Ser	Ala	Glu	Glu	Leu	Arg	Gln	Arg	Leu	Ala	Pro	Leu	Ala	Glu	Asp	
			260					265					270			
gtg	cgt	ggc	aac	ctg	agg	ggc	aac	acc	gag	ggg	ctg	cag	aag	tca	ctg	981
Val	Arg	Gly	Asn	Leu	Arg	Gly	Asn	Thr	Glu	Gly	Leu	Gln	Lys	Ser	Leu	
			275				280						285			
gca	gag	ctg	ggt	ggg	cac	ctg	gac	cag	cag	gtg	gag	gag	ttc	cga	cgc	1029
Ala	Glu	Leu	Gly	Gly	His	Leu	Asp	Gln	Gln	Val	Glu	Glu	Phe	Arg	Arg	
						295				300					305	
cgg	gtg	gag	ccc	tac	ggg	gaa	aac	ttc	aac	aaa	gcc	ctg	gtg	cag	cag	1077
Arg	Val	Glu	Pro	Tyr	Gly	Glu	Asn	Phe	Asn	Lys	Ala	Leu	Val	Gln	Gln	
				310					315					320		
atg	gaa	cag	ctc	agg	acg	aaa	ctg	ggc	ccc	cat	gcg	ggg	gac	gtg	gaa	1125
Met	Glu	Gln	Leu	Arg	Thr	Lys	Leu	Gly	Pro	His	Ala	Gly	Asp	Val	Glu	
								325					335			
ggc	cac	ttg	agc	ttc	ctg	gag	aag	gac	ctg	agg	gac	aag	gtc	aac	tcc	1173
Gly	His	Leu	Ser	Phe	Leu	Glu	Lys	Asp	Leu	Arg	Asp	Lys	Val	Asn	Ser	
								345					350			
ttc	ttc	agc	acc	ttc	aag	gag	aaa	gag	agc	cag	gac	aag	act	ctc	tcc	1221
Phe	Phe	Ser	Thr	Phe	Lys	Glu	Lys	Glu	Ser	Gln	Asp	Lys	Thr	Leu	Ser	
								360					365			
ctc	cct	gag	ctg	gag	caa	cag	cag	gaa	cag	cat	cag	gag	cag	cag	cag	1269
Leu	Pro	Glu	Leu	Glu	Gln	Gln	Gln	Glu	Gln	His	Gln	Glu	Gln	Gln	Gln	
						375					380				385	
gag	cag	gtg	cag	atg	ctg	gcc	cct	ttg	gag	agc	tga	gctgccccctg				1315
Glu	Gln	Val	Gln	Met	Leu	Ala	Pro	Leu	Glu	Ser	*					
					390					395						
gtgcactggc	cccaccctcg	tggtacacctg	cctgcccctg	ccacctgtct	gtctgtccca											1375
aagaagttct	ggtatgaact	tgaggacaca	tgtccagtgg	gaggtgagac	cacctctcaa											1435
tattcaataa	agctgctgag	aatctagcct	c													1466

<210> SEQ ID NO 16

<211> LENGTH: 396

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<400> SEQUENCE: 16

Met	Phe	Leu	Lys	Ala	Val	Val	Leu	Thr	Leu	Ala	Leu	Val	Ala	Val	Ala	
1				5					10					15		
Gly	Ala	Arg	Ala	Glu	Val	Ser	Ala	Asp	Gln	Val	Ala	Thr	Val	Met	Trp	
			20					25					30			
Asp	Tyr	Phe	Ser	Gln	Leu	Ser	Asn	Asn	Ala	Lys	Glu	Ala	Val	Glu	His	
			35				40					45				
Leu	Gln	Lys	Ser	Glu	Leu	Thr	Gln	Gln	Leu	Asn	Ala	Leu	Phe	Gln	Asp	
			50				55				60					
Lys	Leu	Gly	Glu	Val	Asn	Thr	Tyr	Ala	Gly	Asp	Leu	Gln	Lys	Lys	Leu	
					70				75					80		
Val	Pro	Phe	Ala	Thr	Glu	Leu	His	Glu	Arg	Leu	Ala	Lys	Asp	Ser	Glu	
				85				90						95		
Lys	Leu	Lys	Glu	Glu	Ile	Gly	Lys	Glu	Leu	Glu	Glu	Leu	Arg	Ala	Arg	
				100				105					110			
Leu	Leu	Pro	His	Ala	Asn	Glu	Val	Ser	Gln	Lys	Ile	Gly	Asp	Asn	Leu	
				115				120					125			

-continued

Arg Glu Leu Gln Gln Arg Leu Glu Pro Tyr Ala Asp Gln Leu Arg Thr
 130 135 140
 Gln Val Asn Thr Gln Ala Glu Gln Leu Arg Arg Gln Leu Thr Pro Tyr
 145 150 155 160
 Ala Gln Arg Met Glu Arg Val Leu Arg Glu Asn Ala Asp Ser Leu Gln
 165 170 175
 Ala Ser Leu Arg Pro His Ala Asp Glu Leu Lys Ala Lys Ile Asp Gln
 180 185 190
 Asn Val Glu Glu Leu Lys Gly Arg Leu Thr Pro Tyr Ala Asp Glu Phe
 195 200 205
 Lys Val Lys Ile Asp Gln Thr Val Glu Glu Leu Arg Arg Ser Leu Ala
 210 215 220
 Pro Tyr Ala Gln Asp Thr Gln Glu Lys Leu Asn His Gln Leu Glu Gly
 225 230 235 240
 Leu Thr Phe Gln Met Lys Lys Asn Ala Glu Glu Leu Lys Ala Arg Ile
 245 250 255
 Ser Ala Ser Ala Glu Glu Leu Arg Gln Arg Leu Ala Pro Leu Ala Glu
 260 265 270
 Asp Val Arg Gly Asn Leu Arg Gly Asn Thr Glu Gly Leu Gln Lys Ser
 275 280 285
 Leu Ala Glu Leu Gly Gly His Leu Asp Gln Gln Val Glu Glu Phe Arg
 290 295 300
 Arg Arg Val Glu Pro Tyr Gly Glu Asn Phe Asn Lys Ala Leu Val Gln
 305 310 315 320
 Gln Met Glu Gln Leu Arg Thr Lys Leu Gly Pro His Ala Gly Asp Val
 325 330 335
 Glu Gly His Leu Ser Phe Leu Glu Lys Asp Leu Arg Asp Lys Val Asn
 340 345 350
 Ser Phe Phe Ser Thr Phe Lys Glu Lys Glu Ser Gln Asp Lys Thr Leu
 355 360 365
 Ser Leu Pro Glu Leu Glu Gln Gln Gln Glu Gln His Gln Glu Gln Gln
 370 375 380
 Gln Glu Gln Val Gln Met Leu Ala Pro Leu Glu Ser
 385 390 395

<210> SEQ ID NO 17

<211> LENGTH: 1156

<212> TYPE: DNA

<213> ORGANISM: Homo sapien

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (61)...(1014)

<223> OTHER INFORMATION: Nucleotide Sequence encoding apolipoprotein E (APOE)

<400> SEQUENCE: 17

```

cgcagcgag gtgaaggacg tccttcccca ggagccgact ggccaatcac aggcaggaag      60
atg aag gtt ctg tgg gct gcg ttg ctg gtc aca ttc ctg gca gga tgc      108
Met Lys Val Leu Trp Ala Ala Leu Leu Val Thr Phe Leu Ala Gly Cys
  1           5           10           15

cag gcc aag gtg gag caa gcg gtg gag aca gag ccg gag ccc gag ctg      156
Gln Ala Lys Val Glu Gln Ala Val Glu Thr Glu Pro Glu Pro Glu Leu
      20           25           30

cgc cag cag acc gag tgg cag agc ggc cag cgc tgg gaa ctg gca ctg      204

```

Arg	Gln	Gln	Thr	Glu	Trp	Gln	Ser	Gly	Gln	Arg	Trp	Glu	Leu	Ala	Leu	
		35														
ggt	cgc	ttt	tgg	gat	tac	ctg	cgc	tgg	gtg	cag	aca	ctg	tct	gag	cag	252
Gly	Arg	Phe	Trp	Asp	Tyr	Leu	Arg	Trp	Val	Gln	Thr	Leu	Ser	Glu	Gln	
		50														
gtg	cag	gag	gag	ctg	ctc	agc	tcc	cag	gtc	acc	cag	gaa	ctg	agg	gcg	300
Val	Gln	Glu	Glu	Leu	Leu	Ser	Ser	Gln	Val	Thr	Gln	Glu	Leu	Arg	Ala	
		65														
ctg	atg	gac	gag	acc	atg	aag	gag	ttg	aag	gcc	tac	aaa	tcg	gaa	ctg	348
Leu	Met	Asp	Glu	Thr	Met	Lys	Glu	Leu	Lys	Ala	Tyr	Lys	Ser	Glu	Leu	
			85													
gag	gaa	caa	ctg	acc	cgc	gtg	gcg	gag	gag	acg	cgg	gca	cgg	ctg	tcc	396
Glu	Glu	Gln	Leu	Thr	Pro	Val	Ala	Glu	Glu	Thr	Arg	Ala	Arg	Leu	Ser	
			100													
aag	gag	ctg	cag	gcg	gcg	cag	gcc	cgg	ctg	ggc	gcg	gac	atg	gag	gac	444
Lys	Glu	Leu	Gln	Ala	Ala	Gln	Ala	Arg	Leu	Gly	Ala	Asp	Met	Glu	Asp	
			115													
gtg	tgc	ggc	cgc	ctg	gtg	cag	tac	cgc	ggc	gag	gtg	cag	gcc	atg	ctc	492
Val	Cys	Gly	Arg	Leu	Val	Gln	Tyr	Arg	Gly	Glu	Val	Gln	Ala	Met	Leu	
			130		135											
ggc	cag	agc	acc	gag	gag	ctg	cgg	gtg	cgc	ctc	gcc	tcc	cac	ctg	cgc	540
Gly	Gln	Ser	Thr	Glu	Glu	Leu	Arg	Val	Arg	Leu	Ala	Ser	His	Leu	Arg	
			145		150											
aag	ctg	cgt	aag	cgg	ctc	ctc	cgc	gat	gcc	gat	gac	ctg	cag	aag	cgc	588
Lys	Leu	Arg	Lys	Arg	Leu	Leu	Arg	Asp	Ala	Asp	Asp	Leu	Gln	Lys	Arg	
			165				170									
ctg	gca	gtg	tac	cag	gcc	ggg	gcc	cgc	gag	ggc	gcc	gag	cgc	ggc	ctc	636
Leu	Ala	Val	Tyr	Gln	Ala	Gly	Ala	Arg	Glu	Gly	Ala	Glu	Arg	Gly	Leu	
			180		185											
agc	gcc	atc	cgc	gag	cgc	ctg	ggg	ccc	ctg	gtg	gaa	cag	ggc	cgc	gtg	684
Ser	Ala	Ile	Arg	Glu	Arg	Leu	Gly	Pro	Leu	Val	Glu	Gln	Gly	Arg	Val	
			195		200		205									
cgg	gcc	gcc	act	gtg	ggc	tcc	ctg	gcc	ggc	cag	cgc	cta	cag	gag	cgg	732
Arg	Ala	Ala	Thr	Val	Gly	Ser	Leu	Ala	Gly	Gln	Pro	Leu	Gln	Glu	Arg	
			210		215		220									
gcc	cag	gcc	tgg	ggc	gag	cgg	ctg	cgc	ggc	cgg	atg	gag	gag	atg	ggc	780
Ala	Gln	Ala	Trp	Gly	Glu	Arg	Leu	Arg	Ala	Arg	Met	Glu	Glu	Met	Gly	
			225		230		235									
agc	cgg	acc	cgc	gac	cgc	ctg	gac	gag	gtg	aag	gag	cag	gtg	gcg	gag	828
Ser	Arg	Thr	Arg	Asp	Arg	Leu	Asp	Glu	Val	Lys	Glu	Gln	Val	Ala	Glu	
			245		250		255									
gtg	cgc	gcc	aag	ctg	gag	gag	cag	gcc	cag	cag	ata	cgc	ctg	cag	gcc	876
Val	Arg	Ala	Lys	Leu	Glu	Glu	Gln	Ala	Gln	Gln	Ile	Arg	Leu	Gln	Ala	
			260		265		270									
gag	gcc	ttc	cag	gcc	cgc	ctc	aag	agc	tgg	ttc	gag	ccc	ctg	gtg	gaa	924
Glu	Ala	Phe	Gln	Ala	Arg	Leu	Lys	Ser	Trp	Phe	Glu	Pro	Leu	Val	Glu	
			275		280		285									
gac	atg	cag	cgc	cag	tgg	goc	ggg	ctg	gtg	gag	aag	gtg	cag	gct	goc	972
Asp	Met	Gln	Arg	Gln	Trp	Ala	Gly	Leu	Val	Glu	Lys	Val	Gln	Ala	Ala	
			290		295		300									
gtg	ggc	acc	agc	gcc	gcc	cct	gtg	ccc	agc	gac	aat	cac	tga			1014
Val	Gly	Thr	Ser	Ala	Ala	Pro	Val	Pro	Ser	Asp	Asn	His	*			
			305		310		315									
acgcccgaagc ctgcagcccat gcgaccccccac gccaccccctt gcctcctctgcc tccgcgcagc																1074
ctgcagcgggg agaccctgtc cccgcgccag ccgtcctcctt ggggttgacc ctagttttaat																1134
aaagattcac caagtttccac gc																1155

-continued

```

<210> SEQ ID NO 18
<211> LENGTH: 317
<212> TYPE: PRT
<213> ORGANISM: Homo sapien
<400> SEQUENCE: 18

Met Lys Val Leu Trp Ala Ala Leu Leu Val Thr Phe Leu Ala Gly Cys
 1             5             10          15
Gln Ala Lys Val Glu Gln Ala Val Glu Thr Glu Pro Glu Pro Glu Leu
 20             25          30
Arg Gln Gln Thr Glu Trp Gln Ser Gly Gln Arg Trp Glu Leu Ala Leu
 35             40          45
Gly Arg Phe Trp Asp Tyr Leu Arg Trp Val Gln Thr Leu Ser Glu Gln
 50             55          60
Val Gln Glu Glu Leu Leu Ser Ser Gln Val Thr Gln Glu Leu Arg Ala
 65             70          75          80
Leu Met Asp Glu Thr Met Lys Glu Leu Lys Ala Tyr Lys Ser Glu Leu
 85             90          95
Glu Glu Gln Leu Thr Pro Val Ala Glu Glu Thr Arg Ala Arg Leu Ser
100            105          110
Lys Glu Leu Gln Ala Ala Gln Ala Arg Leu Gly Ala Asp Met Glu Asp
115            120          125
Val Cys Gly Arg Leu Val Gln Tyr Arg Gly Glu Val Gln Ala Met Leu
130            135          140
Gly Gln Ser Thr Glu Glu Leu Arg Val Arg Leu Ala Ser His Leu Arg
145            150          155          160
Lys Leu Arg Lys Arg Leu Leu Arg Asp Ala Asp Asp Leu Gln Lys Arg
165            170          175
Leu Ala Val Tyr Gln Ala Gly Ala Arg Glu Gly Ala Glu Arg Gly Leu
180            185          190
Ser Ala Ile Arg Glu Arg Leu Gly Pro Leu Val Glu Gln Gly Arg Val
195            200          205
Arg Ala Ala Thr Val Gly Ser Leu Ala Gly Gln Pro Leu Gln Glu Arg
210            215          220
Ala Gln Ala Trp Gly Glu Arg Leu Arg Ala Arg Met Glu Glu Met Gly
225            230          235          240
Ser Arg Thr Arg Asp Arg Leu Asp Glu Val Lys Glu Gln Val Ala Glu
245            250          255
Val Arg Ala Lys Leu Glu Glu Gln Ala Gln Gln Ile Arg Leu Gln Ala
260            265          270
Glu Ala Phe Gln Ala Arg Leu Lys Ser Trp Phe Glu Pro Leu Val Glu
275            280          285
Asp Met Gln Arg Gln Trp Ala Gly Leu Val Glu Lys Val Gln Ala Ala
290            295          300
Val Gly Thr Ser Ala Ala Pro Val Pro Ser Asp Asn His
305            310          315

```

```

<210> SEQ ID NO 19
<211> LENGTH: 1603
<212> TYPE: DNA
<213> ORGANISM: Homo sapien
<220> FEATURE:
<221> NAME/KEY: CDS

```

-continued

<222> LOCATION: (58)...(1557)

<223> OTHER INFORMATION: Nucleotide sequence encoding hepatic lipase (LIPC)

<400> SEQUENCE: 19

```

gggtctcttttg ggttcagaaa ttaccaagaa agcctggacc ccgggtgaaa cggagaa atg      60
                                         Met
                                         1

gac aca agt ccc ctg tgt ttc tcc att ctg ttg gtt tta tgc atc ttt      108
Asp Thr Ser Pro Leu Cys Phe Ser Ile Leu Leu Val Leu Cys Ile Phe
      5              10              15

atc caa tca agt gcc ctt gga caa agc ctg aaa cca gag cca ttt gga      156
Ile Gln Ser Ser Ala Leu Gly Gln Ser Leu Lys Pro Glu Pro Phe Gly
      20              25              30

aga aga gct caa gct gtt gaa aca aac aaa acg ctg cat gag atg aag      204
Arg Arg Ala Gln Ala Val Glu Thr Asn Lys Thr Leu His Glu Met Lys
      35              40              45

acc aga ttc ctg ctc ttt gga gaa acc aat cag ggc tgt cag att cga      252
Thr Arg Phe Leu Leu Phe Gly Glu Thr Asn Gln Gly Cys Gln Ile Arg
      50              55              60              65

atc aat cat ccg gac acg tta cag gag tgc ggc ttc aac tcc tcc ctg      300
Ile Asn His Pro Asp Thr Leu Gln Glu Cys Gly Phe Asn Ser Ser Leu
      70              75              80

cct ctg gtg atg ata atc cac ggg tgg tgg gtg gac ggc gtg cta gaa      348
Pro Leu Val Met Ile Ile His Gly Trp Ser Val Asp Gly Val Leu Glu
      85              90              95

aac tgg atc tgg cag atg gtg gcc gcg ctg aag tct cag ccg gcc cag      396
Asn Trp Ile Trp Gln Met Val Ala Ala Leu Lys Ser Gln Pro Ala Gln
      100             105             110

cca gtg aac gtg ggg ctg gtg gac tgg atc acc ctg gcc cac gac cac      444
Pro Val Asn Val Gly Leu Val Asp Trp Ile Thr Leu Ala His Asp His
      115             120             125

tac acc atc gcc gtc cgc aac acc cgc ctt gtg ggc aag gag gtc gcg      492
Tyr Thr Ile Ala Val Arg Asn Thr Arg Leu Val Gly Lys Glu Val Ala
      130             135             140             145

gct ctt ctc ccg tgg ctg gag gaa tct gtt caa ctc tct cga agc cat      540
Ala Leu Leu Arg Trp Leu Glu Glu Ser Val Gln Leu Ser Arg Ser His
      150             155             160

gtt cac cta att ggg tac agc ctg ggt gca cac gtg tca gga ttt gcc      588
Val His Leu Ile Gly Tyr Ser Leu Gly Ala His Val Ser Gly Phe Ala
      165             170             175

ggc agt tcc atc ggt gga acg cac aag att ggg aga atc aca ggg ctg      636
Gly Ser Ser Ile Gly Gly Thr His Lys Ile Gly Arg Ile Thr Gly Leu
      180             185             190

gat gcc gcg gga cct ttg ttt gag gga agt gcc ccc agc aat cgt ctt      684
Asp Ala Ala Gly Pro Leu Phe Glu Gly Ser Ala Pro Ser Asn Arg Leu
      195             200             205

tct cca gat gat gcc aat ttt gtg gat gcc att cat acc ttt acg cgg      732
Ser Pro Asp Asp Ala Asn Phe Val Asp Ala Ile His Thr Phe Thr Arg
      210             215             220             225

gag cac atg ggc ctg agc gtg ggc atc aaa cag ccc ata gga cac tat      780
Glu His Met Gly Leu Ser Val Gly Ile Lys Gln Pro Ile Gly His Tyr
      230             235             240

gac ttc tat ccc aac ggg ggc tcc ttc cag cct ggc tgc cac ttc cta      828
Asp Phe Tyr Pro Asn Gly Gly Ser Phe Gln Pro Gly Cys His Phe Leu
      245             250             255

gag ctc tac aga cat att gcc cag cac ggc ttc aat gcc atc acc cag      876
Glu Leu Tyr Arg His Ile Ala Gln His Gly Phe Asn Ala Ile Thr Gln

```

-continued

260	265	270	
acc ata aaa tgc tcc cac gag cga tgg gtg cac ctt ttc atc gac tcc			924
Thr Ile Lys Cys Ser His Glu Arg Ser Val His Leu Phe Ile Asp Ser			
275	280	285	
ttg ctg cac gcc ggc acg cag agc atg gcc tac ccg tgt ggt gac atg			972
Leu Leu His Ala Gly Thr Gln Ser Met Ala Tyr Pro Cys Gly Asp Met			
290	295	300	305
aac agc ttc agc cag gcc ctg tgc ctg agc tgc aag aag gcc cgc tgc			1020
Asn Ser Phe Ser Gln Gly Leu Cys Leu Ser Cys Lys Lys Gly Arg Cys			
310	315	320	
aac acg ctg gcc tac cac gtc cgc cag gag ccg cgg agc aag agc aag			1068
Asn Thr Leu Gly Tyr His Val Arg Gln Glu Pro Arg Ser Lys Ser Lys			
325	330	335	
agg ctc ttc ctc gta acg cga gcc cag tcc ccc ttc aaa gtt tat cat			1116
Arg Leu Phe Leu Val Thr Arg Ala Gln Ser Pro Phe Lys Val Tyr His			
340	345	350	
tac cag tta aag atc cag ttc atc aac caa act gag acg cca ata caa			1164
Tyr Gln Leu Lys Ile Gln Phe Ile Asn Gln Thr Glu Thr Pro Ile Gln			
355	360	365	
aca act ttt acc atg tca cta ctc gga aca aaa gag aaa atg cag aaa			1212
Thr Thr Phe Thr Met Ser Leu Leu Gly Thr Lys Glu Lys Met Gln Lys			
370	375	380	385
att ccc atc act ctg gcc aaa gga att gct agt aat aaa acg tat tcc			1260
Ile Pro Ile Thr Leu Gly Lys Gly Ile Ala Ser Asn Lys Thr Tyr Ser			
390	395	400	
ttt ctt atc acg ctg gat gtg gat atc gcc gag ctg atc atg atc aag			1308
Phe Leu Ile Thr Leu Asp Val Asp Ile Gly Glu Leu Ile Met Ile Lys			
405	410	415	
ttc aag tgg gaa aac agt gca gtg tgg gcc aat gtc tgg gac acg gtc			1356
Phe Lys Trp Glu Asn Ser Ala Val Trp Ala Asn Val Trp Asp Thr Val			
420	425	430	
cag acc atc atc cca tgg agc aca ggg ccg cgc cac tca gcc ctc gtt			1404
Gln Thr Ile Ile Pro Trp Ser Thr Gly Pro Arg His Ser Gly Leu Val			
435	440	445	
ctg aag acg atc aga gtc aaa gca gga gaa acc cag caa aga atg aca			1452
Leu Lys Thr Ile Arg Val Lys Ala Gly Glu Thr Gln Gln Arg Met Thr			
450	455	460	465
ttt tgt tca gaa aac aca gat gac cta cta ctt cgc cca acc cag gaa			1500
Phe Cys Ser Glu Asn Thr Asp Asp Leu Leu Arg Pro Thr Gln Glu			
470	475	480	
aaa atc ttc gtg aaa tgt gaa ata aag tct aaa aca tca aag cga aag			1548
Lys Ile Phe Val Lys Cys Glu Ile Lys Ser Lys Thr Ser Lys Arg Lys			
485	490	495	
atc aga tga gatttaatga agaccagtg taaagaataa atgaatctta			1597
Ile Arg *			
ctoctt			1603

<210> SEQ ID NO 20

<211> LENGTH: 499

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<400> SEQUENCE: 20

Met Asp Thr Ser Pro Leu Cys Phe Ser Ile Leu Leu Val Leu Cys Ile
 1 5 10 15

Phe Ile Gln Ser Ser Ala Leu Gly Gln Ser Leu Lys Pro Glu Pro Phe
 20 25 30

-continued

Gly	Arg	Arg	Ala	Gln	Ala	Val	Glu	Thr	Asn	Lys	Thr	Leu	His	Glu	Met	35	40	45
Lys	Thr	Arg	Phe	Leu	Leu	Phe	Gly	Glu	Thr	Asn	Gln	Gly	Cys	Gln	Ile	50	55	60
Arg	Ile	Asn	His	Pro	Asp	Thr	Leu	Gln	Glu	Cys	Gly	Phe	Asn	Ser	Ser	65	70	80
Leu	Pro	Leu	Val	Met	Ile	Ile	His	Gly	Trp	Ser	Val	Asp	Gly	Val	Leu	85	90	95
Glu	Asn	Trp	Ile	Trp	Gln	Met	Val	Ala	Ala	Leu	Lys	Ser	Gln	Pro	Ala	100	105	110
Gln	Pro	Val	Asn	Val	Gly	Leu	Val	Asp	Trp	Ile	Thr	Leu	Ala	His	Asp	115	120	125
His	Tyr	Thr	Ile	Ala	Val	Arg	Asn	Thr	Arg	Leu	Val	Gly	Lys	Glu	Val	130	135	140
Ala	Ala	Leu	Leu	Arg	Trp	Leu	Glu	Glu	Ser	Val	Gln	Leu	Ser	Arg	Ser	145	150	155
His	Val	His	Leu	Ile	Gly	Tyr	Ser	Leu	Gly	Ala	His	Val	Ser	Gly	Phe	165	170	175
Ala	Gly	Ser	Ser	Ile	Gly	Gly	Thr	His	Lys	Ile	Gly	Arg	Ile	Thr	Gly	180	185	190
Leu	Asp	Ala	Ala	Gly	Pro	Leu	Phe	Glu	Gly	Ser	Ala	Pro	Ser	Asn	Arg	195	200	205
Leu	Ser	Pro	Asp	Asp	Ala	Asn	Phe	Val	Asp	Ala	Ile	His	Thr	Phe	Thr	210	215	220
Arg	Glu	His	Met	Gly	Leu	Ser	Val	Gly	Ile	Lys	Gln	Pro	Ile	Gly	His	225	230	235
Tyr	Asp	Phe	Tyr	Pro	Asn	Gly	Gly	Ser	Phe	Gln	Pro	Gly	Cys	His	Phe	245	250	255
Leu	Glu	Leu	Tyr	Arg	His	Ile	Ala	Gln	His	Gly	Phe	Asn	Ala	Ile	Thr	260	265	270
Gln	Thr	Ile	Lys	Cys	Ser	His	Glu	Arg	Ser	Val	His	Leu	Phe	Ile	Asp	275	280	285
Ser	Leu	Leu	His	Ala	Gly	Thr	Gln	Ser	Met	Ala	Tyr	Pro	Cys	Gly	Asp	290	295	300
Met	Asn	Ser	Phe	Ser	Gln	Gly	Leu	Cys	Leu	Ser	Cys	Lys	Lys	Gly	Arg	305	310	315
Cys	Asn	Thr	Leu	Gly	Tyr	His	Val	Arg	Gln	Glu	Pro	Arg	Ser	Lys	Ser	325	330	335
Lys	Arg	Leu	Phe	Leu	Val	Thr	Arg	Ala	Gln	Ser	Pro	Phe	Lys	Val	Tyr	340	345	350
His	Tyr	Gln	Leu	Lys	Ile	Gln	Phe	Ile	Asn	Gln	Thr	Glu	Thr	Pro	Ile	355	360	365
Gln	Thr	Thr	Phe	Thr	Met	Ser	Leu	Leu	Gly	Thr	Lys	Glu	Lys	Met	Gln	370	375	380
Lys	Ile	Pro	Ile	Thr	Leu	Gly	Lys	Gly	Ile	Ala	Ser	Asn	Lys	Thr	Tyr	385	390	395
Ser	Phe	Leu	Ile	Thr	Leu	Asp	Val	Asp	Ile	Gly	Glu	Leu	Ile	Met	Ile	405	410	415
Lys	Phe	Lys	Trp	Glu	Asn	Ser	Ala	Val	Trp	Ala	Asn	Val	Trp	Asp	Thr	420	425	430

-continued

Val	Gln	Thr	Ile	Ile	Pro	Trp	Ser	Thr	Gly	Pro	Arg	His	Ser	Gly	Leu
	435						440					445			
Val	Leu	Lys	Thr	Ile	Arg	Val	Lys	Ala	Gly	Glu	Thr	Gln	Gln	Arg	Met
	450					455					460				
Thr	Phe	Cys	Ser	Glu	Asn	Thr	Asp	Asp	Leu	Leu	Leu	Arg	Pro	Thr	Gln
	465				470				475						480
Glu	Lys	Ile	Phe	Val	Lys	Cys	Glu	Ile	Lys	Ser	Lys	Thr	Ser	Lys	Arg
			485						490					495	

Lys Ile Arg

<210> SEQ ID NO 21

<211> LENGTH: 1346

<212> TYPE: DNA

<213> ORGANISM: Homo sapien

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (10)...(1077)

<223> OTHER INFORMATION: Nucleotide sequence encoding paraoxonase 1 (PON1)

<400> SEQUENCE: 21

cccccgacc atg gcg aag ctg att gcg ctc acc ctc ttg ggg atg gga ctg	51
Met Ala Lys Leu Ile Ala Leu Thr Leu Leu Gly Met Gly Leu	
1 5 10	
gca ctc ttc agg aac cac cag tct tct tac caa aca cga ctt aat gct	99
Ala Leu Phe Arg Asn His Gln Ser Ser Tyr Gln Thr Arg Leu Asn Ala	
15 20 25 30	
ctc cga gag gta caa ccc gta gaa ctt cct aac tgt aat tta gtt aaa	147
Leu Arg Glu Val Gln Pro Val Glu Leu Pro Asn Cys Asn Leu Val Lys	
35 40 45	
gga atc gaa act ggc tct gaa gac atg gag ata ctg cct aat gga ctg	195
Gly Ile Glu Thr Gly Ser Glu Asp Met Glu Ile Leu Pro Asn Gly Leu	
50 55 60	
gct ttc att agc tct gga tta aag tat cct gga ata aag agc ttc aac	243
Ala Phe Ile Ser Ser Gly Leu Lys Tyr Pro Gly Ile Lys Ser Phe Asn	
65 70 75	
ccc aac agt cct gga aaa ata ctt ctg atg gac ctg aat gaa gaa gat	291
Pro Asn Ser Pro Gly Lys Ile Leu Leu Met Asp Leu Asn Glu Glu Asp	
80 85 90	
cca aca gtg ttg gaa ttg ggg atc act gga agt aaa ttt gat gta tct	339
Pro Thr Val Leu Glu Leu Gly Ile Thr Gly Ser Lys Phe Asp Val Ser	
95 100 105 110	
tca ttt aac cct cat ggg att agc aca ttc aca gat gaa gat aat gcc	387
Ser Phe Asn Pro His Gly Ile Ser Thr Phe Thr Asp Glu Asp Asn Ala	
115 120 125	
atg tac ctc ctg gtg gtg aac cat cca gat gcc aag tcc aca gtg gag	435
Met Tyr Leu Leu Val Val Asn His Pro Asp Ala Lys Ser Thr Val Glu	
130 135 140	
ttg ttt aaa ttt caa gaa gaa gaa aaa tog ctt ttg cat cta aaa acc	483
Leu Phe Lys Phe Gln Glu Glu Glu Lys Ser Leu Leu His Leu Lys Thr	
145 150 155	
atc aga cat aaa ctt ctg cct aat ttg aat gat att gtt gct gtg gga	531
Ile Arg His Lys Leu Leu Pro Asn Leu Asn Asp Ile Val Ala Val Gly	
160 165 170	
cct gag cac ttt tat ggc aca aat gat cac tat ttt ctt gac ccc tac	579
Pro Glu His Phe Tyr Gly Thr Asn Asp His Tyr Phe Leu Asp Pro Tyr	
175 180 185 190	
tta caa tcc tgg gag atg tat ttg ggt tta gcg tgg tcg tat gtt gtc	627

-continued

Leu	Gln	Ser	Trp	Glu	Met	Tyr	Leu	Gly	Leu	Ala	Trp	Ser	Tyr	Val	Val		
				195					200					205			
tac	tat	agt	cca	agt	gaa	gtt	cga	gtg	gtg	gca	gaa	gga	ttt	gat	ttt		675
Tyr	Tyr	Ser	Pro	Ser	Glu	Val	Arg	Val	Val	Ala	Glu	Gly	Phe	Asp	Phe		
			210					215					220				
gct	aat	gga	atc	aac	att	tca	ccc	gat	ggc	aag	tat	gtc	tat	ata	gct		723
Ala	Asn	Gly	Ile	Asn	Ile	Ser	Pro	Asp	Gly	Lys	Tyr	Val	Tyr	Ile	Ala		
	225						230					235					
gag	ttg	ctg	gct	cat	aag	att	cat	gtg	tat	gaa	aag	cat	gct	aat	tgg		771
Glu	Leu	Leu	Ala	His	Lys	Ile	His	Val	Tyr	Glu	Lys	His	Ala	Asn	Trp		
	240					245					250						
act	tta	act	cca	ttg	aag	tcc	ctt	gac	ttt	aat	acc	ctc	gtg	gat	aac		819
Thr	Leu	Thr	Pro	Leu	Lys	Ser	Leu	Asp	Phe	Asn	Thr	Leu	Val	Asp	Asn		
	255				260					265					270		
ata	tct	gtg	gat	cct	gag	aca	gga	gac	ctt	tgg	gtt	gga	tgc	cat	ccc		867
Ile	Ser	Val	Asp	Pro	Glu	Thr	Gly	Asp	Leu	Trp	Val	Gly	Cys	His	Pro		
			275					280					285				
aat	ggc	atg	aaa	atc	ttc	ttc	tat	gac	tca	gag	aat	cct	cct	gca	tca		915
Asn	Gly	Met	Lys	Ile	Phe	Phe	Tyr	Asp	Ser	Glu	Asn	Pro	Pro	Ala	Ser		
			290					295				300					
gag	gtg	ctt	cga	atc	cag	aac	att	cta	aca	gaa	gaa	cct	aaa	gtg	aca		963
Glu	Val	Leu	Arg	Ile	Gln	Asn	Ile	Leu	Thr	Glu	Glu	Pro	Lys	Val	Thr		
	305					310						315					
cag	gtt	tat	gca	gaa	aat	ggc	aca	gtg	ttg	caa	ggc	agt	aca	gtt	gcc		1011
Gln	Val	Tyr	Ala	Glu	Asn	Gly	Thr	Val	Leu	Gln	Gly	Ser	Thr	Val	Ala		
	320				325						330						
tct	gtg	tac	aaa	ggg	aaa	ctg	ctg	att	ggc	aca	gtg	ttt	cac	aaa	gct		1059
Ser	Val	Tyr	Lys	Gly	Lys	Leu	Leu	Ile	Gly	Thr	Val	Phe	His	Lys	Ala		
	335				340				345					350			
ctt	tac	tgt	gag	ctc	taa	cagaccgatt	tgaccccatg	ccatagaaac									1107
Leu	Tyr	Cys	Glu	Leu	*												
			355														
tgaggccatt	atttcaaccg	cttgccatat	tcagaggacc	cagtggtctt	agctgaacaa												1167
tgaatgctga	ccctaaatgt	ggacatcatg	aagcatcaaa	gcactgttta	actggggagtg												1227
atatgatgtg	taggggtttt	ttttgagaat	acactatcaa	atcagtcttg	gaatacttga												1287
aaacctcatt	taccataaaa	atccttctca	ctaaaatgga	taaatcagtt	aaaaaaaaa												1346

<210> SEQ ID NO 22
 <211> LENGTH: 355
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapien
 <400> SEQUENCE: 22

Met	Ala	Lys	Leu	Ile	Ala	Leu	Thr	Leu	Leu	Gly	Met	Gly	Leu	Ala	Leu		
1				5					10					15			
Phe	Arg	Asn	His	Gln	Ser	Ser	Tyr	Gln	Thr	Arg	Leu	Asn	Ala	Leu	Arg		
			20					25					30				
Glu	Val	Gln	Pro	Val	Glu	Leu	Pro	Asn	Cys	Asn	Leu	Val	Lys	Gly	Ile		
	35					40					45						
Glu	Thr	Gly	Ser	Glu	Asp	Met	Glu	Ile	Leu	Pro	Asn	Gly	Leu	Ala	Phe		
	50				55					60							
Ile	Ser	Ser	Gly	Leu	Lys	Tyr	Pro	Gly	Ile	Lys	Ser	Phe	Asn	Pro	Asn		
	65			70				75						80			
Ser	Pro	Gly	Lys	Ile	Leu	Leu	Met	Asp	Leu	Asn	Glu	Glu	Asp	Pro	Thr		
			85					90						95			

-continued

Val Leu Glu Leu Gly Ile Thr Gly Ser Lys Phe Asp Val Ser Ser Phe
100 105 110

Asn Pro His Gly Ile Ser Thr Phe Thr Asp Glu Asp Asn Ala Met Tyr
115 120 125

Leu Leu Val Val Asn His Pro Asp Ala Lys Ser Thr Val Glu Leu Phe
130 135 140

Lys Phe Gln Glu Glu Glu Lys Ser Leu Leu His Leu Lys Thr Ile Arg
145 150 155 160

His Lys Leu Leu Pro Asn Leu Asn Asp Ile Val Ala Val Gly Pro Glu
165 170 175

His Phe Tyr Gly Thr Asn Asp His Tyr Phe Leu Asp Pro Tyr Leu Gln
180 185 190

Ser Trp Glu Met Tyr Leu Gly Leu Ala Trp Ser Tyr Val Val Tyr Tyr
195 200 205

Ser Pro Ser Glu Val Arg Val Val Ala Glu Gly Phe Asp Phe Ala Asn
210 215 220

Gly Ile Asn Ile Ser Pro Asp Gly Lys Tyr Val Tyr Ile Ala Glu Leu
225 230 235 240

Leu Ala His Lys Ile His Val Tyr Glu Lys His Ala Asn Trp Thr Leu
245 250 255

Thr Pro Leu Lys Ser Leu Asp Phe Asn Thr Leu Val Asp Asn Ile Ser
260 265 270

Val Asp Pro Glu Thr Gly Asp Leu Trp Val Gly Cys His Pro Asn Gly
275 280 285

Met Lys Ile Phe Phe Tyr Asp Ser Glu Asn Pro Pro Ala Ser Glu Val
290 295 300

Leu Arg Ile Gln Asn Ile Leu Thr Glu Glu Pro Lys Val Thr Gln Val
305 310 315 320

Tyr Ala Glu Asn Gly Thr Val Leu Gln Gly Ser Thr Val Ala Ser Val
325 330 335

Tyr Lys Gly Lys Leu Leu Ile Gly Thr Val Phe His Lys Ala Leu Tyr
340 345 350

Cys Glu Leu
355

<210> SEQ ID NO 23

<211> LENGTH: 1570

<212> TYPE: DNA

<213> ORGANISM: Homo sapien

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (1)...(1097)

<223> OTHER INFORMATION: Nucleotide sequence encoding paraoxonase
2 (PON2)

<400> SEQUENCE: 23

cgg agc gag gca gcg cgc ccg gct ccc ggg cca tgg ggc ggc tgg tgg	48
Arg Ser Glu Ala Ala Arg Pro Ala Pro Trp Gly Gly Trp Trp	
1 5 10 15	
ctg tgg gct tgc tgg gga tgg cgc tgg cgc tcc tgg gcg aga ggc ttc	96
Leu Trp Ala Cys Trp Gly Ser Arg Trp Arg Ser Trp Ala Arg Gly Phe	
20 25 30	
tgg cac tca gaa atc gac tta aag cct cca gag aag tag aat ctg tag	144
Trp His Ser Glu Ile Asp Leu Lys Pro Pro Glu Lys * Asn Leu *	
35 40 45	

-continued

acc ttc cac act gcc acc tga tta aag gaa ttg aag ctg gct ctg aag	192
Thr Phe His Thr Ala Thr * Leu Lys Glu Leu Lys Leu Ala Leu Lys	
50 55 60	
ata ttg aca tac ttc cca atg gtc tgg ctt ttt tta gtg tgg gtc taa	240
Ile Leu Thr Tyr Phe Pro Met Val Trp Leu Phe Leu Val Trp Val *	
65 70 75	
aat tcc cag gac tcc aca gct ttg cac cag ata agc ctg gag gaa tac	288
Asn Ser Gln Asp Ser Thr Ala Leu His Gln Ile Ser Leu Glu Glu Tyr	
80 85 90	
taa tga tgg atc taa aag aag aaa aac caa ggg cac ggg aat taa gaa	336
* * Trp Ile * Lys Lys Lys Asn Gln Gly His Gly Asn * Glu	
95 100	
tca gtc gtg ggt ttg att tgg cct cat tca atc cac atg gca tca gca	384
Ser Val Val Gly Leu Ile Trp Pro His Ser Ile His Met Ala Ser Ala	
105 110 115 120	
ctt tca tag aca acg atg aca cag ttt atc tct ttg ttg taa acc acc	432
Leu Ser * Thr Thr Met Thr Gln Phe Ile Ser Leu Leu * Thr Thr	
125 130	
cag aat tca aga ata cag tgg aaa ttt tta aat ttg aag aag cag aaa	480
Gln Asn Ser Arg Ile Gln Trp Lys Phe Leu Asn Leu Lys Lys Gln Lys	
135 140 145 150	
att ctc tgt tgc atc tga aaa cag tca aac atg agc ttc ttc caa gtg	528
Ile Leu Cys Cys Ile * Lys Gln Ser Asn Met Ser Phe Phe Gln Val	
155 160 165	
tga atg aca tca cag ctg ttg gac cgg cac att tct atg cca caa atg	576
* Met Thr Ser Gln Leu Leu Asp Arg His Ile Ser Met Pro Gln Met	
170 175 180	
acc act act tct ctg atc ctt tct taa agt att tag aaa cat act tga	624
Thr Thr Thr Ser Leu Ile Leu Ser * Ser Ile * Lys His Thr *	
185 190	
act tac act ggg caa atg ttg ttt act aca gtc caa atg aag tta aag	672
Thr Tyr Thr Gly Gln Met Leu Phe Thr Thr Val Gln Met Lys Leu Lys	
195 200 205	
tgg tag cag aag gat ttg att cag caa atg gga tca ata ttt cac ctg	720
Trp * Gln Lys Asp Leu Ile Gln Gln Met Gly Ser Ile Phe His Leu	
210 215 220	
atg ata agt ata tct atg ttg ctg aca tat tgg ctc atg aaa ttc atg	768
Met Ile Ser Ile Ser Met Leu Leu Thr Tyr Trp Leu Met Lys Phe Met	
225 230 235 240	
ttt tgg aaa aac aca cta ata tga att taa ctc agt tga agg tac ttg	816
Phe Trp Lys Asn Thr Leu Ile * Ile * Leu Ser * Arg Tyr Leu	
245 250	
agc tgg ata cac tgg tgg ata att tat cta ttg atc ctt cct cgg ggg	864
Ser Trp Ile His Trp Trp Ile Ile Tyr Leu Leu Ile Leu Pro Arg Gly	
255 260 265	
aca tot ggg tag gct gtc atc cta atg gcc aga agc tct tcg tgt atg	912
Thr Ser Gly * Ala Val Ile Leu Met Ala Arg Ser Ser Ser Cys Met	
270 275 280	
acc cga aca atc ctc cct cgt cag agg ttc tcc gca tcc aga aca ttc	960
Thr Arg Thr Ile Leu Pro Arg Gln Arg Phe Ser Ala Ser Arg Thr Phe	
285 290 295 300	
tat ctg aga agc cta cag tga cta cag ttt atg cca aca atg ggt ctg	1008
Tyr Leu Arg Ser Leu Gln * Leu Gln Phe Met Pro Thr Met Gly Leu	
305 310 315	
ttc tcc aag gaa gtt ctg tag cct cag tgt atg atg gga agc tgc tca	1056
Phe Ser Lys Glu Val Leu * Pro Gln Cys Met Met Gly Ser Cys Ser	
320 325 330	

-continued

```

tag gca ctt tat acc aca gag cct tgt att gtg aac tct aa attgtacttt 1107
* Ala Leu Tyr Thr Thr Glu Pro Cys Ile Val Asn Ser
      335                      340

tggcatgaaa gtgcgataac ttaacaatta attttctatg aattgctaatt tctgagggaa 1167

tttaaccagc aacattgacc cagaaatgta tggcatgtgt agttaatttt attccagtaa 1227

ggaacggccc ttttagttct tagagcactt ttaacaaaaa aggaaaatga acagggttctt 1287

taaaatgcc aagcaaggag agaaaagaaa gctgctttcg aataaagtga atacattttg 1347

cacaaagtaa gcttcacctt tgccttccaa ctgccagAAC atggattcca ctgaaataga 1407

gtgaattata tttccttaaa atgtgagtga cctcacttct ggcactgtga ctactatggc 1467

tgtttagaac tactgataac gtattttgat gttttgtact tacatctttg tttaccatta 1527

aaaagttgga gttatattaa agactaacta aaatcccagt ttt 1570

```

```

<210> SEQ ID NO 24
<211> LENGTH: 342
<212> TYPE: PRT
<213> ORGANISM: Homo sapien

```

```

<400> SEQUENCE: 24

```

```

Arg Ser Glu Ala Ala Arg Pro Ala Pro Ala Pro Trp Gly Gly Trp Trp
 1          5          10          15

Leu Trp Ala Cys Trp Gly Ser Arg Trp Arg Ser Trp Ala Arg Gly Phe
      20          25          30

Trp His Ser Glu Ile Asp Leu Lys Pro Pro Glu Lys Asn Leu Thr Phe
      35          40          45

His Thr Ala Thr Leu Lys Glu Leu Lys Leu Ala Leu Lys Ile Leu Thr
      50          55          60

Tyr Phe Pro Met Val Trp Leu Phe Leu Val Trp Val Asn Ser Gln Asp
      65          70          75          80

Ser Thr Ala Leu His Gln Ile Ser Leu Glu Glu Tyr Trp Ile Lys Lys
      85          90          95

Lys Asn Gln Gly His Gly Asn Glu Ser Val Val Gly Leu Ile Trp Pro
      100          105          110

His Ser Ile His Met Ala Ser Ala Leu Ser Thr Thr Met Thr Gln Phe
      115          120          125

Ile Ser Leu Leu Thr Thr Gln Asn Ser Arg Ile Gln Trp Lys Phe Leu
      130          135          140

Asn Leu Lys Lys Gln Lys Ile Leu Cys Cys Ile Lys Gln Ser Asn Met
      145          150          155          160

Ser Phe Phe Gln Val Met Thr Ser Gln Leu Leu Asp Arg His Ile Ser
      165          170          175

Met Pro Gln Met Thr Thr Thr Ser Leu Ile Leu Ser Ser Ile Lys His
      180          185          190

Thr Thr Tyr Thr Gly Gln Met Leu Phe Thr Thr Val Gln Met Lys Leu
      195          200          205

Lys Trp Gln Lys Asp Leu Ile Gln Gln Met Gly Ser Ile Phe His Leu
      210          215          220

Met Ile Ser Ile Ser Met Leu Leu Thr Tyr Trp Leu Met Lys Phe Met
      225          230          235          240

Phe Trp Lys Asn Thr Leu Ile Ile Leu Ser Arg Tyr Leu Ser Trp Ile
      245          250          255

```

```
<210> SEQ ID NO 25
<211> LENGTH: 533
<212> TYPE: DNA
<213> ORGANISM: Homo sapien
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (47)...(346)
<223> OTHER INFORMATION: Nucleotide sequence encoding apolipoprotein
C-III(APOC3)

<400> SEQUENCE: 25
```

```
<210> SEQ ID NO 26
<211> LENGTH: 99
<212> TYPE: PRT
<213> ORGANISM: Homo sapien

<400> SEQUENCE: 26
```

-continued

Met	Gln	Pro	Arg	Val	Leu	Leu	Val	Val	Ala	Leu	Leu	Ala	Leu	Leu	Ala
1				5					10					15	
Ser	Ala	Arg	Ala	Ser	Glu	Ala	Glu	Asp	Ala	Ser	Leu	Leu	Ser	Phe	Met
			20					25					30		
Gln	Gly	Tyr	Met	Lys	His	Ala	Thr	Lys	Thr	Ala	Lys	Asp	Ala	Leu	Ser
		35					40					45			
Ser	Val	Gln	Glu	Ser	Gln	Val	Ala	Gln	Gln	Ala	Arg	Gly	Trp	Val	Thr
	50					55					60				
Asp	Gly	Phe	Ser	Ser	Leu	Lys	Asp	Tyr	Trp	Ser	Thr	Val	Lys	Asp	Lys
65					70					75				80	
Phe	Ser	Glu	Phe	Trp	Asp	Leu	Asp	Pro	Glu	Val	Arg	Pro	Thr	Ser	Ala
			85						90					95	

Val Ala Ala

```

<210> SEQ ID NO 27
<211> LENGTH: 8925
<212> TYPE: DNA
<213> ORGANISM: Homo sapien
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: 5081, 5082, 5083, 5084, 5085, 5086, 5087, 5088, 5089,
5090, 5091, 5092, 5093, 5094, 5095, 5096, 5097, 5098, 5099, 5100,
5101, 5102, 5103, 5104, 5105, 5106, 5107, 5108, 5109, 5110,
5111, 5112, 5113, 5114, 5115, 5116, 5117, 5118, 5119
<223> OTHER INFORMATION: n = A,T,C or G
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: 5120, 5121, 5122, 5123, 5124, 5125, 5126, 5127, 5128,
5129, 5130, 5131, 5132, 5133, 5134, 5135, 5136, 5137, 5138, 5139,
5140, 5141, 5142, 5143, 5144, 5145, 5146, 5147, 5148, 5149,
5150, 5151, 5152, 5153, 5154, 5155, 5156, 5157, 5158
<223> OTHER INFORMATION: n = A,T,C or G
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: 5159, 5160, 5161, 5162, 5163, 5164, 5165, 5166, 5167,
5168, 5169, 5170, 5171, 5172, 5173, 5174, 5175, 5176, 5177, 5178,
5179
<223> OTHER INFORMATION: n = A,T,C or G
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (5020)...(6162)
<223> OTHER INFORMATION: Nucleotide encoding ATP-binding cassette (ABC1)

<400> SEQUENCE: 27

ctcagtgtca gctgctgctg gaagtggcct ggcctctatt tatcttcttg atcctgatct      60
ctgttcggct gagctaccca ccctatgaac aacatgaatg ccattttcca aataaagcca      120
tgccctctgc aggaacactt ccttggggtc aggggattat ctgtaatgcc aacaaccctt      180
gtttccgtta cccgactcct ggggaggctc ccggagttgt tggaaacttt aacaaatcca      240
ttgtggctcg cctgtttctca gatgctcgga ggcttctttt atacagccag aaagacacca      300
gcatgaagga catgcgcgaa gttctgagaa cattacagca gatcaagaaa tccagctcaa      360
aattgaagct tcaagatttc ctgggtggaca atgaaacctt ctctgggttc ctgtatcaca      420
acctctctct cccaaagtct actgtggaca agatgctgag ggctgatgtc attctccaca      480
aggatatttt gcaaggctac cagttacatt tgacaagtct gtgcaatgga tcaaaatcag      540
aagagatgat tcaacttggt gaccaagaag tttctgagct ttgtggccta ccaagggaga      600
aactggctgc agcagagcga gtacttcggt ccaacatgga catcctgaag ccaatcctga      660
gaacactaaa ctctacatct cccttcccca gcaaggagct ggctgaagcc aaaaaacat      720

```

-continued

tgctgcatag tcttgggact ctggcccagg agctgttcag catgagaagc tggagtgaca	780
tgcgacagga ggtgatgttt ctgaccaatg tgaacagctc cagctcctcc acccaaattc	840
accaggctgt gtctcgtatt gtctgcgggc atccccaggg aggggggctg aagatcaagt	900
ctctcaactg gtatgaggac aacaactaca aagccctctt tggaggcaat ggcactgagg	960
aagatgctga aaccttctat gacaactcta caactcctta ctgcaatgat ttgatgaaga	1020
atttgaggtc tagtctctct tcccgcatTA tctggaaagc tctgaagccg ctgctcgttg	1080
ggaagatcct gtatacacct gacactccag ccacaaggca ggtcatggct gaggtgaaca	1140
agaccttcca ggaactggct gtgttccatg atctggaagg catgtgggag gaactcagcc	1200
ccaagatctg gaccttcctg gagaacagcc aagaaatgga ccttgctccg atgctgttg	1260
acagcaggga caatgaccac ttttgggaac agcagttgga tggcttagat tggacagccc	1320
aagacatcgt ggcgtttttg gccaaagcacc cagaggatgt ccagtccagt aatggttctg	1380
tgtacacctg gagagaagct ttaaacgaga ctaaacagga aatccggacc atatctcgt	1440
tcatggagtg tgtcaacctg aacaagctag aacctatagc aacagaagtc tggctcatca	1500
acaagtccat ggagctgctg gatgagagga agttctgggc tgggtattgtg ttcactggaa	1560
ttactccagg cagcatttag ctgccccatc atgtoaagta caagatccga atggacattg	1620
acaatgtgga gaggacaaat aaaatcaagg atgggtactg ggacctggt cctcgagctg	1680
acctcttga ggacatgcgg tacgtctggg ggggcttcgc ctacttgca gatgtggtg	1740
agcaggcaat catcagggtg ctgacgggca ccgagaagaa aactgggtgc tatatgcaac	1800
agatgcctta tccctgttac gttgatgaca tctttctcgc ggtgatgagc cggatcaatg	1860
ccctcttcat gacgctggcc tggatttact cagtggctgt gatcatcaag ggcatcgtgt	1920
atgagaagga ggcacggctg aaagagacca tgcggatcat gggcctggac aacagcatcc	1980
tctggtttag ctggttcatt agtagcctca ttcctctctc tgtgagcgc ggctgctag	2040
tggctatcct gaagttagga aacctgctgc cctacagtga tcccagcgtg gtgtttgtct	2100
tcctgtccgt gtttgctgtg gtgacaatcc tgcagtgtct cctgattagc acactctctc	2160
ccagagccaa cctggcagca gcctgtgggg gcatcatcta ctacacgctg tacctgccct	2220
acgtcctgtg tgtggcatgg caggactacg tgggcttcac actcaagatc ttcgctagcc	2280
tgctgtctcc tgtggctttt ggggttggt gtgagtactt tggccttttt gaggagcagg	2340
gcattggagt gcagtgggac aacctgtttg agagtctgt ggaggaagat ggcttcaatc	2400
tcaccacttc ggtctccatg atgctgtttg acaccttcct ctatgggggtg atgacctggt	2460
acattgaggc tgtctttcca ggccagtacg gaattcccag gccctggtat tttccttgca	2520
ccaagtccta ctggtttggc gaggaagtg atgagaagag ccacctggt tccaaccaga	2580
agagaatatc agaaatctgc atggaggagg aacccacca cttgaagctg ggcgtgtcca	2640
ttcagaacct ggtaaaagtc taccgagatg ggatgaaggt ggctgtogat ggctggcac	2700
tgaattttta tgaggggccag atcaccctct tctggggcca caatggagcg gggaagcga	2760
ccaccatgtc aatcctgacc gggttgttcc ccccgacctc gggcaccgcc tacatcctgg	2820
gaaaagacat tcgctctgag atgagcacca tccggcagaa cctgggggtc tgtccccagc	2880
ataacgtgct gtttgacatg ctgactgtcg aagaacacat ctgggttctat gcccgcttga	2940
aagggtcttc tgagaagcac gtgaaggcgg agatggagca gatggccctg gatgttggtt	3000

-continued

25				30				35									
nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	nnn	5178	
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa		
40				45				50									
nta	atc	ttt	cct	ttt	cag	tgc	ttt	ggg	ctc	ctg	gga	gtt	aat	ggg	gct	5226	
Xaa	Ile	Phe	Pro	Phe	Gln	Cys	Phe	Gly	Leu	Leu	Gly	Val	Asn	Gly	Ala		
55				60				65									
gga	aaa	tca	tca	act	ttc	aag	atg	tta	aca	gga	gat	acc	act	gtt	acc	5274	
Gly	Lys	Ser	Ser	Thr	Phe	Lys	Met	Leu	Thr	Gly	Asp	Thr	Thr	Val	Thr		
70				75				80				85					
aga	gga	gat	gct	ttc	ctt	aac	att	tgc	agt	atc	tta	tca	aac	atc	cat	5322	
Arg	Gly	Asp	Ala	Phe	Leu	Asn	Ile	Cys	Ser	Ile	Leu	Ser	Asn	Ile	His		
90				95				100									
gaa	gta	cat	cag	aac	atg	ggc	tac	tgc	cct	cag	ttt	gat	gcc	atc	aca	5370	
Glu	Val	His	Gln	Asn	Met	Gly	Tyr	Cys	Pro	Gln	Phe	Asp	Ala	Ile	Thr		
105				110				115									
gag	ctg	ttg	act	ggg	aga	gaa	cac	gtg	gag	ttc	ttt	gcc	ctt	ttg	aga	5418	
Glu	Leu	Leu	Thr	Gly	Arg	Glu	His	Val	Glu	Phe	Phe	Ala	Leu	Leu	Arg		
120				125				130									
gga	gtc	cca	gag	aaa	gaa	gtt	ggc	aag	gtt	ggt	gag	tgg	gcg	att	cgg	5466	
Gly	Val	Pro	Glu	Lys	Glu	Val	Gly	Lys	Val	Gly	Glu	Trp	Ala	Ile	Arg		
135				140				145									
aaa	ctg	ggc	ctc	gtg	aag	tat	gga	gaa	aaa	tat	gct	ggt	aac	tat	agt	5514	
Lys	Leu	Gly	Leu	Val	Lys	Tyr	Gly	Glu	Lys	Tyr	Ala	Gly	Asn	Tyr	Ser		
150				155				160				165					
gga	ggc	aac	aaa	cgc	aag	ctc	tct	aca	gcc	atg	gct	ttg	atc	ggc	ggg	5562	
Gly	Gly	Asn	Lys	Arg	Lys	Leu	Ser	Thr	Ala	Met	Ala	Leu	Ile	Gly	Gly		
170				175				180									
cct	cct	gtg	gtg	ttt	ctg	gat	gaa	ccc	acc	aca	ggc	atg	gat	ccc	aaa	5610	
Pro	Pro	Val	Val	Phe	Leu	Asp	Glu	Pro	Thr	Thr	Gly	Met	Asp	Pro	Lys		
185				190				195									
gcc	cgg	cgg	ttc	ttg	tgg	aat	tgt	gcc	cta	agt	gtt	gtc	aag	gag	ggg	5658	
Ala	Arg	Arg	Phe	Leu	Trp	Asn	Cys	Ala	Leu	Ser	Val	Val	Lys	Glu	Gly		
200				205				210									
aga	tca	gta	gtg	ctt	aca	tct	cat	agt	atg	gaa	gaa	tgt	gaa	gct	ctt	5706	
Arg	Ser	Val	Val	Leu	Thr	Ser	His	Ser	Met	Glu	Glu	Cys	Glu	Ala	Leu		
215				220				225									
tgc	act	agg	atg	gca	atc	atg	gtc	aat	gga	agg	ttc	agg	tgc	ctt	ggc	5754	
Cys	Thr	Arg	Met	Ala	Ile	Met	Val	Asn	Gly	Arg	Phe	Arg	Cys	Leu	Gly		
230				235				240				245					
agt	gtc	cag	cat	cta	aaa	aat	agg	ttt	gga	gat	ggt	tat	aca	ata	gtt	5802	
Ser	Val	Gln	His	Leu	Lys	Asn	Arg	Phe	Gly	Asp	Gly	Tyr	Thr	Ile	Val		
250				255				260									
gta	cga	ata	gca	ggg	tcc	aac	cgg	gac	ctg	aag	cct	gtc	cag	gat	ttc	5850	
Val	Arg	Ile	Ala	Gly	Ser	Asn	Pro	Asp	Leu	Lys	Pro	Val	Gln	Asp	Phe		
265				270				275									
ttt	gga	ctt	gca	ttt	cct	gga	agt	gtt	cta	aaa	gag	aaa	cac	cgg	aac	5898	
Phe	Gly	Leu	Ala	Phe	Pro	Gly	Ser	Val	Leu	Lys	Glu	Lys	His	Arg	Asn		
280				285				290									
atg	cta	caa	tac	cag	ctt	cca	tct	tca	tta	tct	tct	ctg	gcc	agg	ata	5946	
Met	Leu	Gln	Tyr	Gln	Leu	Pro	Ser	Ser	Leu	Ser	Ser	Leu	Ala	Arg	Ile		
295				300				305									
ttc	agc	atc	ctc	tcc	cag	agc	aaa	aag	cga	ctc	cac	ata	gaa	gac	tac	5994	
Phe	Ser	Ile	Leu	Ser	Gln	Ser	Lys	Lys	Arg	Leu	His	Ile	Glu	Asp	Tyr		
310				315				320				325					
tct	gtt	tct	cag	aca	aca	ctt	gac	caa	gta	ttt	gtg	aac	ttt	gcc	aag	6042	
Ser	Val	Ser	Gln	Thr	Thr	Leu	Asp	Gln	Val	Phe	Val	Asn	Phe	Ala	Lys		

-continued

330	335	340	
gac caa agt gat gat gac cac tta aaa gac ctc tca tta cac aaa aac			6090
Asp Gln Ser Asp Asp Asp His Leu Lys Asp Leu Ser Leu His Lys Asn			
345	350	355	
cag aca gta gtg gac gtt gca gtt ctc aca tct ttt cta cag gat gag			6138
Gln Thr Val Val Asp Val Ala Val Leu Thr Ser Phe Leu Gln Asp Glu			
360	365	370	
aaa gtg aaa gaa agc tat gta tga agaattcctgt tcatacgggg tggetgaaag			6192
Lys Val Lys Glu Ser Tyr Val *			
375	380		
taaagaggaa ctagacttttc ctttgacca tgtgaagtgt tgtggagaaa agagccagaa			6252
gttgatgtgg gaagaagtaa actggatact gtactgatac tattcaatgc aatgcaattc			6312
aatgcaatga aaacaaaatt ccattacagg ggcagtgccot ttgtagccta tgtcttgtat			6372
ggctctcaag tgaaagactt gaatttagtt ttttacctat acctatgtga aactctatta			6432
tggaacccaa tggacatatg gggttgaact cacacttttt tttttttttt tgttctgtg			6492
tattctcatt ggggttgcaa caataattca tcaagtaato atggccagcg attattgato			6552
aaaatcaaaa ggtaatgcac atcctcattc actaagccat gccatgcccc ggagactggt			6612
ttcccggtga caccatccatt gctggcaatg agtgtgccag agttattagt gccaagtttt			6672
tcagaaaagtt tgaagcacca tgggtgtgtca tgctcacttt tgtgaaagct gctctgtctca			6732
gagtctatca acattgaata tcagttgaca gaatgggtgcc atgctgtggct aacatcctgc			6792
tttgattccc tctgataaag tgttctgggtg gcagtaacat gcaacaaaaa tgtgggtgtc			6852
tccaggcacg ggaacttgg ttccattggt atattgtcct atgcttcgag ccattgggtct			6912
acagggtcat ccttatgaga ctcttaataa tacttagatc ctggtaagag gcaaagaatc			6972
aacagccaaa ctgctggggc tgcaagctgc tgaagccagg gcatgggatt aaagagattg			7032
tcggttcaaa cctagggaag cctgtgccca tttgtcctga ctgtctgcta acatggtaca			7092
ctgcctctca agatgtttat ctgacacaag tgtattattt ctggcttttt gaattaatct			7152
agaaaaatgaa aagatggagt tgtattttga caaaaatggt tgtacttttt aatgttattt			7212
ggaatttttaa gttctatcag tgacttctga atccttagaa tggcctcttt gtagaacctt			7272
gtggatatga ggagtatggc cactgcccc ctatttttat tttcttatgt aagtttgcct			7332
atcagtcattg actagtgcct agaaagcaat gtgatggta ggatctcatg acattatatt			7392
tgagtttctt tcagatcatt taggatactc ttaatctcac ttcacatc aaatattttt			7452
tgagtgtatg ctgtagctga aagagtatgt acgtacgtat aagactagag agatattaag			7512
tctcagtaca cttcctgtgc catgtttatt agctcactgg tttaaaaata taggttgtct			7572
tgtgggtgta ggagcccact gtaacaatac tgggagccot tttttttttt ttttttaatt			7632
gcaacaatgc aaaagccaag aaagtataag ggtcacaagt ctaaaacatg aattcttcaa			7692
cagggaaaaac agctagcttg aaaacttgct gaaaaacaca aottgtgttt atggcattta			7752
gtaccttcaa ataattggct ttgcagatat tggatacccc attaaatctg acagtctcaa			7812
atctttcatc tcttcaatca ctagtcaaga aaaatataaa aacaacaaat acttccatat			7872
ggagcatttt tcagagtttt ctaaccagat cttatttttc tagtcagtaa acatttgtaa			7932
aaatactggt tcactaatac ttactgttaa ctgtcttgag agaaaagaaa aatatgagag			7992
aactattggt tggggaagtt caagtgtctt ttcaatatca ttactaactt cttccacttt			8052

-continued

```

ttccagaatt tgaatattaa cgctaaaggt gtaagacttc agatttcaaa ttaatctttc 8112
tatatttttt aaatttacag aatattatat aaccactgc tgaaaaagaa aaaaatgatt 8172
gttttagaag ttaaagtcaa tattgatttt aaatataagt aatgaaggca tatttccaat 8232
aactagtgat atggcatcgt tgcattttac agtatcttca aaaatacaga atttatagaa 8292
taatttctoc tcatttaata tttttcaaaa tcaaagttat ggtttcctca ttttactaaa 8352
atcgtattct aattcttcat tatagtaa atctgagcaa ctcttactt cggttcctct 8412
gatttcaagg ccatatttta aaaaatcaaa aggcactgtg aactattttg aagaaaacac 8472
aacattttta tacagattga aaggacctct tctgaagcta gaaacaatct atagttatac 8532
atcttcatta atactgtgtt acctttttaa atagtaattt tttacatttt cctgtgtaaa 8592
cctaattgtg gtagaaattt ttaccaactc tatactcaat caagcaaat ttctgtatat 8652
tccctgtgga atgtacctat gtgagtttca gaaattctca aaatacgtgt tcaaaaattt 8712
ctgcttttgc atcttttgga cacctcagaa aacttattaa caactgtgaa tatgagaaat 8772
acagaagaaa ataataagcc ctctatacat aaatgccag cacaattcat tgttaaaaaa 8832
caaccaaacc tcacactact gtatttcatt atctgtactg aaagcaaatg ctttgtgact 8892
attaaatggt gcacatcatt cattcactgt ata 8925

```

<210> SEQ ID NO 28

<211> LENGTH: 380

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<220> FEATURE:

<221> NAME/KEY: VARIANT

<222> LOCATION: 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33,
34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49,
50, 51, 52, 53, 54

<223> OTHER INFORMATION: Xaa = Any Amino Acid

<400> SEQUENCE: 28

```

Ser Leu Ser Ser Thr Gly Ser Leu Ile Leu Ser Gly Ile Cys Ala Ile
 1             5             10             15
Lys Leu Phe Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 20             25             30
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
 35             40             45
Xaa Xaa Xaa Xaa Xaa Xaa Ile Phe Pro Phe Gln Cys Phe Gly Leu Leu
 50             55             60
Gly Val Asn Gly Ala Gly Lys Ser Ser Thr Phe Lys Met Leu Thr Gly
 65             70             75             80
Asp Thr Thr Val Thr Arg Gly Asp Ala Phe Leu Asn Ile Cys Ser Ile
 85             90             95
Leu Ser Asn Ile His Glu Val His Gln Asn Met Gly Tyr Cys Pro Gln
100            105            110
Phe Asp Ala Ile Thr Glu Leu Leu Thr Gly Arg Glu His Val Glu Phe
115            120            125
Phe Ala Leu Leu Arg Gly Val Pro Glu Lys Glu Val Gly Lys Val Gly
130            135            140
Glu Trp Ala Ile Arg Lys Leu Gly Leu Val Lys Tyr Gly Glu Lys Tyr
145            150            155            160
Ala Gly Asn Tyr Ser Gly Gly Asn Lys Arg Lys Leu Ser Thr Ala Met
165            170            175

```

-continued

Ala Leu Ile Gly Gly Pro Pro Val Val Phe Leu Asp Glu Pro Thr Thr
180 185 190

Gly Met Asp Pro Lys Ala Arg Arg Phe Leu Trp Asn Cys Ala Leu Ser
195 200 205

Val Val Lys Glu Gly Arg Ser Val Val Leu Thr Ser His Ser Met Glu
210 215 220

Glu Cys Glu Ala Leu Cys Thr Arg Met Ala Ile Met Val Asn Gly Arg
225 230 235 240

Phe Arg Cys Leu Gly Ser Val Gln His Leu Lys Asn Arg Phe Gly Asp
245 250 255

Gly Tyr Thr Ile Val Val Arg Ile Ala Gly Ser Asn Pro Asp Leu Lys
260 265 270

Pro Val Gln Asp Phe Phe Gly Leu Ala Phe Pro Gly Ser Val Leu Lys
275 280 285

Glu Lys His Arg Asn Met Leu Gln Tyr Gln Leu Pro Ser Ser Leu Ser
290 295 300

Ser Leu Ala Arg Ile Phe Ser Ile Leu Ser Gln Ser Lys Lys Arg Leu
305 310 315 320

His Ile Glu Asp Tyr Ser Val Ser Gln Thr Thr Leu Asp Gln Val Phe
325 330 335

Val Asn Phe Ala Lys Asp Gln Ser Asp Asp Asp His Leu Lys Asp Leu
340 345 350

Ser Leu His Lys Asn Gln Thr Val Val Asp Val Ala Val Leu Thr Ser
355 360 365

Phe Leu Gln Asp Glu Lys Val Lys Glu Ser Tyr Val
370 375 380

<210> SEQ ID NO 29

<211> LENGTH: 897

<212> TYPE: DNA

<213> ORGANISM: Homo sapien

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (39)...(842)

<223> OTHER INFORMATION: Nucleotide sequence encoding apolipoprotein A-1 (APOA1)

<400> SEQUENCE: 29

agagactgcg agaaggaggt cccccacggc ccttcagg atg aaa gct gcg gtg ctg 56
Met Lys Ala Ala Val Leu
1 5

acc ttg gcc gtg ctc ttc ctg acg ggg agc cag gct cgg cat ttc tgg 104
Thr Leu Ala Val Leu Phe Leu Thr Gly Ser Gln Ala Arg His Phe Trp
10 15 20

cag caa gat gaa ccc ccc cag agc ccc tgg gat cga gtg aag gac ctg 152
Gln Gln Asp Glu Pro Pro Gln Ser Pro Trp Asp Arg Val Lys Asp Leu
25 30 35

gcc act gtg tac gtg gat gtg ctc aaa gac agc ggc aga gac tat gtg 200
Ala Thr Val Tyr Val Asp Val Leu Lys Asp Ser Gly Arg Asp Tyr Val
40 45 50

tcc cag ttt gaa ggc tcc gcc ttg gga aaa cag cta aac cta aag ctc 248
Ser Gln Phe Glu Gly Ser Ala Leu Gly Lys Gln Leu Asn Leu Lys Leu
55 60 65 70

ctt gac aac tgg gac agc gtg acc tcc acc ttc agc aag ctg cgc gaa 296
Leu Asp Asn Trp Asp Ser Val Thr Ser Thr Phe Ser Lys Leu Arg Glu
75 80 85

-continued

cag ctc ggc cct gtg acc cag gag ttc tgg gat aac ctg gaa aag gag Gln Leu Gly Pro Val Thr Gln Glu Phe Trp Asp Asn Leu Glu Lys Glu 90 95 100	344
aca gag ggc ctg agg cag gag atg agc aag gat ctg gag gag gtg aag Thr Glu Gly Leu Arg Gln Glu Met Ser Lys Asp Leu Glu Val Lys 105 110 115	392
gcc aag gtg cag ccc tac ctg gac gac ttc cag aag aag tgg cag gag Ala Lys Val Gln Pro Tyr Leu Asp Asp Phe Gln Lys Lys Trp Gln Glu 120 125 130	440
gag atg gag ctc tac cgc cag aag gtg gag ccg ctg cgc gca gag ctc Glu Met Glu Leu Tyr Arg Gln Lys Val Glu Pro Leu Arg Ala Glu Leu 135 140 145 150	488
caa gag ggc gcg cgc cag aag ctg cac gag ctg caa gag aag ctg agc Gln Glu Gly Ala Arg Gln Lys Leu His Glu Leu Gln Glu Lys Leu Ser 155 160 165	536
cca ctg ggc gag gag atg cgc gac cgc gcg cgc gcc cat gtg gac gcg Pro Leu Gly Glu Glu Met Arg Asp Arg Ala Arg Ala His Val Asp Ala 170 175 180	584
ctg cgc acg cat ctg gcc ccc tac agc gac gag ctg cgc cag cgc ttg Leu Arg Thr His Leu Ala Pro Tyr Ser Asp Glu Leu Arg Gln Arg Leu 185 190 195	632
gcc gcg cgc ctt gag gct ctc aag gag aac ggc gcc gcc aga ctg gcc Ala Ala Arg Leu Glu Ala Leu Lys Glu Asn Gly Gly Ala Arg Leu Ala 200 205 210	680
gag tac cac gcc aag gcc acc gag cat ctg agc acg ctc agc gag aag Glu Tyr His Ala Lys Ala Thr Glu His Leu Ser Thr Leu Ser Glu Lys 215 220 225 230	728
gcc aag ccc gcg ctc gag gac ctc cgc caa ggc ctg ctg ccc gtg ctg Ala Lys Pro Ala Leu Glu Asp Leu Arg Gln Gly Leu Leu Pro Val Leu 235 240 245	776
gag agc ttc aag gtc agc ttc ctg agc gct ctc gag gag tac act aag Glu Ser Phe Lys Val Ser Phe Leu Ser Ala Leu Glu Glu Tyr Thr Lys 250 255 260	824
aag ctc aac acc cag tga ggcgccgcc gccgcccccc ttcccggtgc Lys Leu Asn Thr Gln * 265	872
tcagaataaaa cgtttccaaa gtggg	897
<210> SEQ ID NO 30	
<211> LENGTH: 267	
<212> TYPE: PRT	
<213> ORGANISM: Homo sapien	
<400> SEQUENCE: 30	
Met Lys Ala Ala Val Leu Thr Leu Ala Val Leu Phe Leu Thr Gly Ser 1 5 10 15	
Gln Ala Arg His Phe Trp Gln Gln Asp Glu Pro Pro Gln Ser Pro Trp 20 25 30	
Asp Arg Val Lys Asp Leu Ala Thr Val Tyr Val Asp Val Leu Lys Asp 35 40 45	
Ser Gly Arg Asp Tyr Val Ser Gln Phe Glu Gly Ser Ala Leu Gly Lys 50 55 60	
Gln Leu Asn Leu Lys Leu Leu Asp Asn Trp Asp Ser Val Thr Ser Thr 65 70 75 80	
Phe Ser Lys Leu Arg Glu Gln Leu Gly Pro Val Thr Gln Glu Phe Trp 85 90 95	

-continued

Asp Asn Leu Glu Lys Glu Thr Glu Gly Leu Arg Gln Glu Met Ser Lys
 100 105 110
 Asp Leu Glu Glu Val Lys Ala Lys Val Gln Pro Tyr Leu Asp Asp Phe
 115 120 125
 Gln Lys Lys Trp Gln Glu Glu Met Glu Leu Tyr Arg Gln Lys Val Glu
 130 135 140
 Pro Leu Arg Ala Glu Leu Gln Glu Gly Ala Arg Gln Lys Leu His Glu
 145 150 155 160
 Leu Gln Glu Lys Leu Ser Pro Leu Gly Glu Glu Met Arg Asp Arg Ala
 165 170 175
 Arg Ala His Val Asp Ala Leu Arg Thr His Leu Ala Pro Tyr Ser Asp
 180 185 190
 Glu Leu Arg Gln Arg Leu Ala Ala Arg Leu Glu Ala Leu Lys Glu Asn
 195 200 205
 Gly Gly Ala Arg Leu Ala Glu Tyr His Ala Lys Ala Thr Glu His Leu
 210 215 220
 Ser Thr Leu Ser Glu Lys Ala Lys Pro Ala Leu Glu Asp Leu Arg Gln
 225 230 235 240
 Gly Leu Leu Pro Val Leu Glu Ser Phe Lys Val Ser Phe Leu Ser Ala
 245 250 255
 Leu Glu Glu Tyr Thr Lys Lys Leu Asn Thr Gln
 260 265

<210> SEQ ID NO 31
 <211> LENGTH: 14121
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapien
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (129)...(13820)
 <223> OTHER INFORMATION: Nucleotide sequence encoding apolipoprotein B
 (APOB)

<400> SEQUENCE: 31

attccccaccg ggacctgogg ggetgagtgcc ccttctcggt tgetgcccgt gaggagcccg 60
 cccagccagc cagggcccgcg aggcggaggc caggccgcag cccaggagcc gccccaccgc 120
 agctggcg atg gac ccg ccg agc ccc gcg ctg ctg gcg ctg ctg gcg ctg 170
 Met Asp Pro Pro Arg Pro Ala Leu Leu Ala Leu Leu Ala Leu
 1 5 10
 cct gcg ctg ctg ctg ctg ctg gcg gcc gcc agg gcc gaa gag gaa 218
 Pro Ala Leu Leu Leu Leu Leu Ala Gly Ala Arg Ala Glu Glu Glu
 15 20 25 30
 atg ctg gaa aat gtc agc ctg gtc tgt cca aaa gat gcg acc cga ttc 266
 Met Leu Glu Asn Val Ser Leu Val Cys Pro Lys Asp Ala Thr Arg Phe
 35 40 45
 aag cac ctc cgg aag tac aca tac aac tat gag gct gag agt tcc agt 314
 Lys His Leu Arg Lys Tyr Thr Tyr Asn Tyr Glu Ala Glu Ser Ser Ser
 50 55 60
 gga gtc cct ggg act gct gat tca aga agt gcc acc agg atc aac tgc 362
 Gly Val Pro Gly Thr Ala Asp Ser Arg Ser Ala Thr Arg Ile Asn Cys
 65 70 75
 aag gtt gag ctg gag gtt ccc cag ctc tgc agc ttc atc ctg aag acc 410
 Lys Val Glu Leu Glu Val Pro Gln Leu Cys Ser Phe Ile Leu Lys Thr
 80 85 90
 agc cag tgc acc ctg aaa gag gtg tat ggc ttc aac cct gag ggc aaa 458

-continued

Ser	Gln	Cys	Thr	Leu	Lys	Glu	Val	Tyr	Gly	Phe	Asn	Pro	Glu	Gly	Lys	
95					100					105					110	
gcc	ttg	ctg	aag	aaa	acc	aag	aac	tct	gag	gag	ttt	gct	gca	gcc	atg	506
Ala	Leu	Leu	Lys	Lys	Thr	Lys	Asn	Ser	Glu	Glu	Phe	Ala	Ala	Ala	Met	
				115					120					125		
tcc	agg	tat	gag	ctc	aag	ctg	gcc	att	cca	gaa	ggg	aag	cag	gtt	ttc	554
Ser	Arg	Tyr	Glu	Leu	Lys	Leu	Ala	Ile	Pro	Glu	Gly	Lys	Gln	Val	Phe	
			130					135					140			
ctt	tac	cag	gag	aaa	gat	gaa	cct	act	tac	atc	ctg	aac	atc	aag	agg	602
Leu	Tyr	Pro	Glu	Lys	Asp	Glu	Pro	Thr	Tyr	Ile	Leu	Asn	Ile	Lys	Arg	
		145					150					155				
ggc	atc	att	tct	gcc	ctc	ctg	gtt	ccc	cca	gag	aca	gaa	gaa	gcc	aag	650
Gly	Ile	Ile	Ser	Ala	Leu	Leu	Val	Pro	Pro	Glu	Thr	Glu	Glu	Ala	Lys	
	160					165					170					
caa	gtg	ttg	ttt	ctg	gat	acc	gtg	tat	gga	aac	tgc	tcc	act	cac	ttt	698
Gln	Val	Leu	Phe	Leu	Asp	Thr	Val	Tyr	Gly	Asn	Cys	Ser	Thr	His	Phe	
	175				180					185					190	
acc	gtc	aag	acg	agg	aag	ggc	aat	gtg	gca	aca	gaa	ata	tcc	act	gaa	746
Thr	Val	Lys	Thr	Arg	Lys	Gly	Asn	Val	Ala	Thr	Glu	Ile	Ser	Thr	Glu	
				195					200				205			
aga	gac	ctg	ggg	cag	tgt	gat	cgc	ttc	aag	ccc	atc	cgc	aca	ggc	atc	794
Arg	Asp	Leu	Gly	Gln	Cys	Asp	Arg	Phe	Lys	Pro	Ile	Arg	Thr	Gly	Ile	
			210				215						220			
agc	cca	ctt	gct	ctc	atc	aaa	ggc	atg	acc	cgc	ccc	ttg	tca	act	ctg	842
Ser	Pro	Leu	Ala	Leu	Ile	Lys	Gly	Met	Thr	Arg	Pro	Leu	Ser	Thr	Leu	
		225					230					235				
atc	agc	agc	agc	cag	tcc	tgt	cag	tac	aca	ctg	gac	gct	aag	agg	aag	890
Ile	Ser	Ser	Ser	Gln	Ser	Cys	Gln	Tyr	Thr	Leu	Asp	Ala	Lys	Arg	Lys	
	240					245					250					
cat	gtg	gca	gaa	gcc	atc	tgc	aag	gag	caa	cac	ctc	ttc	ctg	cct	ttc	938
His	Val	Ala	Glu	Ala	Ile	Cys	Lys	Glu	Gln	His	Leu	Phe	Leu	Pro	Phe	
	255				260					265					270	
tcc	tac	aac	aat	aag	tat	ggg	atg	gta	gca	caa	gtg	aca	cag	act	ttg	986
Ser	Tyr	Asn	Asn	Lys	Tyr	Gly	Met	Val	Ala	Gln	Val	Thr	Gln	Thr	Leu	
				275					280					285		
aaa	ctt	gaa	gac	aca	cca	aag	atc	aac	agc	cgc	ttc	ttt	ggt	gaa	ggt	1034
Lys	Leu	Glu	Asp	Thr	Pro	Lys	Ile	Asn	Ser	Arg	Phe	Phe	Gly	Glu	Gly	
		290						295					300			
act	aag	aag	atg	ggc	ctc	gca	ttt	gag	agc	acc	aaa	tcc	aca	tca	cct	1082
Thr	Lys	Lys	Met	Gly	Leu	Ala	Phe	Glu	Ser	Thr	Lys	Ser	Thr	Ser	Pro	
		305					310					315				
cca	aag	cag	gcc	gaa	gct	gtt	ttg	aag	act	ctc	cag	gaa	ctg	aaa	aaa	1130
Pro	Lys	Gln	Ala	Glu	Ala	Val	Leu	Lys	Thr	Leu	Gln	Glu	Leu	Lys	Lys	
		320				325						330				
cta	acc	atc	tct	gag	caa	aat	atc	cag	aga	gct	aat	ctc	ttc	aat	aag	1178
Leu	Thr	Ile	Ser	Glu	Gln	Asn	Ile	Gln	Arg	Ala	Asn	Leu	Phe	Asn	Lys	
					340					345					350	
ctg	gtt	act	gag	ctg	aga	ggc	ctc	agt	gat	gaa	gca	gtc	aca	tct	ctc	1226
Leu	Val	Thr	Glu	Leu	Arg	Gly	Leu	Ser	Asp	Glu	Ala	Val	Thr	Ser	Leu	
				355					360					365		
ttg	cca	cag	ctg	att	gag	gtg	tcc	agc	ccc	atc	act	tta	caa	gcc	ttg	1274
Leu	Pro	Gln	Leu	Ile	Glu	Val	Ser	Ser	Pro	Ile	Thr	Leu	Gln	Ala	Leu	
			370				375						380			
gtt	cag	tgt	gga	cag	cct	cag	tgc	tcc	act	cac	atc	ctc	cag	tgg	ctg	1322
Val	Gln	Cys	Gly	Gln	Pro	Gln	Cys	Ser	Thr	His	Ile	Leu	Gln	Trp	Leu	
		385					390					395				
aaa	cgt	gtg	cat	gcc	aac	ccc	ctt	ctg	ata	gat	gtg	gtc	acc	tac	ctg	1370

-continued

Lys	Arg	Val	His	Ala	Asn	Pro	Leu	Leu	Ile	Asp	Val	Val	Thr	Tyr	Leu	
400					405					410						
gtg	gcc	ctg	atc	ccc	gag	ccc	tca	gca	cag	cag	ctg	cga	gag	atc	ttc	1418
Val	Ala	Leu	Ile	Pro	Glu	Pro	Ser	Ala	Gln	Gln	Leu	Arg	Glu	Ile	Phe	
415					420					425					430	
aac	atg	gcg	agg	gat	cag	cgc	agc	cga	gcc	acc	ttg	tat	gcg	ctg	agc	1466
Asn	Met	Ala	Arg	Asp	Gln	Arg	Ser	Arg	Ala	Thr	Leu	Tyr	Ala	Leu	Ser	
				435					440						445	
cac	gcg	gtc	aac	aac	tat	cat	aag	aca	aac	cct	aca	ggg	acc	cag	gag	1514
His	Ala	Val	Asn	Asn	Tyr	His	Lys	Thr	Asn	Pro	Thr	Gly	Thr	Gln	Glu	
				450					455						460	
ctg	ctg	gac	att	gct	aat	tac	ctg	atg	gaa	cag	att	caa	gat	gac	tgc	1562
Leu	Leu	Asp	Ile	Ala	Asn	Tyr	Leu	Met	Glu	Gln	Ile	Gln	Asp	Asp	Cys	
		465					470								475	
act	ggg	gat	gaa	gat	tac	acc	tat	ttg	att	ctg	cgg	gtc	att	gga	aat	1610
Thr	Gly	Asp	Glu	Asp	Tyr	Thr	Tyr	Leu	Ile	Leu	Arg	Val	Ile	Gly	Asn	
	480						485					490				
atg	ggc	caa	acc	atg	gag	cag	tta	act	cca	gaa	ctc	aag	tct	tca	atc	1658
Met	Gly	Gln	Thr	Met	Glu	Gln	Leu	Thr	Pro	Glu	Leu	Lys	Ser	Ser	Ile	
	495					500				505					510	
ctc	aaa	tgt	gtc	caa	agt	aca	aag	cca	tca	ctg	atg	atc	cag	aaa	gct	1706
Leu	Lys	Cys	Val	Gln	Ser	Thr	Lys	Pro	Ser	Leu	Met	Ile	Gln	Lys	Ala	
				515					520						525	
gcc	atc	cag	gct	ctg	cgg	aaa	atg	gag	cct	aaa	gac	aag	gac	cag	gag	1754
Ala	Ile	Gln	Ala	Leu	Arg	Lys	Met	Glu	Pro	Lys	Asp	Lys	Asp	Gln	Glu	
				530					535						540	
gtt	ctt	ctt	cag	act	ttc	ctt	gat	gat	gct	tct	ccg	gga	gat	aag	cga	1802
Val	Leu	Leu	Gln	Thr	Phe	Leu	Asp	Asp	Ala	Ser	Pro	Gly	Asp	Lys	Arg	
				545					550						555	
ctg	gct	gcc	tat	ctt	atg	ttg	atg	agg	agt	cct	tca	cag	gca	gat	att	1850
Leu	Ala	Ala	Tyr	Leu	Met	Leu	Met	Arg	Ser	Pro	Ser	Gln	Ala	Asp	Ile	
				560					565						570	
aac	aaa	att	gtc	caa	att	cta	cca	tgg	gaa	cag	aat	gag	caa	gtg	aag	1898
Asn	Lys	Ile	Val	Gln	Ile	Leu	Pro	Trp	Glu	Gln	Asn	Glu	Gln	Val	Lys	
					580					585					590	
aac	ttt	gtg	gct	tcc	cat	att	gcc	aat	atc	ttg	aac	tca	gaa	gaa	ttg	1946
Asn	Phe	Val	Ala	Ser	His	Ile	Ala	Asn	Ile	Leu	Asn	Ser	Glu	Glu	Leu	
				595					600						605	
gat	atc	caa	gat	ctg	aaa	aag	tta	gtg	aaa	gaa	gct	ctg	aaa	gaa	tct	1994
Asp	Ile	Gln	Asp	Leu	Lys	Lys	Leu	Val	Lys	Glu	Ala	Leu	Lys	Glu	Ser	
				610					615						620	
caa	ctt	cca	act	gtc	atg	gac	ttc	aga	aaa	ttc	tct	cgg	aac	tat	caa	2042
Gln	Leu	Pro	Thr	Val	Met	Asp	Phe	Arg	Lys	Phe	Ser	Arg	Asn	Tyr	Gln	
				625					630						635	
ctc	tac	aaa	tct	gtt	tct	ctt	cca	tca	ctt	gac	cca	gcc	tca	gcc	aaa	2090
Leu	Tyr	Lys	Ser	Val	Ser	Leu	Pro	Ser	Leu	Asp	Pro	Ala	Ser	Ala	Lys	
				640					645						650	
ata	gaa	ggg	aat	ctt	ata	ttt	gat	cca	aat	aac	tac	ctt	cct	aaa	gaa	2138
Ile	Glu	Gly	Asn	Leu	Ile	Phe	Asp	Pro	Asn	Asn	Tyr	Leu	Pro	Lys	Glu	
					660					665					670	
agc	atg	ctg	aaa	act	acc	ctc	act	gcc	ttt	gga	ttt	gct	tca	gct	gac	2186
Ser	Met	Leu	Lys	Thr	Leu	Thr	Ala	Phe	Gly	Phe	Ala	Ser	Ala	Asp		
				675					680						685	
ctc	atc	gag	att	ggc	ttg	gaa	gga	aaa	ggc	ttt	gag	cca	aca	ttg	gaa	2234
Leu	Ile	Glu	Ile	Gly	Leu	Glu	Gly	Lys	Gly	Phe	Glu	Pro	Thr	Leu	Glu	
				690					695						700	
gct	ctt	ttt	ggg	aag	caa	gga	ttt	ttc	cca	gac	agt	gtc	aac	aaa	gct	2282

-continued

Ala	Leu	Phe	Gly	Lys	Gln	Gly	Phe	Phe	Pro	Asp	Ser	Val	Asn	Lys	Ala	
	705						710					715				
ttg	tac	tg	g	aat	ggt	caa	gtt	cct	gat	ggt	gtc	tct	aag	gtc	tta	2330
Leu	Tyr	Trp	Val	Asn	Gly	Gln	Val	Pro	Asp	Gly	Val	Ser	Lys	Val	Leu	
	720					725					730					
gtg	gac	cac	ttt	ggc	tat	acc	aaa	gat	gat	aaa	cat	gag	cag	gat	atg	2378
Val	Asp	His	Phe	Gly	Tyr	Thr	Lys	Asp	Asp	Lys	His	Glu	Gln	Asp	Met	
	735				740					745					750	
gta	aat	gga	ata	atg	ctc	agt	gtt	gag	aag	ctg	att	aaa	gat	ttg	aaa	2426
Val	Asn	Gly	Ile	Met	Leu	Ser	Val	Glu	Lys	Leu	Ile	Lys	Asp	Leu	Lys	
			755						760					765		
tcc	aaa	gaa	gtc	cgc	gaa	gcc	aga	gcc	tac	ctc	cgc	atc	ttg	gga	gag	2474
Ser	Lys	Glu	Val	Pro	Glu	Ala	Arg	Ala	Tyr	Leu	Arg	Ile	Leu	Gly	Glu	
		770					775						780			
gag	ctt	ggt	ttt	gcc	agt	ctc	cat	gac	ctc	cag	ctc	ctg	gga	aag	ctg	2522
Glu	Leu	Gly	Phe	Ala	Ser	Leu	His	Asp	Leu	Gln	Leu	Leu	Gly	Lys	Leu	
	785					790						795				
ctt	ctg	atg	ggt	gcc	cgc	act	ctg	cag	ggg	atc	ccc	cag	atg	att	gga	2570
Leu	Leu	Met	Gly	Ala	Arg	Thr	Leu	Gln	Gly	Ile	Pro	Gln	Met	Ile	Gly	
	800					805					810					
gag	gtc	atc	agg	aag	ggc	tca	aag	aat	gac	ttt	ttt	ctt	cac	tac	atc	2618
Glu	Val	Ile	Arg	Lys	Gly	Ser	Lys	Asn	Asp	Phe	Phe	Leu	His	Tyr	Ile	
	815				820				825						830	
ttc	atg	gag	aat	gcc	ttt	gaa	ctc	ccc	act	gga	gct	gga	tta	cag	ttg	2666
Phe	Met	Glu	Asn	Ala	Phe	Glu	Leu	Pro	Thr	Gly	Ala	Gly	Leu	Gln	Leu	
			835						840					845		
caa	ata	tct	tca	tct	gga	gtc	att	gct	ccc	gga	gcc	aag	gct	gga	gta	2714
Gln	Ile	Ser	Ser	Ser	Gly	Val	Ile	Ala	Pro	Gly	Ala	Lys	Ala	Gly	Val	
			850					855					860			
aaa	ctg	gaa	gta	gcc	aac	atg	cag	gct	gaa	ctg	gtg	gca	aaa	ccc	tcc	2762
Lys	Leu	Glu	Val	Ala	Asn	Met	Gln	Ala	Glu	Leu	Val	Ala	Lys	Pro	Ser	
	865					870						875				
gtg	tct	gtg	gag	ttt	gtg	aca	aat	atg	ggc	atc	atc	att	ccg	gac	ttc	2810
Val	Ser	Val	Glu	Phe	Val	Thr	Asn	Met	Gly	Ile	Ile	Ile	Pro	Asp	Phe	
	880					885					890					
gct	agg	agt	ggg	gtc	cag	atg	aac	acc	aac	ttc	ttc	cac	gag	tgc	ggt	2858
Ala	Arg	Ser	Gly	Val	Gln	Met	Asn	Thr	Asn	Phe	Phe	His	Glu	Ser	Gly	
	895				900					905					910	
ctg	gag	gct	cat	gtt	gcc	cta	aaa	gct	ggg	aag	ctg	aag	ttt	atc	att	2906
Leu	Glu	Ala	His	Val	Ala	Leu	Lys	Ala	Gly	Lys	Leu	Lys	Phe	Ile	Ile	
			915						920					925		
cct	tcc	cca	aag	aga	cca	gtc	aag	ctg	ctc	agt	gga	ggc	aac	aca	tta	2954
Pro	Ser	Pro	Lys	Arg	Pro	Val	Lys	Leu	Leu	Ser	Gly	Gly	Asn	Thr	Leu	
			930					935					940			
cat	ttg	gtc	tct	acc	acc	aaa	acg	gag	gtg	atc	cca	cct	ctc	att	gag	3002
His	Leu	Val	Ser	Thr	Thr	Lys	Thr	Glu	Val	Ile	Pro	Pro	Leu	Ile	Glu	
		945						950					955			
aac	agg	cag	tcc	tg	tca	gtt	tgc	aag	caa	gtc	ttt	cct	ggc	ctg	aat	3050
Asn	Arg	Gln	Ser	Trp	Ser	Val	Cys	Lys	Gln	Val	Phe	Pro	Gly	Leu	Asn	
	960					965						970				
tac	tgc	acc	tca	ggc	gct	tac	tcc	aac	gcc	agc	tcc	aca	gac	tcc	gcc	3098
Tyr	Cys	Thr	Ser	Gly	Ala	Tyr	Ser	Asn	Ala	Ser	Ser	Thr	Asp	Ser	Ala	
	975				980					985					990	
tcc	tac	tat	ccg	ctg	acc	ggg	gac	acc	aga	tta	gag	ctg	gaa	ctg	agg	3146
Ser	Tyr	Tyr	Pro	Leu	Thr	Gly	Asp	Thr	Arg	Leu	Glu	Leu	Glu	Leu	Arg	
			995						1000					1005		
cct	aca	gga	gag	att	gag	cag	tat	tct	gtc	agc	gca	acc	tat	gag	ctc	3194

-continued

Pro	Thr	Gly	Glu	Ile	Glu	Gln	Tyr	Ser	Val	Ser	Ala	Thr	Tyr	Glu	Leu	
			1010					1015					1020			
cag	aga	gag	gac	aga	gcc	ttg	gtg	gat	acc	ctg	aag	ttt	gta	act	caa	3242
Gln	Arg	Glu	Asp	Arg	Ala	Leu	Val	Asp	Thr	Leu	Lys	Phe	Val	Thr	Gln	
		1025					1030					1035				
gca	gaa	ggt	gcg	aag	cag	act	gag	gct	acc	atg	aca	ttc	aaa	tat	aat	3290
Ala	Glu	Gly	Ala	Lys	Gln	Thr	Glu	Ala	Thr	Met	Thr	Phe	Lys	Tyr	Asn	
	1040					1045					1050					
cgg	cag	agt	atg	acc	ttg	tcc	agt	gaa	gtc	caa	att	ccg	gat	ttt	gat	3338
Arg	Gln	Ser	Met	Thr	Leu	Ser	Ser	Glu	Val	Gln	Ile	Pro	Asp	Phe	Asp	
1055					1060					1065					1070	
gtt	gac	ctc	gga	aca	atc	ctc	aga	gtt	aat	gat	gaa	tct	act	gag	ggc	3386
Val	Asp	Leu	Gly	Thr	Ile	Leu	Arg	Val	Asn	Asp	Glu	Ser	Thr	Glu	Gly	
			1075					1080						1085		
aaa	acg	tct	tac	aga	ctc	acc	ctg	gac	att	cag	aac	aag	aaa	att	act	3434
Lys	Thr	Ser	Tyr	Arg	Leu	Thr	Leu	Asp	Ile	Gln	Asn	Lys	Lys	Ile	Thr	
		1090						1095					1100			
gag	gtc	gcc	ctc	atg	ggc	cac	cta	agt	tgt	gac	aca	aag	gaa	gaa	aga	3482
Glu	Val	Ala	Leu	Met	Gly	His	Leu	Ser	Cys	Asp	Thr	Lys	Glu	Glu	Arg	
	1105						1110					1115				
aaa	atc	aag	ggt	gtt	att	tcc	ata	ccc	cgt	ttg	caa	gca	gaa	gcc	aga	3530
Lys	Ile	Lys	Gly	Val	Ile	Ser	Ile	Pro	Arg	Leu	Gln	Ala	Glu	Ala	Arg	
	1120					1125					1130					
agt	gag	atc	ctc	gcc	cac	tgg	tcg	cct	gcc	aaa	ctg	ctt	ctc	caa	atg	3578
Ser	Glu	Ile	Leu	Ala	His	Trp	Ser	Pro	Ala	Lys	Leu	Leu	Leu	Gln	Met	
1135					1140					1145					1150	
gac	tca	tct	gct	aca	gct	tat	ggc	tcc	aca	gtt	tcc	aag	agg	gtg	gca	3626
Asp	Ser	Ser	Ala	Thr	Ala	Tyr	Gly	Ser	Thr	Val	Ser	Lys	Arg	Val	Ala	
			1155					1160						1165		
tgg	cat	tat	gat	gaa	gag	aag	att	gaa	ttt	gaa	tgg	aac	aca	ggc	acc	3674
Trp	His	Tyr	Asp	Glu	Glu	Lys	Ile	Glu	Phe	Glu	Trp	Asn	Thr	Gly	Thr	
		1170						1175					1180			
aat	gta	gat	acc	aaa	aaa	atg	act	tcc	aat	ttc	cct	gtg	gat	ctc	tcc	3722
Asn	Val	Asp	Thr	Lys	Lys	Met	Thr	Ser	Asn	Phe	Pro	Val	Asp	Leu	Ser	
	1185							1190				1195				
gat	tat	cct	aag	agc	ttg	cat	atg	tat	gct	aat	aga	ctc	ctg	gat	cac	3770
Asp	Tyr	Pro	Lys	Ser	Leu	His	Met	Tyr	Ala	Asn	Arg	Leu	Leu	Asp	His	
	1200					1205					1210					
aga	gtc	cct	gaa	aca	gac	atg	act	ttc	cgg	cac	gtg	ggt	tcc	aaa	tta	3818
Arg	Val	Pro	Glu	Thr	Asp	Met	Thr	Phe	Arg	His	Val	Gly	Ser	Lys	Leu	
1215					1220				1225					1230		
ata	gtt	gca	atg	agc	tca	tgg	ctt	cag	aag	gca	tct	ggg	agt	ctt	cct	3866
Ile	Val	Ala	Met	Ser	Ser	Trp	Leu	Gln	Lys	Ala	Ser	Gly	Ser	Leu	Pro	
			1235					1240						1245		
tat	acc	cag	act	ttg	caa	gac	cac	ctc	aat	agc	ctg	aag	gag	ttc	aac	3914
Tyr	Thr	Gln	Thr	Leu	Gln	Asp	His	Leu	Asn	Ser	Leu	Lys	Glu	Phe	Asn	
		1250						1255					1260			
ctc	cag	aac	atg	gga	ttg	cca	gac	ttc	cac	atc	cca	gaa	aac	ctc	ttc	3962
Leu	Gln	Asn	Met	Gly	Leu	Pro	Asp	Phe	His	Ile	Pro	Glu	Asn	Leu	Phe	
	1265						1270					1275				
tta	aaa	agc	gat	ggc	cgg	gtc	aaa	tat	acc	ttg	aac	aag	aac	agt	ttg	4010
Leu	Lys	Ser	Asp	Gly	Arg	Val	Lys	Tyr	Thr	Leu	Asn	Lys	Asn	Ser	Leu	
	1280					1285					1290					
aaa	att	gag	att	cct	ttg	cct	ttt	ggt	ggc	aaa	tcc	tcc	aga	gat	cta	4058
Lys	Ile	Glu	Ile	Pro	Leu	Pro	Phe	Gly	Gly	Lys	Ser	Ser	Arg	Asp	Leu	
	1295				1300					1305				1310		
aag	atg	tta	gag	act	gtt	agg	aca	cca	gcc	ctc	cac	ttc	aag	tct	gtg	4106

-continued

Lys	Met	Leu	Glu	Thr	Val	Arg	Thr	Pro	Ala	Leu	His	Phe	Lys	Ser	Val	
			1315						1320						1325	
gga	ttc	cat	ctg	cca	tct	cga	gag	ttc	caa	gtc	cct	act	ttt	acc	att	4154
Gly	Phe	His	Leu	Pro	Ser	Arg	Glu	Phe	Gln	Val	Pro	Thr	Phe	Thr	Ile	
			1330						1335						1340	
ccc	aag	ttg	tat	caa	ctg	caa	gtg	cct	ctc	ctg	ggt	gtt	cta	gac	ctc	4202
Pro	Lys	Leu	Tyr	Gln	Leu	Gln	Val	Pro	Leu	Leu	Gly	Val	Leu	Asp	Leu	
			1345						1350						1355	
tcc	acg	aat	gtc	tac	agc	aac	ttg	tac	aac	tgg	tcc	gcc	tcc	tac	agt	4250
Ser	Thr	Asn	Val	Tyr	Ser	Asn	Leu	Tyr	Asn	Trp	Ser	Ala	Ser	Tyr	Ser	
			1360						1365						1370	
ggt	ggc	aac	acc	agc	aca	gac	cat	ttc	agc	ctt	cgg	gct	cgt	tac	cac	4298
Gly	Gly	Asn	Thr	Ser	Thr	Asp	His	Phe	Ser	Leu	Arg	Ala	Arg	Tyr	His	
			1375												1390	
atg	aag	gct	gac	tct	gtg	gtt	gac	ctg	ctt	tcc	tac	aat	gtg	caa	gga	4346
Met	Lys	Ala	Asp	Ser	Val	Val	Asp	Leu	Ser	Tyr	Asn	Val	Gln	Gly		
															1405	
tct	gga	gaa	aca	aca	tat	gac	cac	aag	aat	acg	ttc	aca	cta	tca	tgt	4394
Ser	Gly	Glu	Thr	Thr	Tyr	Asp	His	Lys	Asn	Thr	Phe	Thr	Leu	Ser	Cys	
															1420	
gat	ggg	tct	cta	cgc	cac	aaa	ttt	cta	gat	tcg	aat	atc	aaa	ttc	agt	4442
Asp	Gly	Ser	Leu	Arg	His	Lys	Phe	Leu	Asp	Ser	Asn	Ile	Lys	Phe	Ser	
															1435	
cat	gta	gaa	aaa	ctt	gga	aac	aac	cca	gtc	tca	aaa	ggt	tta	cta	ata	4490
His	Val	Glu	Lys	Leu	Gly	Asn	Asn	Pro	Val	Ser	Lys	Gly	Leu	Leu	Ile	
															1450	
ttc	gat	gca	tct	agt	tcc	tgg	gga	cca	cag	atg	tct	gct	tca	gtt	cat	4538
Phe	Asp	Ala	Ser	Ser	Ser	Trp	Gly	Pro	Gln	Met	Ser	Ala	Ser	Val	His	
															1470	
ttg	gac	tcc	aaa	aag	aaa	cag	cat	ttg	ttt	gtc	aaa	gaa	gtc	aag	att	4586
Leu	Asp	Ser	Lys	Lys	Lys	Gln	His	Leu	Phe	Val	Lys	Glu	Val	Lys	Ile	
															1485	
gat	ggg	cag	ttc	aga	gtc	tct	tcg	ttc	tat	gct	aaa	ggc	aca	tat	ggc	4634
Asp	Gly	Gln	Phe	Arg	Val	Ser	Ser	Phe	Tyr	Ala	Lys	Gly	Thr	Tyr	Gly	
															1500	
ctg	tct	tgt	cag	agg	gat	cct	aac	act	ggc	cgg	ctc	aat	gga	gag	tcc	4682
Leu	Ser	Cys	Gln	Arg	Asp	Pro	Asn	Thr	Gly	Arg	Leu	Asn	Gly	Glu	Ser	
															1515	
aac	ctg	agg	ttt	aac	tcc	tcc	tac	ctc	caa	ggc	acc	aac	cag	ata	aca	4730
Asn	Leu	Arg	Phe	Asn	Ser	Ser	Tyr	Leu	Gln	Gly	Thr	Asn	Gln	Ile	Thr	
															1530	
gga	aga	tat	gaa	gat	gga	acc	ctc	tcc	ctc	acc	tcc	acc	tct	gat	ctg	4778
Gly	Arg	Tyr	Glu	Asp	Gly	Thr	Leu	Ser	Leu	Thr	Ser	Thr	Ser	Asp	Leu	
															1550	
caa	agt	ggc	atc	att	aaa	aat	act	gct	tcc	cta	aag	tat	gag	aac	tac	4826
Gln	Ser	Gly	Ile	Ile	Lys	Asn	Thr	Ala	Ser	Leu	Lys	Tyr	Glu	Asn	Tyr	
															1565	
gag	ctg	act	tta	aaa	tct	gac	acc	aat	ggg	aag	tat	aag	aac	ttt	gcc	4874
Glu	Leu	Thr	Leu	Lys	Ser	Asp	Thr	Asn	Gly	Lys	Tyr	Lys	Asn	Phe	Ala	
															1580	
act	tct	aac	aag	atg	gat	atg	acc	ttc	tot	aag	caa	aat	gca	ctg	ctg	4922
Thr	Ser	Asn	Lys	Met	Asp	Met	Thr	Phe	Ser	Lys	Gln	Asn	Ala	Leu	Leu	
															1595	
cgt	tct	gaa	tat	cag	gct	gat	tac	gag	tca	ttg	agg	ttc	ttc	agc	ctg	4970
Arg	Ser	Glu	Tyr	Gln	Ala	Asp	Tyr	Glu	Ser	Leu	Arg	Phe	Phe	Ser	Leu	
															1610	
ctt	tct	gga	tca	cta	aat	tcc	cat	ggt	ctt	gag	tta	aat	gct	gac	atc	5018

-continued

Leu Ser Gly Ser Leu Asn Ser His Gly Leu Glu Leu Asn Ala Asp Ile	
1615 1620 1625 1630	
tta ggc act gac aaa att aat agt ggt gct cac aag gcg aca cta agg	5066
Leu Gly Thr Asp Lys Ile Asn Ser Gly Ala His Lys Ala Thr Leu Arg	
1635 1640 1645	
att ggc caa gat gga ata tct acc agt gca acg acc aac ttg aag tgt	5114
Ile Gly Gln Asp Gly Ile Ser Thr Ser Ala Thr Thr Asn Leu Lys Cys	
1650 1655 1660	
agt ctc ctg gtg ctg gag aat gag ctg aat gca gag ctt ggc ctc tct	5162
Ser Leu Leu Val Leu Glu Asn Glu Leu Asn Ala Glu Leu Gly Leu Ser	
1665 1670 1675	
ggg gca tct atg aaa tta aca aca aat ggc cgc ttc agg gaa cac aat	5210
Gly Ala Ser Met Lys Leu Thr Thr Asn Gly Arg Phe Arg Glu His Asn	
1680 1685 1690	
gca aaa ttc agt ctg gat ggg aaa gcc gcc ctc aca gag cta tca ctg	5258
Ala Lys Phe Ser Leu Asp Gly Lys Ala Ala Leu Thr Glu Leu Ser Leu	
1695 1700 1705 1710	
gga agt gct tat cag gcc atg att ctg ggt gtc gac agc aaa aac att	5306
Gly Ser Ala Tyr Gln Ala Met Ile Leu Gly Val Asp Ser Lys Asn Ile	
1715 1720 1725	
ttc aac ttc aag gtc agt caa gaa gga ctt aag ctc tca aat gac atg	5354
Phe Asn Phe Lys Val Ser Gln Glu Gly Leu Lys Leu Ser Asn Asp Met	
1730 1735 1740	
atg ggc tca tat gct gaa atg aaa ttt gac cac aca aac agt ctg aac	5402
Met Gly Ser Tyr Ala Glu Met Lys Phe Asp His Thr Asn Ser Leu Asn	
1745 1750 1755	
att gca ggc tta tca ctg gac ttc tct tca aaa ctt gac aac att tac	5450
Ile Ala Gly Leu Ser Leu Asp Phe Ser Ser Lys Leu Asp Asn Ile Tyr	
1760 1765 1770	
agc tct gac aag ttt tat aag caa act gtt aat tta cag cta cag ccc	5498
Ser Ser Asp Lys Phe Tyr Lys Gln Thr Val Asn Leu Gln Leu Gln Pro	
1775 1780 1785 1790	
tat tct ctg gta act act tta aac agt gac ctg aaa tac aat gct ctg	5546
Tyr Ser Leu Val Thr Thr Leu Asn Ser Asp Leu Lys Tyr Asn Ala Leu	
1795 1800 1805	
gat ctc acc aac aat ggg aaa cta cgg cta gaa ccc ctg aag ctg cat	5594
Asp Leu Thr Asn Asn Gly Lys Leu Arg Leu Glu Pro Leu Lys Leu His	
1810 1815 1820	
gtg gct ggt aac cta aaa gga gcc tac caa aat aat gaa ata aaa cac	5642
Val Ala Gly Asn Leu Lys Gly Ala Tyr Gln Asn Asn Glu Ile Lys His	
1825 1830 1835	
atc tat gcc atc tct tct gct gcc tta tca gca agc tat aaa gca gac	5690
Ile Tyr Ala Ile Ser Ser Ala Ala Leu Ser Ala Ser Tyr Lys Ala Asp	
1840 1845 1850	
act gtt gct aag gtt cag ggt gtg gag ttt agc cat cgg ctc aac aca	5738
Thr Val Ala Lys Val Gln Gly Val Glu Phe Ser His Arg Leu Asn Thr	
1855 1860 1865 1870	
gac atc gct ggg ctg gct tca gcc att gac atg agc aca aac tat aat	5786
Asp Ile Ala Gly Leu Ala Ser Ala Ile Asp Met Ser Thr Asn Tyr Asn	
1875 1880 1885	
tca gac tca ctg cat ttc agc aat gtc ttc cgt tct gta atg gcc cgg	5834
Ser Asp Ser Leu His Phe Ser Asn Val Phe Arg Ser Val Met Ala Pro	
1890 1895 1900	
ttt acc atg acc atc gat gca cat aca aat ggc aat ggg aaa ctc gct	5882
Phe Thr Met Thr Ile Asp Ala His Thr Asn Gly Asn Gly Lys Leu Ala	
1905 1910 1915	
ctc tgg gga gaa cat act ggg cag ctg tat agc aaa ttc ctg ttg aaa	5930

-continued

Leu	Trp	Gly	Glu	His	Thr	Gly	Gln	Leu	Tyr	Ser	Lys	Phe	Leu	Leu	Lys	
1920						1925					1930					
gca	gaa	cct	ctg	gca	ttt	act	ttc	tct	cat	gat	tac	aaa	ggc	tcc	aca	5978
Ala	Glu	Pro	Leu	Ala	Phe	Thr	Phe	Ser	His	Asp	Tyr	Lys	Gly	Ser	Thr	
1935					1940				1945						1950	
agt	cat	cat	ctc	gtg	tct	agg	aaa	agc	atc	agt	gca	gct	ctt	gaa	cac	6026
Ser	His	His	Leu	Val	Ser	Arg	Lys	Ser	Ile	Ser	Ala	Ala	Leu	Glu	His	
				1955				1960						1965		
aaa	gtc	agt	gcc	ctg	ctt	act	cca	gct	gag	cag	aca	ggc	acc	tgg	aaa	6074
Lys	Val	Ser	Ala	Leu	Leu	Thr	Pro	Ala	Glu	Gln	Thr	Gly	Thr	Trp	Lys	
			1970				1975						1980			
ctc	aag	acc	caa	ttt	aac	aac	aat	gaa	tac	agc	cag	gac	ttg	gat	gct	6122
Leu	Lys	Thr	Gln	Phe	Asn	Asn	Asn	Glu	Tyr	Ser	Gln	Asp	Leu	Asp	Ala	
	1985						1990					1995				
tac	aac	act	aaa	gat	aaa	att	ggc	gtg	gag	ctt	act	gga	cga	act	ctg	6170
Tyr	Asn	Thr	Lys	Asp	Lys	Ile	Gly	Val	Glu	Leu	Thr	Gly	Arg	Thr	Leu	
	2000					2005					2010					
gct	gac	cta	act	cta	cta	gac	tcc	cca	att	aaa	gtg	cca	ctt	tta	ctc	6218
Ala	Asp	Leu	Thr	Leu	Leu	Asp	Ser	Pro	Ile	Lys	Val	Pro	Leu	Leu	Leu	
	2015				2020					2025					2030	
agt	gag	ccc	atc	aat	atc	att	gat	gct	tta	gag	atg	aga	gat	gcc	gtt	6266
Ser	Glu	Pro	Ile	Asn	Ile	Ile	Asp	Ala	Leu	Glu	Met	Arg	Asp	Ala	Val	
				2035				2040						2045		
gag	aag	ccc	caa	gaa	ttt	aca	att	gtt	got	ttt	gta	aag	tat	gat	aaa	6314
Glu	Lys	Pro	Gln	Glu	Phe	Thr	Ile	Val	Ala	Phe	Val	Lys	Tyr	Asp	Lys	
			2050				2055						2060			
aac	caa	gat	gtt	cac	tcc	att	aac	ctc	cca	ttt	ttt	gag	acc	ttg	caa	6362
Asn	Gln	Asp	Val	His	Ser	Ile	Asn	Leu	Pro	Phe	Phe	Glu	Thr	Leu	Gln	
	2065					2070						2075				
gaa	tat	ttt	gag	agg	aat	cga	caa	acc	att	ata	gtt	gta	gtg	gaa	aac	6410
Glu	Tyr	Phe	Glu	Arg	Asn	Arg	Gln	Thr	Ile	Ile	Val	Val	Val	Glu	Asn	
	2080				2085					2090						
gta	cag	aga	aac	ctg	aag	cac	atc	aat	att	gat	caa	ttt	gta	aga	aaa	6458
Val	Gln	Arg	Asn	Leu	Lys	His	Ile	Asn	Ile	Asp	Gln	Phe	Val	Arg	Lys	
	2095			2100					2105					2110		
tac	aga	gca	gcc	ctg	gga	aaa	ctc	cca	cag	caa	gct	aat	gat	tat	ctg	6506
Tyr	Arg	Ala	Ala	Leu	Gly	Lys	Leu	Pro	Gln	Gln	Ala	Asn	Asp	Tyr	Leu	
			2115					2120						2125		
aat	tca	ttc	aat	tgg	gag	aga	caa	gtt	tca	cat	gcc	aag	gag	aaa	ctg	6554
Asn	Ser	Phe	Asn	Trp	Glu	Arg	Gln	Val	Ser	His	Ala	Lys	Glu	Lys	Leu	
			2130				2135						2140			
act	gct	ctc	aca	aaa	aag	tat	aga	att	aca	gaa	aat	gat	ata	caa	att	6602
Thr	Ala	Leu	Thr	Lys	Lys	Tyr	Arg	Ile	Thr	Glu	Asn	Asp	Ile	Gln	Ile	
	2145					2150						2155				
gca	tta	gat	gat	gcc	aaa	atc	aac	ttt	aat	gaa	aaa	cta	tct	caa	ctg	6650
Ala	Leu	Asp	Asp	Ala	Lys	Ile	Asn	Phe	Asn	Glu	Lys	Leu	Ser	Gln	Leu	
	2160				2165					2170						
cag	aca	tat	atg	ata	caa	ttt	gat	cag	tat	att	aaa	gat	agt	tat	gat	6698
Gln	Thr	Tyr	Met	Ile	Gln	Phe	Asp	Gln	Tyr	Ile	Lys	Asp	Ser	Tyr	Asp	
	2175			2180					2185						2190	
tta	cat	gat	ttg	aaa	ata	got	att	got	aat	att	att	gat	gaa	atc	att	6746
Leu	His	Asp	Leu	Lys	Ile	Ala	Ile	Ala	Asn	Ile	Ile	Asp	Glu	Ile	Ile	
			2195				2200							2205		
gaa	aaa	tta	aaa	agt	ctt	gat	gag	cac	tat	cat	atc	cgt	gta	aat	tta	6794
Glu	Lys	Leu	Lys	Ser	Leu	Asp	Glu	His	Tyr	His	Ile	Arg	Val	Asn	Leu	
	2210					2215							2220			
gta	aaa	aca	atc	cat	gat	cta	cat	ttg	ttt	att	gaa	aat	att	gat	ttt	6842

-continued

Val	Lys	Thr	Ile	His	Asp	Leu	His	Leu	Phe	Ile	Glu	Asn	Ile	Asp	Phe	
		2225						2230					2235			
aac	aaa	agt	gga	agt	agt	act	gca	tcc	tgg	att	caa	aat	gtg	gat	act	6890
Asn	Lys	Ser	Gly	Ser	Ser	Thr	Ala	Ser	Trp	Ile	Gln	Asn	Val	Asp	Thr	
	2240					2245					2250					
aag	tac	caa	atc	aga	atc	cag	ata	caa	gaa	aaa	ctg	cag	cag	ctt	aag	6938
Lys	Tyr	Gln	Ile	Arg	Ile	Gln	Ile	Gln	Glu	Lys	Leu	Gln	Gln	Leu	Lys	
2255					2260					2265				2270		
aga	cac	ata	cag	aat	ata	gac	atc	cag	cac	cta	gct	gga	aag	tta	aaa	6986
Arg	His	Ile	Gln	Asn	Ile	Asp	Ile	Gln	His	Leu	Ala	Gly	Lys	Leu	Lys	
			2275						2280					2285		
caa	cac	att	gag	gct	att	gat	gtt	aga	gtg	ctt	tta	gat	caa	ttg	gga	7034
Gln	His	Ile	Glu	Ala	Ile	Asp	Val	Arg	Val	Leu	Leu	Asp	Gln	Leu	Gly	
		2290						2295						2300		
act	aca	att	tca	ttt	gaa	aga	ata	aat	gat	gtt	ctt	gag	cat	gtc	aaa	7082
Thr	Thr	Ile	Ser	Phe	Glu	Arg	Ile	Asn	Asp	Val	Leu	Glu	His	Val	Lys	
		2305					2310						2315			
cac	ttt	gtt	ata	aat	ctt	att	ggg	gat	ttt	gaa	gta	gct	gag	aaa	atc	7130
His	Phe	Val	Ile	Asn	Leu	Ile	Gly	Asp	Phe	Glu	Val	Ala	Glu	Lys	Ile	
	2320					2325					2330					
aat	gcc	ttc	aga	gcc	aaa	gtc	cat	gag	tta	atc	gag	agg	tat	gaa	gta	7178
Asn	Ala	Phe	Arg	Ala	Lys	Val	His	Glu	Leu	Ile	Glu	Arg	Tyr	Glu	Val	
2335					2340					2345					2350	
gac	caa	caa	atc	cag	gtt	tta	atg	gat	aaa	tta	gta	gag	ttg	acc	cac	7226
Asp	Gln	Gln	Ile	Gln	Val	Leu	Met	Asp	Lys	Leu	Val	Glu	Leu	Thr	His	
			2355							2360				2365		
caa	tac	aag	ttg	aag	gag	act	att	cag	aag	cta	agc	aat	gtc	cta	caa	7274
Gln	Tyr	Lys	Leu	Lys	Glu	Thr	Ile	Gln	Lys	Leu	Ser	Asn	Val	Leu	Gln	
		2370						2375					2380			
caa	gtt	aag	ata	aaa	gat	tac	ttt	gag	aaa	ttg	gtt	gga	ttt	att	gat	7322
Gln	Val	Lys	Ile	Lys	Asp	Tyr	Phe	Glu	Lys	Leu	Val	Gly	Phe	Ile	Asp	
	2385						2390					2395				
gat	gct	gtg	aag	aag	ctt	aat	gaa	tta	tct	ttt	aaa	aca	ttc	att	gaa	7370
Asp	Ala	Val	Lys	Lys	Leu	Asn	Glu	Leu	Ser	Phe	Lys	Thr	Phe	Ile	Glu	
	2400					2405					2410					
gat	gtt	aac	aaa	ttc	ctt	gac	atg	ttg	ata	aag	aaa	tta	aag	tca	ttt	7418
Asp	Val	Asn	Lys	Phe	Leu	Asp	Met	Leu	Ile	Lys	Lys	Leu	Lys	Ser	Phe	
	2415			2420						2425					2430	
gat	tac	cac	cag	ttt	gta	gat	gaa	acc	aat	gac	aaa	atc	cgt	gag	gtg	7466
Asp	Tyr	His	Gln	Phe	Val	Asp	Glu	Thr	Asn	Asp	Lys	Ile	Arg	Glu	Val	
		2435							2440					2445		
act	cag	aga	ctc	aat	ggt	gaa	att	cag	gct	ctg	gaa	cta	cca	caa	aaa	7514
Thr	Gln	Arg	Leu	Asn	Gly	Glu	Ile	Gln	Ala	Leu	Glu	Leu	Pro	Gln	Lys	
		2450						2455					2460			
gct	gaa	gca	tta	aaa	ctg	ttt	tta	gag	gaa	acc	aag	gcc	aca	gtt	gca	7562
Ala	Glu	Ala	Leu	Lys	Leu	Phe	Leu	Glu	Glu	Thr	Lys	Ala	Thr	Val	Ala	
	2465						2470					2475				
gtg	tat	ctg	gaa	agc	cta	cag	gac	acc	aaa	ata	acc	tta	atc	atc	aat	7610
Val	Tyr	Leu	Glu	Ser	Leu	Gln	Asp	Thr	Lys	Ile	Thr	Leu	Ile	Ile	Asn	
	2480					2485					2490					
tgg	tta	cag	gag	gct	tta	agt	tca	gca	tot	ttg	gct	cac	atg	aag	gcc	7658
Trp	Leu	Gln	Glu	Ala	Leu	Ser	Ser	Ala	Ser	Leu	Ala	His	Met	Lys	Ala	
	2495			2500						2505					2510	
aaa	ttc	cga	gag	act	cta	gaa	gat	aca	cga	gac	cga	atg	tat	caa	atg	7706
Lys	Phe	Arg	Glu	Thr	Leu	Glu	Asp	Thr	Arg	Asp	Arg	Met	Tyr	Gln	Met	
		2515						2520				2525				
gac	att	cag	cag	gaa	ctt	caa	cga	tac	ctg	tct	ctg	gta	ggc	cag	gtt	7754

-continued

Asp	Ile	Gln	Gln	Glu	Leu	Gln	Arg	Tyr	Leu	Ser	Leu	Val	Gly	Gln	Val	
			2530					2535					2540			
tat	agc	aca	ctt	gtc	acc	tac	att	tct	gat	tgg	tgg	act	ctt	gct	gct	7802
Tyr	Ser	Thr	Leu	Val	Thr	Tyr	Ile	Ser	Asp	Trp	Trp	Thr	Leu	Ala	Ala	
			2545				2550					2555				
aag	aac	ctt	act	gac	ttt	gca	gag	caa	tat	tct	atc	caa	gat	tgg	gct	7850
Lys	Asn	Leu	Thr	Asp	Phe	Ala	Glu	Gln	Tyr	Ser	Ile	Gln	Asp	Trp	Ala	
	2560				2565						2570					
aaa	cgt	atg	aaa	gca	ttg	gta	gag	caa	ggg	ttc	act	gtt	cct	gaa	atc	7898
Lys	Arg	Met	Lys	Ala	Leu	Val	Glu	Gln	Gly	Phe	Thr	Val	Pro	Glu	Ile	
	2575				2580					2585					2590	
aag	acc	atc	ctt	ggg	acc	atg	cct	gcc	ttt	gaa	gtc	agt	ctt	cag	gct	7946
Lys	Thr	Ile	Leu	Gly	Thr	Met	Pro	Ala	Phe	Glu	Val	Ser	Leu	Gln	Ala	
			2595					2600						2605		
ctt	cag	aaa	gct	acc	ttc	cag	aca	cct	gat	ttt	ata	gtc	ccc	cta	aca	7994
Leu	Gln	Lys	Ala	Thr	Phe	Gln	Thr	Pro	Asp	Phe	Ile	Val	Pro	Leu	Thr	
			2610					2615					2620			
gat	ttg	agg	att	cca	tca	gtt	cag	ata	aac	ttc	aaa	gac	tta	aaa	aat	8042
Asp	Leu	Arg	Ile	Pro	Ser	Val	Gln	Ile	Asn	Phe	Lys	Asp	Leu	Lys	Asn	
	2625						2630					2635				
ata	aaa	atc	cca	tcc	agg	ttt	tcc	aca	cca	gaa	ttt	acc	atc	ctt	aac	8090
Ile	Lys	Ile	Pro	Ser	Arg	Phe	Ser	Thr	Pro	Glu	Phe	Thr	Ile	Leu	Asn	
	2640					2645					2650					
acc	ttc	cac	att	cct	tcc	ttt	aca	att	gac	ttt	gtc	gaa	atg	aaa	gta	8138
Thr	Phe	His	Ile	Pro	Ser	Phe	Thr	Ile	Asp	Phe	Val	Glu	Met	Lys	Val	
	2655				2660					2665				2670		
aag	atc	atc	aga	acc	att	gac	cag	atg	cag	aac	agt	gag	ctg	cag	tgg	8186
Lys	Ile	Ile	Arg	Thr	Ile	Asp	Gln	Met	Gln	Asn	Ser	Glu	Leu	Gln	Trp	
			2675					2680						2685		
ccc	gtt	cca	gat	ata	tat	ctc	agg	gat	ctg	aag	gtg	gag	gac	att	cct	8234
Pro	Val	Pro	Asp	Ile	Tyr	Leu	Arg	Asp	Leu	Lys	Val	Glu	Asp	Ile	Pro	
			2690					2695					2700			
cta	gcg	aga	atc	acc	ctg	cca	gac	ttc	cgt	tta	cca	gaa	atc	gca	att	8282
Leu	Ala	Arg	Ile	Thr	Leu	Pro	Asp	Phe	Arg	Leu	Pro	Glu	Ile	Ala	Ile	
			2705				2710					2715				
cca	gaa	ttc	ata	atc	cca	act	ctc	aac	ctt	aat	gat	ttt	caa	gtt	cct	8330
Pro	Glu	Phe	Ile	Ile	Pro	Thr	Leu	Asn	Leu	Asn	Asp	Phe	Gln	Val	Pro	
	2720					2725					2730					
gac	ctt	cac	ata	cca	gaa	ttc	cag	ctt	ccc	cac	atc	tca	cac	aca	att	8378
Asp	Leu	His	Ile	Pro	Glu	Phe	Gln	Leu	Pro	His	Ile	Ser	His	Thr	Ile	
	2735				2740				2745					2750		
gaa	gta	cct	act	ttt	ggc	aag	cta	tac	agt	att	ctg	aaa	atc	caa	tct	8426
Glu	Val	Pro	Thr	Phe	Gly	Lys	Leu	Tyr	Ser	Ile	Leu	Lys	Ile	Gln	Ser	
			2755					2760						2765		
cct	ctt	ttc	aca	tta	gat	gca	aat	gct	gac	ata	ggg	aat	gga	acc	acc	8474
Pro	Leu	Phe	Thr	Leu	Asp	Ala	Asn	Ala	Asp	Ile	Gly	Asn	Gly	Thr	Thr	
			2770					2775					2780			
tca	gca	aac	gaa	gca	ggt	atc	gca	gct	tcc	atc	act	gcc	aaa	gga	gag	8522
Ser	Ala	Asn	Glu	Ala	Gly	Ile	Ala	Ala	Ser	Ile	Thr	Ala	Lys	Gly	Glu	
			2785					2790					2795			
tcc	aaa	tta	gaa	gtt	ctc	aat	ttt	gat	ttt	caa	gca	aat	gca	caa	ctc	8570
Ser	Lys	Leu	Glu	Val	Leu	Asn	Phe	Asp	Phe	Gln	Ala	Asn	Ala	Gln	Leu	
	2800					2805					2810					
tca	aac	cct	aag	att	aat	ccg	ctg	gct	ctg	aag	gag	tca	gtg	aag	ttc	8618
Ser	Asn	Pro	Lys	Ile	Asn	Pro	Leu	Ala	Leu	Lys	Glu	Ser	Val	Lys	Phe	
	2815				2820					2825				2830		
tcc	agc	aag	tac	ctg	aga	acg	gag	cat	ggg	agt	gaa	atg	ctg	ttt	ttt	8666

-continued

Ser	Ser	Lys	Tyr	Leu	Arg	Thr	Glu	His	Gly	Ser	Glu	Met	Leu	Phe	Phe	
				2835					2840						2845	
gga	aat	gct	att	gag	gga	aaa	tca	aac	aca	gtg	gca	agt	tta	cac	aca	8714
Gly	Asn	Ala	Ile	Glu	Gly	Lys	Ser	Asn	Thr	Val	Ala	Ser	Leu	His	Thr	
			2850					2855					2860			
gaa	aaa	aat	aca	ctg	gag	ctt	agt	aat	gga	gtg	att	gtc	aag	ata	aac	8762
Glu	Lys	Asn	Thr	Leu	Glu	Leu	Ser	Asn	Gly	Val	Ile	Val	Lys	Ile	Asn	
		2865					2870					2875				
aat	cag	ctt	acc	ctg	gat	agc	aac	act	aaa	tac	ttc	cac	aaa	ttg	aac	8810
Asn	Gln	Leu	Thr	Leu	Asp	Ser	Asn	Thr	Lys	Tyr	Phe	His	Lys	Leu	Asn	
	2880					2885					2890					
atc	ccc	aaa	ctg	gac	ttc	tct	agt	cag	gct	gac	ctg	cgc	aac	gag	atc	8858
Ile	Pro	Lys	Leu	Asp	Phe	Ser	Ser	Gln	Ala	Asp	Leu	Arg	Asn	Glu	Ile	
2895				2900					2905					2910		
aag	aca	ctg	ttg	aaa	gct	ggc	cac	ata	gca	tggt	act	tct	tct	gga	aaa	8906
Lys	Thr	Leu	Leu	Lys	Ala	Gly	His	Ile	Ala	Trp	Thr	Ser	Ser	Gly	Lys	
			2915					2920						2925		
ggg	tca	tgg	aaa	tgg	gcc	tgc	ccc	aga	ttc	tca	gat	gag	gga	aca	cat	8954
Gly	Ser	Trp	Lys	Trp	Ala	Cys	Pro	Arg	Phe	Ser	Asp	Glu	Gly	Thr	His	
		2930					2935					2940				
gaa	tca	caa	att	agt	ttc	acc	ata	gaa	gga	ccc	ctc	act	toc	ttt	gga	9002
Glu	Ser	Gln	Ile	Ser	Phe	Thr	Ile	Glu	Gly	Pro	Leu	Thr	Ser	Phe	Gly	
		2945				2950					2955					
ctg	toc	aat	aag	atc	aat	agc	aaa	cac	cta	aga	gta	aac	caa	aac	ttg	9050
Leu	Ser	Asn	Lys	Ile	Asn	Ser	Lys	His	Leu	Arg	Val	Asn	Gln	Asn	Leu	
	2960				2965						2970					
gtt	tat	gaa	tct	ggc	tcc	ctc	aac	ttt	tct	aaa	ctt	gaa	att	caa	tca	9098
Val	Tyr	Glu	Ser	Gly	Ser	Leu	Asn	Phe	Ser	Lys	Leu	Glu	Ile	Gln	Ser	
2975				2980					2985					2990		
caa	gtc	gat	tcc	cag	cat	gtg	ggc	cac	agt	gtt	cta	act	gct	aaa	ggc	9146
Gln	Val	Asp	Ser	Gln	His	Val	Gly	His	Ser	Val	Leu	Thr	Ala	Lys	Gly	
		2995					3000					3005				
atg	gca	ctg	ttt	gga	gaa	ggg	aag	gca	gag	ttt	act	ggg	agg	cat	gat	9194
Met	Ala	Leu	Phe	Gly	Glu	Gly	Lys	Ala	Glu	Phe	Thr	Gly	Arg	His	Asp	
		3010					3015					3020				
gct	cat	tta	aat	gga	aag	gtt	att	gga	act	ttg	aaa	aat	tct	ctt	ttc	9242
Ala	His	Leu	Asn	Gly	Lys	Val	Ile	Gly	Thr	Leu	Lys	Asn	Ser	Leu	Phe	
		3025				3030					3035					
ttt	tca	gcc	cag	cca	ttt	gag	atc	acg	gca	tcc	aca	aac	aat	gaa	ggg	9290
Phe	Ser	Ala	Gln	Pro	Phe	Glu	Ile	Thr	Ala	Ser	Thr	Asn	Asn	Glu	Gly	
	3040				3045				3050							
aat	ttg	aaa	gtt	cgt	ttt	cca	tta	agg	tta	aca	ggg	aag	ata	gac	ttc	9338
Asn	Leu	Lys	Val	Arg	Phe	Pro	Leu	Arg	Leu	Thr	Gly	Lys	Ile	Asp	Phe	
3055				3060					3065				3070			
ctg	aat	aac	tat	gca	ctg	ttt	ctg	agt	ccc	agt	gcc	cag	caa	gca	agt	9386
Leu	Asn	Asn	Tyr	Ala	Leu	Phe	Leu	Ser	Pro	Ser	Ala	Gln	Gln	Ala	Ser	
		3075						3080				3085				
tggt	caa	gta	agt	gct	agg	ttc	aat	cag	tat	aag	tac	aac	caa	aat	ttc	9434
Trp	Gln	Val	Ser	Ala	Arg	Phe	Asn	Gln	Tyr	Lys	Tyr	Asn	Gln	Asn	Phe	
		3090					3095					3100				
tct	gct	gga	aac	aac	gag	aac	att	atg	gag	gcc	cat	gta	gga	ata	aat	9482
Ser	Ala	Gly	Asn	Asn	Glu	Asn	Ile	Met	Glu	Ala	His	Val	Gly	Ile	Asn	
		3105				3110					3115					
gga	gaa	gca	aat	ctg	gat	ttc	tta	aac	att	cct	tta	aca	att	cct	gaa	9530
Gly	Glu	Ala	Asn	Leu	Asp	Phe	Leu	Asn	Ile	Pro	Leu	Thr	Ile	Pro	Glu	
		3120				3125				3130						
atg	cgt	cta	cct	tac	aca	ata	atc	aca	act	cct	cca	ctg	aaa	gat	ttc	9578

-continued

Met	Arg	Leu	Pro	Tyr	Thr	Ile	Ile	Thr	Thr	Pro	Pro	Leu	Lys	Asp	Phe	
3135					3140					3145					3150	
tct	cta	tg	gaa	aaa	aca	ggc	ttg	aag	gaa	ttc	ttg	aaa	acg	aca	aag	9626
Ser	Leu	Trp	Glu	Lys	Thr	Gly	Leu	Lys	Glu	Phe	Leu	Lys	Thr	Thr	Lys	
			3155						3160					3165		
caa	tca	ttt	gat	tta	agt	gta	aaa	gct	cag	tat	aag	aaa	aac	aaa	cac	9674
Gln	Ser	Phe	Asp	Leu	Ser	Val	Lys	Ala	Gln	Tyr	Lys	Lys	Asn	Lys	His	
			3170					3175					3180			
agg	cat	tcc	atc	aca	aat	cct	ttg	gct	gtg	ctt	tgt	gag	ttt	atc	agt	9722
Arg	His	Ser	Ile	Thr	Asn	Pro	Leu	Ala	Val	Leu	Cys	Glu	Phe	Ile	Ser	
			3185				3190					3195				
cag	agc	atc	aaa	tcc	ttt	gac	agg	cat	ttt	gaa	aaa	aac	aga	aac	aat	9770
Gln	Ser	Ile	Lys	Ser	Phe	Asp	Arg	His	Phe	Glu	Lys	Asn	Arg	Asn	Asn	
			3200			3205				3210						
gca	tta	gat	ttt	gtc	acc	aaa	tcc	tat	aat	gaa	aca	aaa	att	aag	ttt	9818
Ala	Leu	Asp	Phe	Val	Thr	Lys	Ser	Tyr	Asn	Glu	Thr	Lys	Ile	Lys	Phe	
			3215			3220				3225					3230	
gat	aag	tac	aaa	gct	gaa	aaa	tct	cac	gac	gag	ctc	ccc	agg	acc	ttt	9866
Asp	Lys	Tyr	Lys	Ala	Glu	Lys	Ser	His	Asp	Glu	Leu	Pro	Arg	Thr	Phe	
			3235					3240						3245		
caa	att	cct	gga	tac	act	gtt	cca	gtt	gtc	aat	gtt	gaa	gtg	tct	cca	9914
Gln	Ile	Pro	Gly	Tyr	Thr	Val	Pro	Val	Val	Asn	Val	Glu	Val	Ser	Pro	
			3250					3255					3260			
ttc	acc	ata	gag	atg	tcg	gca	ttc	ggc	tat	gtg	ttc	cca	aaa	gca	gtc	9962
Phe	Thr	Ile	Glu	Met	Ser	Ala	Phe	Gly	Tyr	Val	Phe	Pro	Lys	Ala	Val	
			3265				3270					3275				
agc	atg	cct	agt	ttc	tcc	atc	cta	ggg	tct	gac	gtc	cgt	gtg	cct	tca	10010
Ser	Met	Pro	Ser	Phe	Ser	Ile	Leu	Gly	Ser	Asp	Val	Arg	Val	Pro	Ser	
			3280			3285				3290						
tac	aca	tta	atc	ctg	cca	tca	tta	gag	ctg	cca	gtc	ctt	cat	gtc	cct	10058
Tyr	Thr	Leu	Ile	Leu	Pro	Ser	Leu	Glu	Leu	Pro	Val	Leu	His	Val	Pro	
			3295			3300				3305					3310	
aga	aat	ctc	aag	ctt	tct	ctt	cca	cat	ttc	aag	gaa	ttg	tgt	acc	ata	10106
Arg	Asn	Leu	Lys	Leu	Ser	Leu	Pro	His	Phe	Lys	Glu	Leu	Cys	Thr	Ile	
			3315						3320					3325		
agc	cat	att	ttt	att	cct	gcc	atg	ggc	aat	att	acc	tat	gat	ttc	tcc	10154
Ser	His	Ile	Phe	Ile	Pro	Ala	Met	Gly	Asn	Ile	Thr	Tyr	Asp	Phe	Ser	
			3330					3335					3340			
ttt	aaa	tca	agt	gtc	atc	aca	ctg	aat	acc	aat	gct	gaa	ctt	ttt	aac	10202
Phe	Lys	Ser	Ser	Val	Ile	Thr	Leu	Asn	Thr	Asn	Ala	Glu	Leu	Phe	Asn	
			3345				3350					3355				
cag	tca	gat	att	gtt	gct	cat	ctc	ctt	tct	tca	tct	tca	tct	gtc	att	10250
Gln	Ser	Asp	Ile	Val	Ala	His	Leu	Leu	Ser	Ser	Ser	Ser	Ser	Val	Ile	
			3360			3365				3370						
gat	gca	ctg	cag	tac	aaa	tta	gag	ggc	acc	aca	aga	ttg	aca	aga	aaa	10298
Asp	Ala	Leu	Gln	Tyr	Lys	Leu	Glu	Gly	Thr	Thr	Arg	Leu	Thr	Arg	Lys	
			3375			3380				3385					3390	
agg	gga	ttg	aag	tta	gcc	aca	gct	ctg	tct	ctg	agc	aac	aaa	ttt	gtg	10346
Arg	Gly	Leu	Lys	Leu	Ala	Thr	Ala	Leu	Ser	Leu	Ser	Asn	Lys	Phe	Val	
			3395					3400						3405		
gag	ggg	agt	cat	aac	agt	act	gtg	agc	tta	acc	acg	aaa	aat	atg	gaa	10394
Glu	Gly	Ser	His	Asn	Ser	Thr	Val	Ser	Leu	Thr	Thr	Lys	Asn	Met	Glu	
			3410					3415					3420			
gtg	tca	gtg	gca	aaa	acc	aca	aaa	gcc	gaa	att	cca	att	ttg	aga	atg	10442
Val	Ser	Val	Ala	Lys	Thr	Thr	Lys	Ala	Glu	Ile	Pro	Ile	Leu	Arg	Met	
			3425				3430					3435				
aat	ttc	aag	caa	gaa	ctt	aat	gga	aat	acc	aag	tca	aaa	cct	act	gtc	10490

-continued

Asn	Phe	Lys	Gln	Glu	Leu	Asn	Gly	Asn	Thr	Lys	Ser	Lys	Pro	Thr	Val	
3440						3445					3450					
tct	tcc	tcc	atg	gaa	ttt	aag	tat	gat	ttc	aat	tct	tca	atg	ctg	tac	10538
Ser	Ser	Ser	Met	Glu	Phe	Lys	Tyr	Asp	Phe	Asn	Ser	Ser	Met	Leu	Tyr	
3455					3460					3465					3470	
tct	acc	gct	aaa	gga	gca	gtt	gac	cac	aag	ctt	agc	ttg	gaa	agc	ctc	10586
Ser	Thr	Ala	Lys	Gly	Ala	Val	Asp	His	Lys	Leu	Ser	Leu	Glu	Ser	Leu	
				3475					3480						3485	
acc	tct	tac	ttt	tcc	att	gag	tca	tct	acc	aaa	gga	gat	gtc	aag	ggt	10634
Thr	Ser	Tyr														
			3490						3495						3500	
tcg	gtt	ctt	tct	cgg	gaa	tat	tca	gga	act	att	gct	agt	gag	gcc	aac	10682
Ser	Val	Leu	Ser	Arg	Glu	Tyr	Ser	Gly	Thr	Ile	Ala	Ser	Glu	Ala	Asn	
			3505						3510						3515	
act	tac	ttg	aat	tcc	aag	agc	aca	cgg	tct	tca	gtg	aag	ctg	cag	ggc	10730
Thr	Tyr	Leu	Asn	Ser	Lys	Ser	Thr	Arg	Ser	Ser	Val	Lys	Leu	Gln	Gly	
			3520						3525						3530	
act	tcc	aaa	att	gat	gat	atc	tgg	aac	ctt	gaa	gta	aaa	gaa	aat	ttt	10778
Thr	Ser	Lys	Ile	Asp	Asp	Ile	Trp	Asn	Leu	Glu	Val	Lys	Glu	Asn	Phe	
					3540					3545					3550	
gct	gga	gaa	gcc	aca	ctc	caa	cgc	ata	tat	tcc	ctc	tgg	gag	cac	agt	10826
Ala	Gly	Glu	Ala	Thr	Leu	Gln	Arg	Ile	Tyr	Ser	Leu	Trp	Glu	His	Ser	
					3555					3560					3565	
acg	aaa	aac	cac	tta	cag	cta	gag	ggc	ctc	ttt	ttc	acc	aac	gga	gaa	10874
Thr	Lys	Asn	His	Leu	Gln	Leu	Glu	Gly	Leu	Phe	Phe	Thr	Asn	Gly	Glu	
				3570					3575						3580	
cat	aca	agc	aaa	gcc	acc	ctg	gaa	ctc	tct	cca	tgg	caa	atg	tca	gct	10922
His	Thr	Ser	Lys	Ala	Thr	Leu	Glu	Leu	Ser	Pro	Trp	Gln	Met	Ser	Ala	
				3585					3590						3595	
ctt	gtt	cag	gtc	cat	gca	agt	cag	ccc	agt	tcc	ttc	cat	gat	ttc	cct	10970
Leu	Val	Gln	Val	His	Ala	Ser	Gln	Pro	Ser	Ser	Phe	His	Asp	Phe	Pro	
			3600						3605						3610	
gac	ctt	ggc	cag	gaa	gtg	gcc	ctg	aat	gct	aac	act	aag	aac	cag	aag	11018
Asp	Leu	Gly	Gln	Glu	Val	Ala	Leu	Asn	Ala	Asn	Thr	Lys	Asn	Gln	Lys	
					3620					3625					3630	
atc	aga	tgg	aaa	aat	gaa	gtc	cgg	att	cat	tct	ggg	tct	ttc	cag	agc	11066
Ile	Arg	Trp	Lys	Asn	Glu	Val	Arg	Ile	His	Ser	Gly	Ser	Phe	Gln	Ser	
					3635					3640					3645	
cag	gtc	gag	ctt	tcc	aat	gac	caa	gaa	aag	gca	cac	ctt	gac	att	gca	11114
Gln	Val	Glu	Leu	Ser	Asn	Asp	Gln	Glu	Lys	Ala	His	Leu	Asp	Ile	Ala	
				3650					3655						3660	
gga	tcc	tta	gaa	gga	cac	cta	agg	ttc	ctc	aaa	aat	atc	atc	cta	cca	11162
Gly	Ser	Leu	Glu	Gly	His	Leu	Arg	Phe	Leu	Lys	Asn	Ile	Ile	Leu	Pro	
				3665					3670						3675	
gtc	tat	gac	aag	agc	tta	tgg	gat	ttc	cta	aag	ctg	gat	gta	acc	acc	11210
Val	Tyr	Asp	Lys	Ser	Leu	Trp	Asp	Phe	Leu	Lys	Leu	Asp	Val	Thr	Thr	
				3680					3685						3690	
agc	att	ggt	agg	aga	cag	cat	ctt	cgt	gtt	tca	act	gcc	ttt	gtg	tac	11258
Ser	Ile	Gly	Arg	Arg	Gln	His	Leu	Arg	Val	Ser	Thr	Ala	Phe	Val	Tyr	
					3700					3705					3710	
acc	aaa	aac	ccc	aat	ggc	tat	tca	ttc	tcc	atc	cct	gta	aaa	gtt	ttg	11306
Thr	Lys	Asn	Pro	Asn	Gly	Tyr	Ser	Phe	Ser	Ile	Pro	Val	Lys	Val	Leu	
					3715					3720					3725	
gct	gat	aaa	ttc	att	act	cct	ggg	ctg	aaa	cta	aat	gat	cta	aat	tca	11354
Ala	Asp	Lys	Phe	Ile	Thr	Pro	Gly	Leu	Lys	Leu	Asn	Asp	Leu	Asn	Ser	
					3730					3735					3740	
gtt	ctt	gtc	atg	cct	acg	ttc	cat	gtc	cca	ttt	aca	gat	ctt	cag	gtt	11402

-continued

Val	Leu	Val	Met	Pro	Thr	Phe	His	Val	Pro	Phe	Thr	Asp	Leu	Gln	Val	
		3745						3750					3755			
cca	tcg	tgc	aaa	ctt	gac	ttc	aga	gaa	ata	caa	atc	tat	aag	aag	ctg	11450
Pro	Ser	Cys	Lys	Leu	Asp	Phe	Arg	Glu	Ile	Gln	Ile	Tyr	Lys	Lys	Leu	
		3760				3765					3770					
aga	act	tca	tca	ttt	gcc	ctc	aac	cta	cca	aca	ctc	ccc	gag	gta	aaa	11498
Arg	Thr	Ser	Ser	Phe	Ala	Leu	Asn	Leu	Pro	Thr	Leu	Pro	Glu	Val	Lys	
3775					3780					3785					3790	
ttc	cct	gaa	gtt	gat	gtg	tta	aca	aaa	tat	tct	caa	cca	gaa	gac	tcc	11546
Phe	Pro	Glu	Val	Asp	Val	Leu	Thr	Lys	Tyr	Ser	Gln	Pro	Glu	Asp	Ser	
					3795					3800					3805	
ttg	att	ccc	ttt	ttt	gag	ata	acc	gtg	cct	gaa	tct	cag	tta	act	gtg	11594
Leu	Ile	Pro	Phe	Phe	Glu	Ile	Thr	Val	Pro	Glu	Ser	Gln	Leu	Thr	Val	
			3810					3815					3820			
tcc	cag	ttc	acg	ctt	cca	aaa	agt	gtt	tca	gat	ggc	att	gct	gct	ttg	11642
Ser	Gln	Phe	Thr	Leu	Pro	Lys	Ser	Val	Ser	Asp	Gly	Ile	Ala	Ala	Leu	
		3825					3830					3835				
gat	cta	aat	gca	gta	gcc	aac	aag	atc	gca	gac	ttt	gag	ttg	ccc	acc	11690
Asp	Leu	Asn	Ala	Val	Ala	Asn	Lys	Ile	Ala	Asp	Phe	Glu	Leu	Pro	Thr	
		3840				3845					3850					
atc	atc	gtg	cct	gag	cag	acc	att	gag	att	ccc	tcc	att	aag	ttc	tct	11738
Ile	Ile	Val	Pro	Glu	Gln	Thr	Ile	Glu	Ile	Pro	Ser	Ile	Lys	Phe	Ser	
3855					3860					3865					3870	
gta	cct	gct	gga	att	gtc	att	cct	tcc	ttt	caa	gca	ctg	act	gca	cgc	11786
Val	Pro	Ala	Gly	Ile	Val	Ile	Pro	Ser	Phe	Gln	Ala	Leu	Thr	Ala	Arg	
				3875					3880					3885		
ttt	gag	gta	gac	tct	ccc	gtg	tat	aat	gcc	act	tgg	agt	gcc	agt	ttg	11834
Phe	Glu	Val	Asp	Ser	Pro	Val	Tyr	Asn	Ala	Thr	Trp	Ser	Ala	Ser	Leu	
			3890					3895					3900			
aaa	aac	aaa	gca	gat	tat	gtt	gaa	aca	gtc	ctg	gat	tcc	aca	tgc	agc	11882
Lys	Asn	Lys	Ala	Asp	Tyr	Val	Glu	Thr	Val	Leu	Asp	Ser	Thr	Cys	Ser	
		3905					3910					3915				
tca	acc	gta	cag	ttc	cta	gaa	tat	gaa	cta	aat	gtt	ttg	gga	aca	cac	11930
Ser	Thr	Val	Gln	Phe	Leu	Glu	Tyr	Glu	Leu	Asn	Val	Leu	Gly	Thr	His	
		3920				3925					3930					
aaa	atc	gaa	gat	ggc	acg	tta	gcc	tct	aag	act	aaa	gga	aca	ctt	gca	11978
Lys	Ile	Glu	Asp	Gly	Thr	Leu	Ala	Ser	Lys	Thr	Lys	Gly	Thr	Leu	Ala	
3935					3940				3945					3950		
cac	cgt	gac	ttc	agt	gca	gaa	tat	gaa	gaa	gat	ggc	aaa	ttt	gaa	gga	12026
His	Arg	Asp	Phe	Ser	Ala	Glu	Tyr	Glu	Glu	Asp	Gly	Lys	Phe	Glu	Gly	
			3955					3960					3965			
ctt	cag	gaa	tgg	gaa	gga	aaa	gcg	cac	ctc	aat	atc	aaa	agc	cca	gcg	12074
Leu	Gln	Glu	Trp	Glu	Gly	Lys	Ala	His	Leu	Asn	Ile	Lys	Ser	Pro	Ala	
			3970					3975					3980			
ttc	acc	gat	ctc	cat	ctg	cgc	tac	cag	aaa	gac	aag	aaa	ggc	atc	tcc	12122
Phe	Thr	Asp	Leu	His	Leu	Arg	Tyr	Gln	Lys	Asp	Lys	Lys	Gly	Ile	Ser	
		3985					3990					3995				
acc	tca	gca	gcc	tcc	cca	gcc	gta	ggc	acc	gtg	ggc	atg	gat	atg	gat	12170
Thr	Ser	Ala	Ala	Ser	Pro	Ala	Val	Gly	Thr	Val	Gly	Met	Asp	Met	Asp	
		4000				4005					4010					
gaa	gat	gac	gac	ttt	tct	aaa	tgg	aac	ttc	tac	tac	agc	cct	cag	tcc	12218
Glu	Asp	Asp	Asp	Phe	Ser	Lys	Trp	Asn	Phe	Tyr	Tyr	Ser	Pro	Gln	Ser	
4015					4020					4025					4030	
tct	cca	gat	aaa	aaa	ctc	acc	ata	ttc	aaa	act	gag	ttg	agg	gtc	cgg	12266
Ser	Pro	Asp	Lys	Lys	Leu	Thr	Ile	Phe	Lys	Thr	Glu	Leu	Arg	Val	Arg	
				4035				4040						4045		
gaa	tct	gat	gag	gaa	act	cag	atc	aaa	gtt	aat	tgg	gaa	gaa	gag	gca	12314

Glu	Ser	Asp	Glu	Glu	Thr	Gln	Ile	Lys	Val	Asn	Trp	Glu	Glu	Glu	Ala	
			4050					4055					4060			
gct	tct	ggc	ttg	cta	acc	tct	ctg	aaa	gac	aac	gtg	ccc	aag	gcc	aca	12362
Ala	Ser	Gly	Leu	Leu	Thr	Ser	Leu	Lys	Asp	Asn	Val	Pro	Lys	Ala	Thr	
		4065					4070					4075				
ggg	gtc	ctt	tat	gat	tat	gtc	aac	aag	tac	cac	tgg	gaa	cac	aca	ggg	12410
Gly	Val	Leu	Tyr	Asp	Tyr	Val	Asn	Lys	Tyr	His	Trp	Glu	His	Thr	Gly	
		4080					4085				4090					
ctc	acc	ctg	aga	gaa	gtg	tct	tca	aag	ctg	aga	aga	aat	ctg	cag	aac	12458
Leu	Thr	Leu	Arg	Glu	Val	Ser	Ser	Lys	Leu	Arg	Arg	Asn	Leu	Gln	Asn	
		4095			4100					4105					4110	
aat	gct	gag	tgg	gtt	tat	caa	ggg	gcc	att	agg	caa	att	gat	gat	atc	12506
Asn	Ala	Glu	Trp	Val	Tyr	Gln	Gly	Ala	Ile	Arg	Gln	Ile	Asp	Asp	Ile	
				4115					4120					4125		
gac	gtg	agg	ttc	cag	aaa	gca	gcc	agt	ggc	acc	act	ggg	acc	tac	caa	12554
Asp	Val	Arg	Phe	Gln	Lys	Ala	Ala	Ser	Gly	Thr	Thr	Gly	Thr	Tyr	Gln	
			4130					4135					4140			
gag	tgg	aag	gac	aag	gcc	cag	aat	ctg	tac	cag	gaa	ctg	ttg	act	cag	12602
Glu	Trp	Lys	Asp	Lys	Ala	Gln	Asn	Leu	Tyr	Gln	Glu	Leu	Leu	Thr	Gln	
		4145					4150					4155				
gaa	ggc	caa	gcc	agt	ttc	cag	gga	ctc	aag	gat	aac	gtg	ttt	gat	ggc	12650
Glu	Gly	Gln	Ala	Ser	Phe	Gln	Gly	Leu	Lys	Asp	Asn	Val	Phe	Asp	Gly	
		4160					4165				4170					
ttg	gta	oga	gtt	act	caa	aaa	ttc	cat	atg	aaa	gtc	aag	cat	ctg	att	12698
Leu	Val	Arg	Val	Thr	Gln	Lys	Phe	His	Met	Lys	Val	Lys	His	Leu	Ile	
		4175			4180				4185					4190		
gac	tca	ctc	att	gat	ttt	ctg	aac	ttc	ccc	aga	ttc	cag	ttt	ccg	ggg	12746
Asp	Ser	Leu	Ile	Asp	Phe	Leu	Asn	Phe	Pro	Arg	Phe	Gln	Phe	Pro	Gly	
				4195					4200					4205		
aaa	cct	ggg	ata	tac	act	agg	gag	gaa	ctt	tgc	act	atg	ttc	ata	agg	12794
Lys	Pro	Gly	Ile	Tyr	Thr	Arg	Glu	Glu	Leu	Cys	Thr	Met	Phe	Ile	Arg	
			4210				4215						4220			
gag	gta	ggg	acg	gta	ctg	tcc	cag	gta	tat	tcg	aaa	gtc	cat	aat	ggt	12842
Glu	Val	Gly	Thr	Val	Leu	Ser	Gln	Val	Tyr	Ser	Lys	Val	His	Asn	Gly	
		4225					4230					4235				
tca	gaa	ata	ctg	ttt	tcc	tat	ttc	caa	gac	cta	gtg	att	aca	ctt	cct	12890
Ser	Glu	Ile	Leu	Phe	Ser	Tyr	Phe	Gln	Asp	Leu	Val	Ile	Thr	Leu	Pro	
		4240					4245				4250					
ttc	gag	tta	agg	aaa	cat	aaa	cta	ata	gat	gta	atc	tcg	atg	tat	agg	12938
Phe	Glu	Leu	Arg	Lys	His	Lys	Leu	Ile	Asp	Val	Ile	Ser	Met	Tyr	Arg	
		4255			4260				4265					4270		
gaa	ctg	ttg	aaa	gat	tta	tca	aaa	gaa	gcc	caa	gag	gta	ttt	aaa	gcc	12986
Glu	Leu	Leu	Lys	Asp	Leu	Ser	Lys	Glu	Ala	Gln	Glu	Val	Phe	Lys	Ala	
			4275					4280					4285			
att	cag	tct	ctc	aag	acc	aca	gag	gtg	cta	cgt	aat	ctt	cag	gac	ctt	13034
Ile	Gln	Ser	Leu	Lys	Thr	Thr	Glu	Val	Leu	Arg	Asn	Leu	Gln	Asp	Leu	
			4290				4295						4300			
tta	caa	tto	att	tto	caa	cta	ata	gaa	gat	aac	att	aaa	cag	ctg	aaa	13082
Leu	Gln	Phe	Ile	Phe	Gln	Leu	Ile	Glu	Asp	Asn	Ile	Lys	Gln	Leu	Lys	
		4305				4310						4315				
gag	atg	aaa	ttt	act	tat	ctt	att	aat	tat	atc	caa	gat	gag	atc	aac	13130
Glu	Met	Lys	Phe	Thr	Tyr	Leu	Ile	Asn	Tyr	Ile	Gln	Asp	Glu	Ile	Asn	
		4320			4325					4330						
aca	atc	ttc	aat	gat	tat	atc	cca	tat	gtt	ttt	aaa	ttg	ttg	aaa	gaa	13178
Thr	Ile	Phe	Asn	Asp	Tyr	Ile	Pro	Tyr	Val	Phe	Lys	Leu	Leu	Lys	Glu	
		4335			4340					4345				4350		
aac	cta	tgc	ctt	aat	ctt	cat	aag	ttc	aat	gaa	ttt	att	caa	aac	gag	13222

-continued

Asn	Leu	Cys	Leu	Asn	Leu	His	Lys	Phe	Asn	Glu	Phe	Ile	Gln	Asn	Glu		
				4355					4360					4365			
ctt	cag	gaa	gct	tct	caa	gag	tta	cag	cag	atc	cat	caa	tac	att	atg		13274
Leu	Gln	Glu	Ala	Ser	Gln	Glu	Leu	Gln	Gln	Ile	His	Gln	Tyr	Ile	Met		
				4370				4375					4380				
gcc	ctt	cgt	gaa	gaa	tat	ttt	gat	cca	agt	ata	gtt	ggc	tgg	aca	gtg		13322
Ala	Leu	Arg	Glu	Glu	Tyr	Phe	Asp	Pro	Ser	Ile	Val	Gly	Trp	Thr	Val		
				4385				4390					4395				
aaa	tat	tat	gaa	ctt	gaa	gaa	aag	ata	gtc	agt	ctg	atc	aag	aac	ctg		13370
Lys	Tyr	Tyr	Glu	Leu	Glu	Glu	Lys	Ile	Val	Ser	Leu	Ile	Lys	Asn	Leu		
				4400				4405				4410					
tta	gtt	gct	ctt	aag	gac	ttc	cat	tct	gaa	tat	att	gtc	agt	gcc	tct		13418
Leu	Val	Ala	Leu	Lys	Asp	Phe	His	Ser	Glu	Tyr	Ile	Val	Ser	Ala	Ser		
				4415				4420				4425			4430		
aac	ttt	act	tcc	caa	ctc	tca	agt	caa	gtt	gag	caa	ttt	ctg	cac	aga		13466
Asn	Phe	Thr	Ser	Gln	Leu	Ser	Ser	Gln	Val	Glu	Gln	Phe	Leu	His	Arg		
				4435				4440					4445				
aat	att	cag	gaa	tat	ctt	agc	atc	ctt	acc	gat	cca	gat	gga	aaa	ggg		13514
Asn	Ile	Gln	Glu	Tyr	Leu	Ser	Ile	Leu	Thr	Asp	Pro	Asp	Gly	Lys	Gly		
				4450				4455					4460				
aaa	gag	aag	att	gca	gag	ctt	tct	gcc	act	gct	cag	gaa	ata	att	aaa		13562
Lys	Glu	Lys	Ile	Ala	Glu	Leu	Ser	Ala	Thr	Ala	Gln	Glu	Ile	Ile	Lys		
				4465				4470				4475					
agc	cag	gcc	att	gog	acg	aag	aaa	ata	att	tot	gat	tac	cac	cag	cag		13610
Ser	Gln	Ala	Ile	Ala	Thr	Lys	Lys	Ile	Ile	Ser	Asp	Tyr	His	Gln	Gln		
				4480				4485				4490					
ttt	aga	tat	aaa	ctg	caa	gat	ttt	tca	gac	caa	ctc	tct	gat	tac	tat		13658
Phe	Arg	Tyr	Lys	Leu	Gln	Asp	Phe	Ser	Asp	Gln	Leu	Ser	Asp	Tyr	Tyr		
				4495				4500				4505			4510		
gaa	aaa	ttt	att	gct	gaa	tcc	aaa	aga	ttg	att	gac	ctg	tcc	att	caa		13706
Glu	Lys	Phe	Ile	Ala	Glu	Ser	Lys	Arg	Leu	Ile	Asp	Leu	Ser	Ile	Gln		
				4515				4520					4525				
aac	tac	cac	aca	ttt	ctg	ata	tac	atc	acg	gag	tta	ctg	aaa	aag	ctg		13754
Asn	Tyr	His	Thr	Phe	Leu	Ile	Tyr	Ile	Thr	Glu	Leu	Leu	Lys	Lys	Leu		
				4530				4535					4540				
caa	tca	acc	aca	gtc	atg	aac	ccc	tac	atg	aag	ctt	gct	cca	gga	gaa		13802
Gln	Ser	Thr	Thr	Val	Met	Asn	Pro	Tyr	Met	Lys	Leu	Ala	Pro	Gly	Glu		
				4545				4550				4555					
ctt	act	atc	atc	ctc	taa	ttttttaaaa	gaaatcttca	tttattcttc									13850
Leu	Thr	Ile	Ile	Leu	*												
				4560													
ttttccaatt	gaactttcac	atagcacaga	aaaaattcaa	actgcctata	ttgataaaac												13910
catcacagtga	gccagccttg	cagtaggcag	tagactataa	gcagaagcac	atatgaactg												13970
gacctgcacc	aaagctggca	ccagggtctg	gaaggtctct	gaactcagaa	ggatggcatt												14030
ttttgcaagt	taaaagaaaat	caggatotga	gttatttttg	taaaacttggg	ggaggaggaa												14090
caaataaatg	gagtctttat	tgtgtatcat	a														14121

<210> SEQ ID NO 32
 <211> LENGTH: 4563
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapien

 <400> SEQUENCE: 32

 Met Asp Pro Pro Arg Pro Ala Leu Leu Ala Leu Leu Ala Leu Pro Ala
 1 5 10 15

-continued

Leu	Leu	Leu	Leu	Leu	Leu	Ala	Gly	Ala	Arg	Ala	Glu	Glu	Glu	Met	Leu
			20					25						30	
Glu	Asn	Val	Ser	Leu	Val	Cys	Pro	Lys	Asp	Ala	Thr	Arg	Phe	Lys	His
		35					40					45			
Leu	Arg	Lys	Tyr	Thr	Tyr	Asn	Tyr	Glu	Ala	Glu	Ser	Ser	Ser	Gly	Val
	50					55					60				
Pro	Gly	Thr	Ala	Asp	Ser	Arg	Ser	Ala	Thr	Arg	Ile	Asn	Cys	Lys	Val
65					70					75					80
Glu	Leu	Glu	Val	Pro	Gln	Leu	Cys	Ser	Phe	Ile	Leu	Lys	Thr	Ser	Gln
				85					90					95	
Cys	Thr	Leu	Lys	Glu	Val	Tyr	Gly	Phe	Asn	Pro	Glu	Gly	Lys	Ala	Leu
			100					105					110		
Leu	Lys	Lys	Thr	Lys	Asn	Ser	Glu	Glu	Phe	Ala	Ala	Ala	Met	Ser	Arg
		115					120					125			
Tyr	Glu	Leu	Lys	Leu	Ala	Ile	Pro	Glu	Gly	Lys	Gln	Val	Phe	Leu	Tyr
	130					135					140				
Pro	Glu	Lys	Asp	Glu	Pro	Thr	Tyr	Ile	Leu	Asn	Ile	Lys	Arg	Gly	Ile
145					150					155					160
Ile	Ser	Ala	Leu	Leu	Val	Pro	Pro	Glu	Thr	Glu	Glu	Ala	Lys	Gln	Val
				165					170					175	
Leu	Phe	Leu	Asp	Thr	Val	Tyr	Gly	Asn	Cys	Ser	Thr	His	Phe	Thr	Val
			180					185					190		
Lys	Thr	Arg	Lys	Gly	Asn	Val	Ala	Thr	Glu	Ile	Ser	Thr	Glu	Arg	Asp
		195					200					205			
Leu	Gly	Gln	Cys	Asp	Arg	Phe	Lys	Pro	Ile	Arg	Thr	Gly	Ile	Ser	Pro
	210					215					220				
Leu	Ala	Leu	Ile	Lys	Gly	Met	Thr	Arg	Pro	Leu	Ser	Thr	Leu	Ile	Ser
225					230					235					240
Ser	Ser	Gln	Ser	Cys	Gln	Tyr	Thr	Leu	Asp	Ala	Lys	Arg	Lys	His	Val
				245					250					255	
Ala	Glu	Ala	Ile	Cys	Lys	Glu	Gln	His	Leu	Phe	Leu	Pro	Phe	Ser	Tyr
			260					265					270		
Asn	Asn	Lys	Tyr	Gly	Met	Val	Ala	Gln	Val	Thr	Gln	Thr	Leu	Lys	Leu
		275					280					285			
Glu	Asp	Thr	Pro	Lys	Ile	Asn	Ser	Arg	Phe	Phe	Gly	Glu	Gly	Thr	Lys
	290					295					300				
Lys	Met	Gly	Leu	Ala	Phe	Glu	Ser	Thr	Lys	Ser	Thr	Ser	Pro	Pro	Lys
305					310					315					320
Gln	Ala	Glu	Ala	Val	Leu	Lys	Thr	Leu	Gln	Glu	Leu	Lys	Lys	Leu	Thr
				325					330					335	
Ile	Ser	Glu	Gln	Asn	Ile	Gln	Arg	Ala	Asn	Leu	Phe	Asn	Lys	Leu	Val
			340					345					350		
Thr	Glu	Leu	Arg	Gly	Leu	Ser	Asp	Glu	Ala	Val	Thr	Ser	Leu	Leu	Pro
		355					360					365			
Gln	Leu	Ile	Glu	Val	Ser	Ser	Pro	Ile	Thr	Leu	Gln	Ala	Leu	Val	Gln
	370					375					380				
Cys	Gly	Gln	Pro	Gln	Cys	Ser	Thr	His	Ile	Leu	Gln	Trp	Leu	Lys	Arg
385					390					395					400
Val	His	Ala	Asn	Pro	Leu	Leu	Ile	Asp	Val	Val	Thr	Tyr	Leu	Val	Ala
				405					410					415	
Leu	Ile	Pro	Glu	Pro	Ser	Ala	Gln	Gln	Leu	Arg	Glu	Ile	Phe	Asn	Met

-continued

420							425					430				
Ala	Arg	Asp	Gln	Arg	Ser	Arg	Ala	Thr	Leu	Tyr	Ala	Leu	Ser	His	Ala	
		435					440					445				
Val	Asn	Asn	Tyr	His	Lys	Thr	Asn	Pro	Thr	Gly	Thr	Gln	Glu	Leu	Leu	
	450					455					460					
Asp	Ile	Ala	Asn	Tyr	Leu	Met	Glu	Gln	Ile	Gln	Asp	Asp	Cys	Thr	Gly	
465					470					475					480	
Asp	Glu	Asp	Tyr	Thr	Tyr	Leu	Ile	Leu	Arg	Val	Ile	Gly	Asn	Met	Gly	
				485					490					495		
Gln	Thr	Met	Glu	Gln	Leu	Thr	Pro	Glu	Leu	Lys	Ser	Ser	Ile	Leu	Lys	
			500					505					510			
Cys	Val	Gln	Ser	Thr	Lys	Pro	Ser	Leu	Met	Ile	Gln	Lys	Ala	Ala	Ile	
		515					520					525				
Gln	Ala	Leu	Arg	Lys	Met	Glu	Pro	Lys	Asp	Lys	Asp	Gln	Glu	Val	Leu	
	530					535					540					
Leu	Gln	Thr	Phe	Leu	Asp	Asp	Ala	Ser	Pro	Gly	Asp	Lys	Arg	Leu	Ala	
545					550					555					560	
Ala	Tyr	Leu	Met	Leu	Met	Arg	Ser	Pro	Ser	Gln	Ala	Asp	Ile	Asn	Lys	
				565					570					575		
Ile	Val	Gln	Ile	Leu	Pro	Trp	Glu	Gln	Asn	Glu	Gln	Val	Lys	Asn	Phe	
			580					585					590			
Val	Ala	Ser	His	Ile	Ala	Asn	Ile	Leu	Asn	Ser	Glu	Glu	Leu	Asp	Ile	
	595						600					605				
Gln	Asp	Leu	Lys	Lys	Leu	Val	Lys	Glu	Ala	Leu	Lys	Glu	Ser	Gln	Leu	
	610					615						620				
Pro	Thr	Val	Met	Asp	Phe	Arg	Lys	Phe	Ser	Arg	Asn	Tyr	Gln	Leu	Tyr	
625					630					635					640	
Lys	Ser	Val	Ser	Leu	Pro	Ser	Leu	Asp	Pro	Ala	Ser	Ala	Lys	Ile	Glu	
				645					650					655		
Gly	Asn	Leu	Ile	Phe	Asp	Pro	Asn	Asn	Tyr	Leu	Pro	Lys	Glu	Ser	Met	
		660						665					670			
Leu	Lys	Thr	Thr	Leu	Thr	Ala	Phe	Gly	Phe	Ala	Ser	Ala	Asp	Leu	Ile	
		675					680					685				
Glu	Ile	Gly	Leu	Glu	Gly	Lys	Gly	Phe	Glu	Pro	Thr	Leu	Glu	Ala	Leu	
	690					695					700					
Phe	Gly	Lys	Gln	Gly	Phe	Phe	Pro	Asp	Ser	Val	Asn	Lys	Ala	Leu	Tyr	
705					710					715					720	
Trp	Val	Asn	Gly	Gln	Val	Pro	Asp	Gly	Val	Ser	Lys	Val	Leu	Val	Asp	
				725					730					735		
His	Phe	Gly	Tyr	Thr	Lys	Asp	Asp	Lys	His	Glu	Gln	Asp	Met	Val	Asn	
			740					745					750			
Gly	Ile	Met	Leu	Ser	Val	Glu	Lys	Leu	Ile	Lys	Asp	Leu	Lys	Ser	Lys	
		755					760					765				
Glu	Val	Pro	Glu	Ala	Arg	Ala	Tyr	Leu	Arg	Ile	Leu	Gly	Glu	Glu	Leu	
	770					775						780				
Gly	Phe	Ala	Ser	Leu	His	Asp	Leu	Gln	Leu	Leu	Gly	Lys	Leu	Leu	Leu	
785					790					795					800	
Met	Gly	Ala	Arg	Thr	Leu	Gln	Gly	Ile	Pro	Gln	Met	Ile	Gly	Glu	Val	
				805					810					815		
Ile	Arg	Lys	Gly	Ser	Lys	Asn	Asp	Phe	Phe	Leu	His	Tyr	Ile	Phe	Met	
			820					825					830			

-continued

Glu	Asn	Ala	Phe	Glu	Leu	Pro	Thr	Gly	Ala	Gly	Leu	Gln	Leu	Gln	Ile	835	840	845
Ser	Ser	Ser	Gly	Val	Ile	Ala	Pro	Gly	Ala	Lys	Ala	Gly	Val	Lys	Leu	850	855	860
Glu	Val	Ala	Asn	Met	Gln	Ala	Glu	Leu	Val	Ala	Lys	Pro	Ser	Val	Ser	865	870	875
Val	Glu	Phe	Val	Thr	Asn	Met	Gly	Ile	Ile	Ile	Pro	Asp	Phe	Ala	Arg	885	890	895
Ser	Gly	Val	Gln	Met	Asn	Thr	Asn	Phe	Phe	His	Glu	Ser	Gly	Leu	Glu	900	905	910
Ala	His	Val	Ala	Leu	Lys	Ala	Gly	Lys	Leu	Lys	Phe	Ile	Ile	Pro	Ser	915	920	925
Pro	Lys	Arg	Pro	Val	Lys	Leu	Leu	Ser	Gly	Gly	Asn	Thr	Leu	His	Leu	930	935	940
Val	Ser	Thr	Thr	Lys	Thr	Glu	Val	Ile	Pro	Pro	Leu	Ile	Glu	Asn	Arg	945	950	955
Gln	Ser	Trp	Ser	Val	Cys	Lys	Gln	Val	Phe	Pro	Gly	Leu	Asn	Tyr	Cys	965	970	975
Thr	Ser	Gly	Ala	Tyr	Ser	Asn	Ala	Ser	Ser	Thr	Asp	Ser	Ala	Ser	Tyr	980	985	990
Tyr	Pro	Leu	Thr	Gly	Asp	Thr	Arg	Leu	Glu	Leu	Glu	Leu	Arg	Pro	Thr	995	1000	1005
Gly	Glu	Ile	Glu	Gln	Tyr	Ser	Val	Ser	Ala	Thr	Tyr	Glu	Leu	Gln	Arg	1010	1015	1020
Glu	Asp	Arg	Ala	Leu	Val	Asp	Thr	Leu	Lys	Phe	Val	Thr	Gln	Ala	Glu	1025	1030	1035
Gly	Ala	Lys	Gln	Thr	Glu	Ala	Thr	Met	Thr	Phe	Lys	Tyr	Asn	Arg	Gln	1045	1050	1055
Ser	Met	Thr	Leu	Ser	Ser	Glu	Val	Gln	Ile	Pro	Asp	Phe	Asp	Val	Asp	1060	1065	1070
Leu	Gly	Thr	Ile	Leu	Arg	Val	Asn	Asp	Glu	Ser	Thr	Glu	Gly	Lys	Thr	1075	1080	1085
Ser	Tyr	Arg	Leu	Thr	Leu	Asp	Ile	Gln	Asn	Lys	Lys	Ile	Thr	Glu	Val	1090	1095	1100
Ala	Leu	Met	Gly	His	Leu	Ser	Cys	Asp	Thr	Lys	Glu	Glu	Arg	Lys	Ile	1105	1110	1115
Lys	Gly	Val	Ile	Ser	Ile	Pro	Arg	Leu	Gln	Ala	Glu	Ala	Arg	Ser	Glu	1125	1130	1135
Ile	Leu	Ala	His	Trp	Ser	Pro	Ala	Lys	Leu	Leu	Leu	Gln	Met	Asp	Ser	1140	1145	1150
Ser	Ala	Thr	Ala	Tyr	Gly	Ser	Thr	Val	Ser	Lys	Arg	Val	Ala	Trp	His	1155	1160	1165
Tyr	Asp	Glu	Glu	Lys	Ile	Glu	Phe	Glu	Trp	Asn	Thr	Gly	Thr	Asn	Val	1170	1175	1180
Asp	Thr	Lys	Lys	Met	Thr	Ser	Asn	Phe	Pro	Val	Asp	Leu	Ser	Asp	Tyr	1185	1190	1195
Pro	Lys	Ser	Leu	His	Met	Tyr	Ala	Asn	Arg	Leu	Leu	Asp	His	Arg	Val	1205	1210	1215
Pro	Glu	Thr	Asp	Met	Thr	Phe	Arg	His	Val	Gly	Ser	Lys	Leu	Ile	Val	1220	1225	1230

-continued

Ala Met Ser Ser Trp Leu Gln Lys Ala Ser Gly Ser Leu Pro Tyr Thr	1235	1240	1245
Gln Thr Leu Gln Asp His Leu Asn Ser Leu Lys Glu Phe Asn Leu Gln	1250	1255	1260
Asn Met Gly Leu Pro Asp Phe His Ile Pro Glu Asn Leu Phe Leu Lys	1265	1270	1275
Ser Asp Gly Arg Val Lys Tyr Thr Leu Asn Lys Asn Ser Leu Lys Ile	1285	1290	1295
Glu Ile Pro Leu Pro Phe Gly Gly Lys Ser Ser Arg Asp Leu Lys Met	1300	1305	1310
Leu Glu Thr Val Arg Thr Pro Ala Leu His Phe Lys Ser Val Gly Phe	1315	1320	1325
His Leu Pro Ser Arg Glu Phe Gln Val Pro Thr Phe Thr Ile Pro Lys	1330	1335	1340
Leu Tyr Gln Leu Gln Val Pro Leu Leu Gly Val Leu Asp Leu Ser Thr	1345	1350	1355
Asn Val Tyr Ser Asn Leu Tyr Asn Trp Ser Ala Ser Tyr Ser Gly Gly	1365	1370	1375
Asn Thr Ser Thr Asp His Phe Ser Leu Arg Ala Arg Tyr His Met Lys	1380	1385	1390
Ala Asp Ser Val Val Asp Leu Leu Ser Tyr Asn Val Gln Gly Ser Gly	1395	1400	1405
Glu Thr Thr Tyr Asp His Lys Asn Thr Phe Thr Leu Ser Cys Asp Gly	1410	1415	1420
Ser Leu Arg His Lys Phe Leu Asp Ser Asn Ile Lys Phe Ser His Val	1425	1430	1435
Glu Lys Leu Gly Asn Asn Pro Val Ser Lys Gly Leu Leu Ile Phe Asp	1445	1450	1455
Ala Ser Ser Ser Trp Gly Pro Gln Met Ser Ala Ser Val His Leu Asp	1460	1465	1470
Ser Lys Lys Lys Gln His Leu Phe Val Lys Glu Val Lys Ile Asp Gly	1475	1480	1485
Gln Phe Arg Val Ser Ser Phe Tyr Ala Lys Gly Thr Tyr Gly Leu Ser	1490	1495	1500
Cys Gln Arg Asp Pro Asn Thr Gly Arg Leu Asn Gly Glu Ser Asn Leu	1505	1510	1515
Arg Phe Asn Ser Ser Tyr Leu Gln Gly Thr Asn Gln Ile Thr Gly Arg	1525	1530	1535
Tyr Glu Asp Gly Thr Leu Ser Leu Thr Ser Thr Ser Asp Leu Gln Ser	1540	1545	1550
Gly Ile Ile Lys Asn Thr Ala Ser Leu Lys Tyr Glu Asn Tyr Glu Leu	1555	1560	1565
Thr Leu Lys Ser Asp Thr Asn Gly Lys Tyr Lys Asn Phe Ala Thr Ser	1570	1575	1580
Asn Lys Met Asp Met Thr Phe Ser Lys Gln Asn Ala Leu Leu Arg Ser	1585	1590	1595
Glu Tyr Gln Ala Asp Tyr Glu Ser Leu Arg Phe Phe Ser Leu Leu Ser	1605	1610	1615
Gly Ser Leu Asn Ser His Gly Leu Glu Leu Asn Ala Asp Ile Leu Gly	1620	1625	1630
Thr Asp Lys Ile Asn Ser Gly Ala His Lys Ala Thr Leu Arg Ile Gly			

-continued

1635					1640					1645						
Gln	Asp	Gly	Ile	Ser	Thr	Ser	Ala	Thr	Thr	Asn	Leu	Lys	Cys	Ser	Leu	
1650					1655					1660						
Leu	Val	Leu	Glu	Asn	Glu	Leu	Asn	Ala	Glu	Leu	Gly	Leu	Ser	Gly	Ala	
1665					1670					1675					1680	
Ser	Met	Lys	Leu	Thr	Thr	Asn	Gly	Arg	Phe	Arg	Glu	His	Asn	Ala	Lys	
1685					1690					1695						
Phe	Ser	Leu	Asp	Gly	Lys	Ala	Ala	Leu	Thr	Glu	Leu	Ser	Leu	Gly	Ser	
1700					1705					1710						
Ala	Tyr	Gln	Ala	Met	Ile	Leu	Gly	Val	Asp	Ser	Lys	Asn	Ile	Phe	Asn	
1715					1720					1725						
Phe	Lys	Val	Ser	Gln	Glu	Gly	Leu	Lys	Leu	Ser	Asn	Asp	Met	Met	Gly	
1730					1735					1740						
Ser	Tyr	Ala	Glu	Met	Lys	Phe	Asp	His	Thr	Asn	Ser	Leu	Asn	Ile	Ala	
1745					1750					1755					1760	
Gly	Leu	Ser	Leu	Asp	Phe	Ser	Ser	Lys	Leu	Asp	Asn	Ile	Tyr	Ser	Ser	
1765					1770					1775						
Asp	Lys	Phe	Tyr	Lys	Gln	Thr	Val	Asn	Leu	Gln	Leu	Gln	Pro	Tyr	Ser	
1780					1785					1790						
Leu	Val	Thr	Thr	Leu	Asn	Ser	Asp	Leu	Lys	Tyr	Asn	Ala	Leu	Asp	Leu	
1795					1800					1805						
Thr	Asn	Asn	Gly	Lys	Leu	Arg	Leu	Glu	Pro	Leu	Lys	Leu	His	Val	Ala	
1810					1815					1820						
Gly	Asn	Leu	Lys	Gly	Ala	Tyr	Gln	Asn	Asn	Glu	Ile	Lys	His	Ile	Tyr	
1825					1830					1835					1840	
Ala	Ile	Ser	Ser	Ala	Ala	Leu	Ser	Ala	Ser	Tyr	Lys	Ala	Asp	Thr	Val	
1845					1850					1855						
Ala	Lys	Val	Gln	Gly	Val	Glu	Phe	Ser	His	Arg	Leu	Asn	Thr	Asp	Ile	
1860					1865					1870						
Ala	Gly	Leu	Ala	Ser	Ala	Ile	Asp	Met	Ser	Thr	Asn	Tyr	Asn	Ser	Asp	
1875					1880					1885						
Ser	Leu	His	Phe	Ser	Asn	Val	Phe	Arg	Ser	Val	Met	Ala	Pro	Phe	Thr	
1890					1895					1900						
Met	Thr	Ile	Asp	Ala	His	Thr	Asn	Gly	Asn	Gly	Lys	Leu	Ala	Leu	Trp	
1905					1910					1915					1920	
Gly	Glu	His	Thr	Gly	Gln	Leu	Tyr	Ser	Lys	Phe	Leu	Leu	Lys	Ala	Glu	
1925					1930					1935						
Pro	Leu	Ala	Phe	Thr	Phe	Ser	His	Asp	Tyr	Lys	Gly	Ser	Thr	Ser	His	
1940					1945					1950						
His	Leu	Val	Ser	Arg	Lys	Ser	Ile	Ser	Ala	Ala	Leu	Glu	His	Lys	Val	
1955					1960					1965						
Ser	Ala	Leu	Leu	Thr	Pro	Ala	Glu	Gln	Thr	Gly	Thr	Trp	Lys	Leu	Lys	
1970					1975					1980						
Thr	Gln	Phe	Asn	Asn	Asn	Glu	Tyr	Ser	Gln	Asp	Leu	Asp	Ala	Tyr	Asn	
1985					1990					1995					2000	
Thr	Lys	Asp	Lys	Ile	Gly	Val	Glu	Leu	Thr	Gly	Arg	Thr	Leu	Ala	Asp	
2005					2010					2015						
Leu	Thr	Leu	Leu	Asp	Ser	Pro	Ile	Lys	Val	Pro	Leu	Leu	Leu	Ser	Glu	
2020					2025					2030						
Pro	Ile	Asn	Ile	Ile	Asp	Ala	Leu	Glu	Met	Arg	Asp	Ala	Val	Glu	Lys	
2035					2040					2045						

-continued

Pro Gln Glu Phe Thr Ile Val Ala Phe Val Lys Tyr Asp Lys Asn Gln	
2050	2055 2060
Asp Val His Ser Ile Asn Leu Pro Phe Phe Glu Thr Leu Gln Glu Tyr	
2065	2070 2075 2080
Phe Glu Arg Asn Arg Gln Thr Ile Ile Val Val Val Glu Asn Val Gln	
	2085 2090 2095
Arg Asn Leu Lys His Ile Asn Ile Asp Gln Phe Val Arg Lys Tyr Arg	
	2100 2105 2110
Ala Ala Leu Gly Lys Leu Pro Gln Gln Ala Asn Asp Tyr Leu Asn Ser	
	2115 2120 2125
Phe Asn Trp Glu Arg Gln Val Ser His Ala Lys Glu Lys Leu Thr Ala	
	2130 2135 2140
Leu Thr Lys Lys Tyr Arg Ile Thr Glu Asn Asp Ile Gln Ile Ala Leu	
2145	2150 2155 2160
Asp Asp Ala Lys Ile Asn Phe Asn Glu Lys Leu Ser Gln Leu Gln Thr	
	2165 2170 2175
Tyr Met Ile Gln Phe Asp Gln Tyr Ile Lys Asp Ser Tyr Asp Leu His	
	2180 2185 2190
Asp Leu Lys Ile Ala Ile Ala Asn Ile Ile Asp Glu Ile Ile Glu Lys	
	2195 2200 2205
Leu Lys Ser Leu Asp Glu His Tyr His Ile Arg Val Asn Leu Val Lys	
	2210 2215 2220
Thr Ile His Asp Leu His Leu Phe Ile Glu Asn Ile Asp Phe Asn Lys	
2225	2230 2235 2240
Ser Gly Ser Ser Thr Ala Ser Trp Ile Gln Asn Val Asp Thr Lys Tyr	
	2245 2250 2255
Gln Ile Arg Ile Gln Ile Gln Glu Lys Leu Gln Gln Leu Lys Arg His	
	2260 2265 2270
Ile Gln Asn Ile Asp Ile Gln His Leu Ala Gly Lys Leu Lys Gln His	
	2275 2280 2285
Ile Glu Ala Ile Asp Val Arg Val Leu Leu Asp Gln Leu Gly Thr Thr	
	2290 2295 2300
Ile Ser Phe Glu Arg Ile Asn Asp Val Leu Glu His Val Lys His Phe	
2305	2310 2315 2320
Val Ile Asn Leu Ile Gly Asp Phe Glu Val Ala Glu Lys Ile Asn Ala	
	2325 2330 2335
Phe Arg Ala Lys Val His Glu Leu Ile Glu Arg Tyr Glu Val Asp Gln	
	2340 2345 2350
Gln Ile Gln Val Leu Met Asp Lys Leu Val Glu Leu Thr His Gln Tyr	
	2355 2360 2365
Lys Leu Lys Glu Thr Ile Gln Lys Leu Ser Asn Val Leu Gln Gln Val	
	2370 2375 2380
Lys Ile Lys Asp Tyr Phe Glu Lys Leu Val Gly Phe Ile Asp Asp Ala	
2385	2390 2395 2400
Val Lys Lys Leu Asn Glu Leu Ser Phe Lys Thr Phe Ile Glu Asp Val	
	2405 2410 2415
Asn Lys Phe Leu Asp Met Leu Ile Lys Lys Leu Lys Ser Phe Asp Tyr	
	2420 2425 2430
His Gln Phe Val Asp Glu Thr Asn Asp Lys Ile Arg Glu Val Thr Gln	
	2435 2440 2445

-continued

Arg Leu Asn Gly Glu Ile Gln Ala Leu Glu Leu Pro Gln Lys Ala Glu	
2450	2455 2460
Ala Leu Lys Leu Phe Leu Glu Glu Thr Lys Ala Thr Val Ala Val Tyr	
2465	2470 2475 2480
Leu Glu Ser Leu Gln Asp Thr Lys Ile Thr Leu Ile Ile Asn Trp Leu	
	2485 2490 2495
Gln Glu Ala Leu Ser Ser Ala Ser Leu Ala His Met Lys Ala Lys Phe	
	2500 2505 2510
Arg Glu Thr Leu Glu Asp Thr Arg Asp Arg Met Tyr Gln Met Asp Ile	
	2515 2520 2525
Gln Gln Glu Leu Gln Arg Tyr Leu Ser Leu Val Gly Gln Val Tyr Ser	
	2530 2535 2540
Thr Leu Val Thr Tyr Ile Ser Asp Trp Trp Thr Leu Ala Ala Lys Asn	
2545	2550 2555 2560
Leu Thr Asp Phe Ala Glu Gln Tyr Ser Ile Gln Asp Trp Ala Lys Arg	
	2565 2570 2575
Met Lys Ala Leu Val Glu Gln Gly Phe Thr Val Pro Glu Ile Lys Thr	
	2580 2585 2590
Ile Leu Gly Thr Met Pro Ala Phe Glu Val Ser Leu Gln Ala Leu Gln	
	2595 2600 2605
Lys Ala Thr Phe Gln Thr Pro Asp Phe Ile Val Pro Leu Thr Asp Leu	
	2610 2615 2620
Arg Ile Pro Ser Val Gln Ile Asn Phe Lys Asp Leu Lys Asn Ile Lys	
2625	2630 2635 2640
Ile Pro Ser Arg Phe Ser Thr Pro Glu Phe Thr Ile Leu Asn Thr Phe	
	2645 2650 2655
His Ile Pro Ser Phe Thr Ile Asp Phe Val Glu Met Lys Val Lys Ile	
	2660 2665 2670
Ile Arg Thr Ile Asp Gln Met Gln Asn Ser Glu Leu Gln Trp Pro Val	
	2675 2680 2685
Pro Asp Ile Tyr Leu Arg Asp Leu Lys Val Glu Asp Ile Pro Leu Ala	
	2690 2695 2700
Arg Ile Thr Leu Pro Asp Phe Arg Leu Pro Glu Ile Ala Ile Pro Glu	
2705	2710 2715 2720
Phe Ile Ile Pro Thr Leu Asn Leu Asn Asp Phe Gln Val Pro Asp Leu	
	2725 2730 2735
His Ile Pro Glu Phe Gln Leu Pro His Ile Ser His Thr Ile Glu Val	
	2740 2745 2750
Pro Thr Phe Gly Lys Leu Tyr Ser Ile Leu Lys Ile Gln Ser Pro Leu	
	2755 2760 2765
Phe Thr Leu Asp Ala Asn Ala Asp Ile Gly Asn Gly Thr Thr Ser Ala	
	2770 2775 2780
Asn Glu Ala Gly Ile Ala Ala Ser Ile Thr Ala Lys Gly Glu Ser Lys	
2785	2790 2795 2800
Leu Glu Val Leu Asn Phe Asp Phe Gln Ala Asn Ala Gln Leu Ser Asn	
	2805 2810 2815
Pro Lys Ile Asn Pro Leu Ala Leu Lys Glu Ser Val Lys Phe Ser Ser	
	2820 2825 2830
Lys Tyr Leu Arg Thr Glu His Gly Ser Glu Met Leu Phe Phe Gly Asn	
	2835 2840 2845
Ala Ile Glu Gly Lys Ser Asn Thr Val Ala Ser Leu His Thr Glu Lys	

-continued

2850	2855	2860
Asn Thr Leu Glu Leu Ser	Asn Gly Val Ile Val Lys Ile Asn Asn Gln	
2865	2870	2875 2880
Leu Thr Leu Asp Ser Asn Thr Lys Tyr Phe His Lys Leu Asn Ile Pro		
	2885	2890 2895
Lys Leu Asp Phe Ser Ser Gln Ala Asp Leu Arg Asn Glu Ile Lys Thr		
	2900	2905 2910
Leu Leu Lys Ala Gly His Ile Ala Trp Thr Ser Ser Gly Lys Gly Ser		
	2915	2920 2925
Trp Lys Trp Ala Cys Pro Arg Phe Ser Asp Glu Gly Thr His Glu Ser		
	2930	2935 2940
Gln Ile Ser Phe Thr Ile Glu Gly Pro Leu Thr Ser Phe Gly Leu Ser		
	2945	2950 2955 2960
Asn Lys Ile Asn Ser Lys His Leu Arg Val Asn Gln Asn Leu Val Tyr		
	2965	2970 2975
Glu Ser Gly Ser Leu Asn Phe Ser Lys Leu Glu Ile Gln Ser Gln Val		
	2980	2985 2990
Asp Ser Gln His Val Gly His Ser Val Leu Thr Ala Lys Gly Met Ala		
	2995	3000 3005
Leu Phe Gly Glu Gly Lys Ala Glu Phe Thr Gly Arg His Asp Ala His		
	3010	3015 3020
Leu Asn Gly Lys Val Ile Gly Thr Leu Lys Asn Ser Leu Phe Phe Ser		
	3025	3030 3035 3040
Ala Gln Pro Phe Glu Ile Thr Ala Ser Thr Asn Asn Glu Gly Asn Leu		
	3045	3050 3055
Lys Val Arg Phe Pro Leu Arg Leu Thr Gly Lys Ile Asp Phe Leu Asn		
	3060	3065 3070
Asn Tyr Ala Leu Phe Leu Ser Pro Ser Ala Gln Gln Ala Ser Trp Gln		
	3075	3080 3085
Val Ser Ala Arg Phe Asn Gln Tyr Lys Tyr Asn Gln Asn Phe Ser Ala		
	3090	3095 3100
Gly Asn Asn Glu Asn Ile Met Glu Ala His Val Gly Ile Asn Gly Glu		
	3105	3110 3115 3120
Ala Asn Leu Asp Phe Leu Asn Ile Pro Leu Thr Ile Pro Glu Met Arg		
	3125	3130 3135
Leu Pro Tyr Thr Ile Ile Thr Thr Pro Pro Leu Lys Asp Phe Ser Leu		
	3140	3145 3150
Trp Glu Lys Thr Gly Leu Lys Glu Phe Leu Lys Thr Thr Lys Gln Ser		
	3155	3160 3165
Phe Asp Leu Ser Val Lys Ala Gln Tyr Lys Lys Asn Lys His Arg His		
	3170	3175 3180
Ser Ile Thr Asn Pro Leu Ala Val Leu Cys Glu Phe Ile Ser Gln Ser		
	3185	3190 3195 3200
Ile Lys Ser Phe Asp Arg His Phe Glu Lys Asn Arg Asn Asn Ala Leu		
	3205	3210 3215
Asp Phe Val Thr Lys Ser Tyr Asn Glu Thr Lys Ile Lys Phe Asp Lys		
	3220	3225 3230
Tyr Lys Ala Glu Lys Ser His Asp Glu Leu Pro Arg Thr Phe Gln Ile		
	3235	3240 3245
Pro Gly Tyr Thr Val Pro Val Val Asn Val Glu Val Ser Pro Phe Thr		
	3250	3255 3260

-continued

Ile Glu Met Ser Ala Phe Gly Tyr Val Phe Pro Lys Ala Val Ser Met		
3265	3270	3275 3280
Pro Ser Phe Ser Ile Leu Gly Ser Asp Val Arg Val Pro Ser Tyr Thr		
	3285	3290 3295
Leu Ile Leu Pro Ser Leu Glu Leu Pro Val Leu His Val Pro Arg Asn		
	3300	3305 3310
Leu Lys Leu Ser Leu Pro His Phe Lys Glu Leu Cys Thr Ile Ser His		
	3315	3320 3325
Ile Phe Ile Pro Ala Met Gly Asn Ile Thr Tyr Asp Phe Ser Phe Lys		
	3330	3335 3340
Ser Ser Val Ile Thr Leu Asn Thr Asn Ala Glu Leu Phe Asn Gln Ser		
3345	3350	3355 3360
Asp Ile Val Ala His Leu Leu Ser Ser Ser Ser Ser Val Ile Asp Ala		
	3365	3370 3375
Leu Gln Tyr Lys Leu Glu Gly Thr Thr Arg Leu Thr Arg Lys Arg Gly		
	3380	3385 3390
Leu Lys Leu Ala Thr Ala Leu Ser Leu Ser Asn Lys Phe Val Glu Gly		
	3395	3400 3405
Ser His Asn Ser Thr Val Ser Leu Thr Thr Lys Asn Met Glu Val Ser		
	3410	3415 3420
Val Ala Lys Thr Thr Lys Ala Glu Ile Pro Ile Leu Arg Met Asn Phe		
3425	3430	3435 3440
Lys Gln Glu Leu Asn Gly Asn Thr Lys Ser Lys Pro Thr Val Ser Ser		
	3445	3450 3455
Ser Met Glu Phe Lys Tyr Asp Phe Asn Ser Ser Met Leu Tyr Ser Thr		
	3460	3465 3470
Ala Lys Gly Ala Val Asp His Lys Leu Ser Leu Glu Ser Leu Thr Ser		
	3475	3480 3485
Tyr Phe Ser Ile Glu Ser Ser Thr Lys Gly Asp Val Lys Gly Ser Val		
	3490	3495 3500
Leu Ser Arg Glu Tyr Ser Gly Thr Ile Ala Ser Glu Ala Asn Thr Tyr		
3505	3510	3515 3520
Leu Asn Ser Lys Ser Thr Arg Ser Ser Val Lys Leu Gln Gly Thr Ser		
	3525	3530 3535
Lys Ile Asp Asp Ile Trp Asn Leu Glu Val Lys Glu Asn Phe Ala Gly		
	3540	3545 3550
Glu Ala Thr Leu Gln Arg Ile Tyr Ser Leu Trp Glu His Ser Thr Lys		
	3555	3560 3565
Asn His Leu Gln Leu Glu Gly Leu Phe Phe Thr Asn Gly Glu His Thr		
	3570	3575 3580
Ser Lys Ala Thr Leu Glu Leu Ser Pro Trp Gln Met Ser Ala Leu Val		
3585	3590	3595 3600
Gln Val His Ala Ser Gln Pro Ser Ser Phe His Asp Phe Pro Asp Leu		
	3605	3610 3615
Gly Gln Glu Val Ala Leu Asn Ala Asn Thr Lys Asn Gln Lys Ile Arg		
	3620	3625 3630
Trp Lys Asn Glu Val Arg Ile His Ser Gly Ser Phe Gln Ser Gln Val		
	3635	3640 3645
Glu Leu Ser Asn Asp Gln Glu Lys Ala His Leu Asp Ile Ala Gly Ser		
	3650	3655 3660

-continued

Leu Glu Gly His Leu Arg Phe Leu Lys Asn Ile Ile Leu Pro Val Tyr	
3665	3670 3675 3680
Asp Lys Ser Leu Trp Asp Phe Leu Lys Leu Asp Val Thr Thr Ser Ile	
	3685 3690 3695
Gly Arg Arg Gln His Leu Arg Val Ser Thr Ala Phe Val Tyr Thr Lys	
	3700 3705 3710
Asn Pro Asn Gly Tyr Ser Phe Ser Ile Pro Val Lys Val Leu Ala Asp	
	3715 3720 3725
Lys Phe Ile Thr Pro Gly Leu Lys Leu Asn Asp Leu Asn Ser Val Leu	
	3730 3735 3740
Val Met Pro Thr Phe His Val Pro Phe Thr Asp Leu Gln Val Pro Ser	
	3745 3750 3755 3760
Cys Lys Leu Asp Phe Arg Glu Ile Gln Ile Tyr Lys Lys Leu Arg Thr	
	3765 3770 3775
Ser Ser Phe Ala Leu Asn Leu Pro Thr Leu Pro Glu Val Lys Phe Pro	
	3780 3785 3790
Glu Val Asp Val Leu Thr Lys Tyr Ser Gln Pro Glu Asp Ser Leu Ile	
	3795 3800 3805
Pro Phe Phe Glu Ile Thr Val Pro Glu Ser Gln Leu Thr Val Ser Gln	
	3810 3815 3820
Phe Thr Leu Pro Lys Ser Val Ser Asp Gly Ile Ala Ala Leu Asp Leu	
	3825 3830 3835 3840
Asn Ala Val Ala Asn Lys Ile Ala Asp Phe Glu Leu Pro Thr Ile Ile	
	3845 3850 3855
Val Pro Glu Gln Thr Ile Glu Ile Pro Ser Ile Lys Phe Ser Val Pro	
	3860 3865 3870
Ala Gly Ile Val Ile Pro Ser Phe Gln Ala Leu Thr Ala Arg Phe Glu	
	3875 3880 3885
Val Asp Ser Pro Val Tyr Asn Ala Thr Trp Ser Ala Ser Leu Lys Asn	
	3890 3895 3900
Lys Ala Asp Tyr Val Glu Thr Val Leu Asp Ser Thr Cys Ser Ser Thr	
	3905 3910 3915 3920
Val Gln Phe Leu Glu Tyr Glu Leu Asn Val Leu Gly Thr His Lys Ile	
	3925 3930 3935
Glu Asp Gly Thr Leu Ala Ser Lys Thr Lys Gly Thr Leu Ala His Arg	
	3940 3945 3950
Asp Phe Ser Ala Glu Tyr Glu Glu Asp Gly Lys Phe Glu Gly Leu Gln	
	3955 3960 3965
Glu Trp Glu Gly Lys Ala His Leu Asn Ile Lys Ser Pro Ala Phe Thr	
	3970 3975 3980
Asp Leu His Leu Arg Tyr Gln Lys Asp Lys Lys Gly Ile Ser Thr Ser	
	3985 3990 3995 4000
Ala Ala Ser Pro Ala Val Gly Thr Val Gly Met Asp Met Asp Glu Asp	
	4005 4010 4015
Asp Asp Phe Ser Lys Trp Asn Phe Tyr Tyr Ser Pro Gln Ser Ser Pro	
	4020 4025 4030
Asp Lys Lys Leu Thr Ile Phe Lys Thr Glu Leu Arg Val Arg Glu Ser	
	4035 4040 4045
Asp Glu Glu Thr Gln Ile Lys Val Asn Trp Glu Glu Glu Ala Ala Ser	
	4050 4055 4060
Gly Leu Leu Thr Ser Leu Lys Asp Asn Val Pro Lys Ala Thr Gly Val	

-continued

4065	4070	4075	4080
Leu Tyr Asp Tyr Val Asn Lys Tyr His Trp Glu His Thr Gly Leu Thr	4085	4090	4095
Leu Arg Glu Val Ser Ser Lys Leu Arg Arg Asn Leu Gln Asn Asn Ala	4100	4105	4110
Glu Trp Val Tyr Gln Gly Ala Ile Arg Gln Ile Asp Asp Ile Asp Val	4115	4120	4125
Arg Phe Gln Lys Ala Ala Ser Gly Thr Thr Gly Thr Tyr Gln Glu Trp	4130	4135	4140
Lys Asp Lys Ala Gln Asn Leu Tyr Gln Glu Leu Leu Thr Gln Glu Gly	4145	4150	4155
Gln Ala Ser Phe Gln Gly Leu Lys Asp Asn Val Phe Asp Gly Leu Val	4165	4170	4175
Arg Val Thr Gln Lys Phe His Met Lys Val Lys His Leu Ile Asp Ser	4180	4185	4190
Leu Ile Asp Phe Leu Asn Phe Pro Arg Phe Gln Phe Pro Gly Lys Pro	4195	4200	4205
Gly Ile Tyr Thr Arg Glu Glu Leu Cys Thr Met Phe Ile Arg Glu Val	4210	4215	4220
Gly Thr Val Leu Ser Gln Val Tyr Ser Lys Val His Asn Gly Ser Glu	4225	4230	4235
Ile Leu Phe Ser Tyr Phe Gln Asp Leu Val Ile Thr Leu Pro Phe Glu	4245	4250	4255
Leu Arg Lys His Lys Leu Ile Asp Val Ile Ser Met Tyr Arg Glu Leu	4260	4265	4270
Leu Lys Asp Leu Ser Lys Glu Ala Gln Glu Val Phe Lys Ala Ile Gln	4275	4280	4285
Ser Leu Lys Thr Thr Glu Val Leu Arg Asn Leu Gln Asp Leu Leu Gln	4290	4295	4300
Phe Ile Phe Gln Leu Ile Glu Asp Asn Ile Lys Gln Leu Lys Glu Met	4305	4310	4315
Lys Phe Thr Tyr Leu Ile Asn Tyr Ile Gln Asp Glu Ile Asn Thr Ile	4325	4330	4335
Phe Asn Asp Tyr Ile Pro Tyr Val Phe Lys Leu Leu Lys Glu Asn Leu	4340	4345	4350
Cys Leu Asn Leu His Lys Phe Asn Glu Phe Ile Gln Asn Glu Leu Gln	4355	4360	4365
Glu Ala Ser Gln Glu Leu Gln Gln Ile His Gln Tyr Ile Met Ala Leu	4370	4375	4380
Arg Glu Glu Tyr Phe Asp Pro Ser Ile Val Gly Trp Thr Val Lys Tyr	4385	4390	4395
Tyr Glu Leu Glu Glu Lys Ile Val Ser Leu Ile Lys Asn Leu Leu Val	4405	4410	4415
Ala Leu Lys Asp Phe His Ser Glu Tyr Ile Val Ser Ala Ser Asn Phe	4420	4425	4430
Thr Ser Gln Leu Ser Ser Gln Val Glu Gln Phe Leu His Arg Asn Ile	4435	4440	4445
Gln Glu Tyr Leu Ser Ile Leu Thr Asp Pro Asp Gly Lys Gly Lys Glu	4450	4455	4460
Lys Ile Ala Glu Leu Ser Ala Thr Ala Gln Glu Ile Ile Lys Ser Gln	4465	4470	4475
			4480

-continued

Ala Ile Ala Thr Lys Lys Ile Ile Ser Asp Tyr His Gln Gln Phe Arg
 4485 4490 4495

Tyr Lys Leu Gln Asp Phe Ser Asp Gln Leu Ser Asp Tyr Tyr Glu Lys
 4500 4505 4510

Phe Ile Ala Glu Ser Lys Arg Leu Ile Asp Leu Ser Ile Gln Asn Tyr
 4515 4520 4525

His Thr Phe Leu Ile Tyr Ile Thr Glu Leu Leu Lys Lys Leu Gln Ser
 4530 4535 4540

Thr Thr Val Met Asn Pro Tyr Met Lys Leu Ala Pro Gly Glu Leu Thr
 4545 4550 4555 4560

Ile Ile Leu

<210> SEQ ID NO 33
 <211> LENGTH: 2196
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapien
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (13)...(1983)
 <223> OTHER INFORMATION: Nucleotide sequence encoding
 5,10-methylenetetrahydrofolate reductase (MTHFR)

<400> SEQUENCE: 33

aattccggag cc atg gtg aac gaa gcc aga gga aac agc agc ctc aac ccc 51
 Met Val Asn Glu Ala Arg Gly Asn Ser Ser Leu Asn Pro
 1 5 10

tgc ttg gag gcc agt gcc agc agt ggc agt gag agc tcc aaa gat agt 99
 Cys Leu Glu Gly Ser Ala Ser Ser Gly Ser Glu Ser Ser Lys Asp Ser
 15 20 25

tcg aga tgt tcc acc ccg ggc ctg gac cct gag cgg cat gag aga ctc 147
 Ser Arg Cys Ser Thr Pro Gly Leu Asp Pro Glu Arg His Glu Arg Leu
 30 35 40 45

cgg gag aag atg agg cgg cga ttg gaa tct ggt gac aag tgg ttc tcc 195
 Arg Glu Lys Met Arg Arg Arg Leu Glu Ser Gly Asp Lys Trp Phe Ser
 50 55 60

ctg gaa ttc ttc cct cct cga act gct gag gga gct gtc aat ctc atc 243
 Leu Glu Phe Phe Pro Pro Arg Thr Ala Glu Gly Ala Val Asn Leu Ile
 65 70 75

tca agg ttt gac cgg atg gca gca ggt ggc ccc ctc tac ata gac gtg 291
 Ser Arg Phe Asp Arg Met Ala Ala Gly Gly Pro Leu Tyr Ile Asp Val
 80 85 90

acc tgg cac cca gca ggt gac cct ggc tca gac aag gag acc tcc tcc 339
 Thr Trp His Pro Ala Gly Asp Pro Gly Ser Asp Lys Glu Thr Ser Ser
 95 100 105

atg atg atc gcc agc acc gcc gtg aac tac tgt ggc ctg gag acc atc 387
 Met Met Ile Ala Ser Thr Ala Val Asn Tyr Cys Gly Leu Glu Thr Ile
 110 115 120 125

ctg cac atg acc tgc tgc cgt cag cgc ctg gag gag atc acg ggc cat 435
 Leu His Met Thr Cys Cys Arg Gln Arg Leu Glu Glu Ile Thr Gly His
 130 135 140

ctg cac aaa gct aag cag ctg ggc ctg aag aac atc atg gcg ctg cgg 483
 Leu His Lys Ala Lys Gln Leu Gly Leu Lys Asn Ile Met Ala Leu Arg
 145 150 155

gga gac cca ata ggt gac cag tgg gaa gag gag gag gga ggc ttc aac 531
 Gly Asp Pro Ile Gly Asp Gln Trp Glu Glu Glu Glu Gly Gly Phe Asn
 160 165 170

tac gca gtg gac ctg gtg aag cac atc cga agt gag ttt ggt gac tac 579

-continued

Tyr	Ala	Val	Asp	Leu	Val	Lys	His	Ile	Arg	Ser	Glu	Phe	Gly	Asp	Tyr	
175						180					185					
ttt	gac	atc	tgt	gtg	gca	ggg	tac	ccc	aaa	ggc	cac	ccc	gaa	gca	ggg	627
Phe	Asp	Ile	Cys	Val	Ala	Gly	Tyr	Pro	Lys	Gly	His	Pro	Glu	Ala	Gly	
190					195					200					205	
agc	ttt	gag	gct	gac	ctg	aag	cac	ttg	aag	gag	aag	gtg	tct	gcg	gga	675
Ser	Phe	Glu	Ala	Asp	Leu	Lys	His	Leu	Lys	Glu	Lys	Val	Ser	Ala	Gly	
				210					215					220		
gcc	gat	ttc	atc	atc	acg	cag	ctt	ttc	ttt	gag	gct	gac	aca	ttc	ttc	723
Ala	Asp	Phe	Ile	Ile	Thr	Gln	Leu	Phe	Phe	Glu	Ala	Asp	Thr	Phe	Phe	
				225				230					235			
cgc	ttt	gtg	aag	gca	tgc	acc	gac	atg	ggc	atc	act	tgc	ccc	atc	gtc	771
Arg	Phe	Val	Lys	Ala	Cys	Thr	Asp	Met	Gly	Ile	Thr	Cys	Pro	Ile	Val	
		240					245					250				
ccc	ggg	atc	ttt	ccc	atc	cag	ggc	tac	cac	tcc	ctt	cgg	cag	ctt	gtg	819
Pro	Gly	Ile	Phe	Pro	Ile	Gln	Gly	Tyr	His	Ser	Leu	Arg	Gln	Leu	Val	
		255				260					265					
aag	ctg	tcc	aag	ctg	gag	gtg	cca	cag	gag	atc	aag	gac	gtg	att	gag	867
Lys	Leu	Ser	Lys	Leu	Glu	Val	Pro	Gln	Glu	Ile	Lys	Asp	Val	Ile	Glu	
		270			275					280					285	
cca	atc	aaa	gac	aac	gat	gct	gcc	atc	cgc	aac	tat	ggc	atc	gag	ctg	915
Pro	Ile	Lys	Asp	Asn	Asp	Ala	Ala	Ile	Arg	Asn	Tyr	Gly	Ile	Glu	Leu	
				290					295					300		
gcc	gtg	agc	ctg	tgc	cag	gag	ott	ctg	gcc	agt	ggc	ttg	gtg	cca	ggc	963
Ala	Val	Ser	Leu	Cys	Gln	Glu	Leu	Ala	Ser	Gly	Leu	Val	Pro	Gly		
			305				310					315				
ctc	cac	ttc	tac	acc	ctc	aac	cgc	gag	atg	gct	acc	aca	gag	gtg	ctg	1011
Leu	His	Phe	Tyr	Thr	Leu	Asn	Arg	Glu	Met	Ala	Thr	Thr	Glu	Val	Leu	
			320				325					330				
aaq	cgc	ctg	ggg	atg	tgg	act	gag	gac	ccc	agg	cgt	ccc	cta	ccc	tgg	1059
Lys	Arg	Leu	Gly	Met	Trp	Thr	Glu	Asp	Pro	Arg	Arg	Pro	Leu	Pro	Trp	
		335				340					345					
gct	ctc	agt	gcc	cac	ccc	aag	cgc	cga	gag	gaa	gat	gta	cgt	ccc	atc	1107
Ala	Leu	Ser	Ala	His	Pro	Lys	Arg	Arg	Glu	Glu	Asp	Val	Arg	Pro	Ile	
				355						360					365	
ttc	tgg	goc	tcc	aga	cca	aag	agt	tac	atc	tac	cgt	acc	cag	gag	tgg	1155
Phe	Trp	Ala	Ser	Arg	Pro	Lys	Ser	Tyr	Ile	Tyr	Arg	Thr	Gln	Glu	Trp	
				370					375					380		
gac	gag	ttc	cct	aac	ggc	cgc	tgg	ggc	aat	tcc	tct	tcc	cct	gcc	ttt	1203
Asp	Glu	Phe	Pro	Asn	Gly	Arg	Trp	Gly	Asn	Ser	Ser	Ser	Pro	Ala	Phe	
			385					390					395			
ggg	gag	ctg	aag	gac	tac	tac	ctc	ttc	tac	ctg	aag	agc	aag	tcc	ccc	1251
Gly	Glu	Leu	Lys	Asp	Tyr	Tyr	Leu	Phe	Tyr	Leu	Lys	Ser	Lys	Ser	Pro	
		400					405					410				
aag	gag	gag	ctg	ctg	aag	atg	tgg	ggg	gag	gag	ctg	acc	agt	gaa	gca	1299
Lys	Glu	Glu	Leu	Leu	Lys	Met	Trp	Gly	Glu	Glu	Leu	Thr	Ser	Glu	Ala	
			415			420						425				
agt	gtc	ttt	gaa	gtc	ttt	gtt	ott	tac	ctc	tgc	gga	gaa	cca	aac	cgg	1347
Ser	Val	Phe	Glu	Val	Phe	Val	Leu	Tyr	Leu	Ser	Gly	Glu	Pro	Asn	Arg	
					435					440					445	
aat	ggt	cac	aaa	gtg	act	tgc	ctg	ccc	tgg	aac	gat	gag	ccc	ctg	gcg	1395
Asn	Gly	His	Lys	Val	Thr	Cys	Leu	Pro	Trp	Asn	Asp	Glu	Pro	Leu	Ala	
				450					455					460		
gct	gag	acc	agc	ctg	ctg	aag	gag	gag	ctg	ctg	cgg	gtg	aac	cgc	cag	1443
Ala	Glu	Thr	Ser	Leu	Leu	Lys	Glu	Glu	Leu	Leu	Arg	Val	Asn	Arg	Gln	
				465				470					475			
ggc	atc	ctc	acc	atc	aac	tca	cag	ccc	aac	atc	aac	ggg	aag	cgc	tcc	1491

-continued

Gly	Ile	Leu	Thr	Ile	Asn	Ser	Gln	Pro	Asn	Ile	Asn	Gly	Lys	Pro	Ser	
480							485					490				
tcc	gac	ccc	atc	gtg	ggc	tgg	ggc	ccc	agc	ggg	ggc	tat	gtc	ttc	cag	1539
Ser	Asp	Pro	Ile	Val	Gly	Trp	Gly	Pro	Ser	Gly	Gly	Tyr	Val	Phe	Gln	
495						500					505					
aag	gcc	tac	tta	gag	ttt	ttc	act	tcc	cgc	gag	aca	gcg	gaa	gca	ctt	1587
Lys	Ala	Tyr	Leu	Glu	Phe	Phe	Thr	Ser	Arg	Glu	Thr	Ala	Glu	Ala	Leu	
510					515					520					525	
ctg	caa	gtg	ctg	aag	aag	tac	gag	ctc	cgg	gtt	aat	tac	cac	ctt	gtc	1635
Leu	Gln	Val	Leu	Lys	Lys	Tyr	Glu	Leu	Arg	Val	Asn	Tyr	His	Leu	Val	
				530					535					540		
aat	gtg	aag	ggt	gaa	aac	atc	acc	aat	gcc	cct	gaa	ctg	cag	ccg	aat	1683
Asn	Val	Lys	Gly	Glu	Asn	Ile	Thr	Asn	Ala	Pro	Glu	Leu	Gln	Pro	Asn	
		545						550					555			
gct	gtc	act	tgg	ggc	atc	ttc	cct	ggg	cga	gag	atc	atc	cag	ccc	acc	1731
Ala	Val	Thr	Trp	Gly	Ile	Phe		Pro	Gly	Arg	Glu	Ile	Ile	Gln	Pro	Thr
		560					565					570				
gta	gtg	gat	ccc	gtc	agc	ttc	atg	ttc	tgg	aag	gac	gag	gcc	ttt	gcc	1779
Val	Val	Asp	Pro	Val	Ser	Phe	Met	Phe	Trp	Lys	Asp	Glu	Ala	Phe	Ala	
		575				580					585					
ctg	tgg	att	gag	cgg	tgg	gga	aag	ctg	tat	gag	gag	gag	tcc	ccg	tcc	1827
Leu	Trp	Ile	Glu	Arg	Trp	Gly	Lys	Leu	Tyr	Glu	Glu	Glu	Ser	Pro	Ser	
590					595					600					605	
cgc	acc	atc	atc	cag	tac	atc	cac	gac	aac	tac	ttc	ctg	gtc	aac	ctg	1875
Arg	Thr	Ile	Ile	Gln	Tyr	Ile	His	Asp	Asn	Tyr	Phe	Leu	Val	Asn	Leu	
				610					615					620		
gtg	gac	aat	gac	ttc	cca	ctg	gac	aac	tgc	ctc	tgg	cag	gtg	gtg	gaa	1923
Val	Asp	Asn	Asp	Phe	Pro	Leu	Asp	Asn	Cys	Leu	Trp	Gln	Val	Val	Glu	
			625					630					635			
gac	aca	ttg	gag	ctt	ctc	aac	agg	ccc	acc	cag	aat	gcg	aga	gaa	acg	1971
Asp	Thr	Leu	Glu	Leu	Leu	Asn	Arg	Pro	Thr	Gln	Asn	Ala	Arg	Glu	Thr	
		640					645					650				
gag	gct	cca	tga	ccctgcgtcc	tgacgccctg	cgttgagacc	actcctgtcc									2023
Glu	Ala	Pro	*													
		655														
cgccttcctc	ctccacagtg	ctgcttctct	tgggaaactcc	actctccttc	gtgtctctcc											2083
caccccggcc	tccactcccc	cacctgacaa	tggcagctag	actggagtga	ggcttcagg											2143
ctcttcctgg	acctgagtcg	gccccacatg	ggaacctagt	actctctgct	cta											2196

<210> SEQ ID NO 34

<211> LENGTH: 656

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<400> SEQUENCE: 34

Met	Val	Asn	Glu	Ala	Arg	Gly	Asn	Ser	Ser	Leu	Asn	Pro	Cys	Leu	Glu	
1				5					10					15		
Gly	Ser	Ala	Ser	Ser	Gly	Ser	Glu	Ser	Ser	Lys	Asp	Ser	Ser	Arg	Cys	
		20						25				30				
Ser	Thr	Pro	Gly	Leu	Asp	Pro	Glu	Arg	His	Glu	Arg	Leu	Arg	Glu	Lys	
		35					40					45				
Met	Arg	Arg	Arg	Leu	Glu	Ser	Gly	Asp	Lys	Trp	Phe	Ser	Leu	Glu	Phe	
	50					55					60					
Phe	Pro	Pro	Arg	Thr	Ala	Glu	Gly	Ala	Val	Asn	Leu	Ile	Ser	Arg	Phe	
65					70				75						80	

-continued

Asp	Arg	Met	Ala	Ala	Gly	Gly	Pro	Leu	Tyr	Ile	Asp	Val	Thr	Trp	His
			85						90					95	
Pro	Ala	Gly	Asp	Pro	Gly	Ser	Asp	Lys	Glu	Thr	Ser	Ser	Met	Met	Ile
			100					105					110		
Ala	Ser	Thr	Ala	Val	Asn	Tyr	Cys	Gly	Leu	Glu	Thr	Ile	Leu	His	Met
			115				120					125			
Thr	Cys	Cys	Arg	Gln	Arg	Leu	Glu	Glu	Ile	Thr	Gly	His	Leu	His	Lys
			130			135					140				
Ala	Lys	Gln	Leu	Gly	Leu	Lys	Asn	Ile	Met	Ala	Leu	Arg	Gly	Asp	Pro
			145		150					155					160
Ile	Gly	Asp	Gln	Trp	Glu	Glu	Glu	Glu	Gly	Gly	Phe	Asn	Tyr	Ala	Val
			165						170					175	
Asp	Leu	Val	Lys	His	Ile	Arg	Ser	Glu	Phe	Gly	Asp	Tyr	Phe	Asp	Ile
			180					185					190		
Cys	Val	Ala	Gly	Tyr	Pro	Lys	Gly	His	Pro	Glu	Ala	Gly	Ser	Phe	Glu
			195				200					205			
Ala	Asp	Leu	Lys	His	Leu	Lys	Glu	Lys	Val	Ser	Ala	Gly	Ala	Asp	Phe
			210			215					220				
Ile	Ile	Thr	Gln	Leu	Phe	Phe	Glu	Ala	Asp	Thr	Phe	Phe	Arg	Phe	Val
			225		230					235					240
Lys	Ala	Cys	Thr	Asp	Met	Gly	Ile	Thr	Cys	Pro	Ile	Val	Pro	Gly	Ile
			245						250					255	
Phe	Pro	Ile	Gln	Gly	Tyr	His	Ser	Leu	Arg	Gln	Leu	Val	Lys	Leu	Ser
			260					265					270		
Lys	Leu	Glu	Val	Pro	Gln	Glu	Ile	Lys	Asp	Val	Ile	Glu	Pro	Ile	Lys
			275				280					285			
Asp	Asn	Asp	Ala	Ala	Ile	Arg	Asn	Tyr	Gly	Ile	Glu	Leu	Ala	Val	Ser
			290			295					300				
Leu	Cys	Gln	Glu	Leu	Leu	Ala	Ser	Gly	Leu	Val	Pro	Gly	Leu	His	Phe
			305		310					315					320
Tyr	Thr	Leu	Asn	Arg	Glu	Met	Ala	Thr	Thr	Glu	Val	Leu	Lys	Arg	Leu
			325						330					335	
Gly	Met	Trp	Thr	Glu	Asp	Pro	Arg	Arg	Pro	Leu	Pro	Trp	Ala	Leu	Ser
			340					345					350		
Ala	His	Pro	Lys	Arg	Arg	Glu	Glu	Asp	Val	Arg	Pro	Ile	Phe	Trp	Ala
			355				360					365			
Ser	Arg	Pro	Lys	Ser	Tyr	Ile	Tyr	Arg	Thr	Gln	Glu	Trp	Asp	Glu	Phe
			370			375					380				
Pro	Asn	Gly	Arg	Trp	Gly	Asn	Ser	Ser	Ser	Pro	Ala	Phe	Gly	Glu	Leu
			385		390					395					400
Lys	Asp	Tyr	Tyr	Leu	Phe	Tyr	Leu	Lys	Ser	Lys	Ser	Pro	Lys	Glu	Glu
			405						410					415	
Leu	Leu	Lys	Met	Trp	Gly	Glu	Glu	Leu	Thr	Ser	Glu	Ala	Ser	Val	Phe
			420					425					430		
Glu	Val	Phe	Val	Leu	Tyr	Leu	Ser	Gly	Glu	Pro	Asn	Arg	Asn	Gly	His
			435				440					445			
Lys	Val	Thr	Cys	Leu	Pro	Trp	Asn	Asp	Glu	Pro	Leu	Ala	Ala	Glu	Thr
			450			455					460				
Ser	Leu	Leu	Lys	Glu	Glu	Leu	Leu	Arg	Val	Asn	Arg	Gln	Gly	Ile	Leu
			465		470					475					480
Thr	Ile	Asn	Ser	Gln	Pro	Asn	Ile	Asn	Gly	Lys	Pro	Ser	Ser	Asp	Pro

-continued

485										490										495											
Ile	Val	Gly	Trp	Gly	Pro	Ser	Gly	Gly	Tyr	Val	Phe	Gln	Lys	Ala	Tyr																
			500					505																							
Leu	Glu	Phe	Phe	Thr	Ser	Arg	Glu	Thr	Ala	Glu	Ala	Leu	Leu	Gln	Val																
		515					520						525																		
Leu	Lys	Lys	Tyr	Glu	Leu	Arg	Val	Asn	Tyr	His	Leu	Val	Asn	Val	Lys																
		530				535						540																			
Gly	Glu	Asn	Ile	Thr	Asn	Ala	Pro	Glu	Leu	Gln	Pro	Asn	Ala	Val	Thr																
		545			550						555																				
Trp	Gly	Ile	Phe	Pro	Gly	Arg	Glu	Ile	Ile	Gln	Pro	Thr	Val	Val	Asp																
			565								570																				
Pro	Val	Ser	Phe	Met	Phe	Trp	Lys	Asp	Glu	Ala	Phe	Ala	Leu	Trp	Ile																
			580					585					590																		
Glu	Arg	Trp	Gly	Lys	Leu	Tyr	Glu	Glu	Glu	Ser	Pro	Ser	Arg	Thr	Ile																
		595					600					605																			
Ile	Gln	Tyr	Ile	His	Asp	Asn	Tyr	Phe	Leu	Val	Asn	Leu	Val	Asp	Asn																
		610				615						620																			
Asp	Phe	Pro	Leu	Asp	Asn	Cys	Leu	Trp	Gln	Val	Val	Glu	Asp	Thr	Leu																
		625			630						635																				
Glu	Leu	Leu	Asn	Arg	Pro	Thr	Gln	Asn	Ala	Arg	Glu	Thr	Glu	Ala	Pro																
			645					650						655																	

<210> SEQ ID NO 35
 <211> LENGTH: 3834
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapien
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (117)...(1949)
 <223> OTHER INFORMATION: Nucleotide sequence encoding selectin E (SELE)

<400> SEQUENCE: 35
 cctgagacag aggcagcagt gatacccacc tgagagatcc tgtgtttgaa caactgcttc 60
 ccaaaacgga aagtatttca agcctaaacc ttgggggtgaa aagaactcct gaagtc atg 119
 Met
 1
 att gct tca cag ttt ctc tca gct ctc act ttg gtg ctt ctc att aaa 167
 Ile Ala Ser Gln Phe Leu Ser Ala Leu Thr Leu Val Leu Leu Ile Lys
 5 10 15
 gag agt gga gcc tgg tct tac aac acc tcc acg gaa gct atg act tat 215
 Glu Ser Gly Ala Trp Ser Tyr Asn Thr Ser Thr Glu Ala Met Thr Tyr
 20 25 30
 gat gag gcc agt gct tat tgt cag caa agg tac aca cac ctg gtt gca 263
 Asp Glu Ala Ser Ala Tyr Cys Gln Gln Arg Tyr Thr His Leu Val Ala
 35 40 45
 att caa aac aaa gaa gag att gag tac cta aac tcc ata ttg agc tat 311
 Ile Gln Asn Lys Glu Ile Glu Tyr Leu Asn Ser Ile Leu Ser Tyr
 50 55 60 65
 tca cca agt tat tac tgg att gga atc aga aaa gtc aac aat gtg tgg 359
 Ser Pro Ser Tyr Tyr Trp Ile Gly Ile Arg Lys Val Asn Asn Val Trp
 70 75 80
 gtc tgg gta gga acc cag aaa cct ctg aca gaa gaa gcc aag aac tgg 407
 Val Trp Val Gly Thr Gln Lys Pro Leu Thr Glu Glu Ala Lys Asn Trp
 85 90 95
 gct cca ggt gaa ccc aac aat agg caa aaa gat gag gac tgc gtg gag 455
 Ala Pro Gly Glu Pro Asn Asn Arg Gln Lys Asp Glu Asp Cys Val Glu

-continued

100	105	110	
atc tac atc aag aga gaa aaa gat gtg ggc atg tgg aat gat gag agg Ile Tyr Ile Lys Arg Glu Lys Asp Val Gly Met Trp Asn Asp Glu Arg 115 120 125			503
tgc agc aag aag aag ctt gcc cta tgc tac aca gct gcc tgt acc aat Cys Ser Lys Lys Lys Leu Ala Leu Cys Tyr Thr Ala Ala Cys Thr Asn 130 135 140 145			551
aca tcc tgc agt ggc cac ggt gaa tgt gta gag acc atc aat aat tac Thr Ser Cys Ser Gly His Gly Glu Cys Val Glu Thr Ile Asn Asn Tyr 150 155 160			599
act tgc aag tgt gac cct gcc ttc agt gga ctc aag tgt gag caa att Thr Cys Lys Cys Asp Pro Gly Phe Ser Gly Leu Lys Cys Glu Gln Ile 165 170 175			647
gtg aac tgt aca gcc ctg gaa tcc cct gag cat gga agc ctg gtt tgc Val Asn Cys Thr Ala Leu Glu Ser Pro Glu His Gly Ser Leu Val Cys 180 185 190			695
agt cac cca ctg gga aac ttc agc tac aat tct tcc tgc tct atc agc Ser His Pro Leu Gly Asn Phe Ser Tyr Asn Ser Ser Cys Ser Ile Ser 195 200 205			743
tgt gat agg ggt tac ctg cca agc agc atg gag acc atg cag tgt atg Cys Asp Arg Gly Tyr Leu Pro Ser Ser Met Glu Thr Met Gln Cys Met 210 215 220 225			791
tcc tct gga gaa tgg agt gct cct att cca gcc tgc aat gtg gtt gag Ser Ser Gly Glu Trp Ser Ala Pro Ile Pro Ala Cys Asn Val Val Glu 230 235 240			839
tgt gat gct gtg aca aat cca gcc aat ggg ttc gtg gaa tgt ttc caa Cys Asp Ala Val Thr Asn Pro Ala Asn Gly Phe Val Glu Cys Phe Gln 245 250 255			887
aac cct gga agc ttc cca tgg aac aca acc tgt aca ttt gac tgt gaa Asn Pro Gly Ser Phe Pro Trp Asn Thr Thr Cys Thr Phe Asp Cys Glu 260 265 270			935
gaa gga ttt gaa cta atg gga gcc cag agc ctt cag tgt acc tca tct Glu Gly Phe Glu Leu Met Gly Ala Gln Ser Leu Gln Cys Thr Ser Ser 275 280 285			983
ggg aat tgg gac aac gag aag cca acg tgt aaa gct gtg aca tgc agg Gly Asn Trp Asp Asn Glu Lys Pro Thr Cys Lys Ala Val Thr Cys Arg 290 295 300 305			1031
gcc gtc cgc cag cct cag aat ggc tct gtg agg tgc agc cat tcc cct Ala Val Arg Gln Pro Gln Asn Gly Ser Val Arg Cys Ser His Ser Pro 310 315 320			1079
gct gga gag ttc acc ttc aaa tca tcc tgc aac ttc acc tgt gag gaa Ala Gly Glu Phe Thr Phe Lys Ser Ser Cys Asn Phe Thr Cys Glu Glu 325 330 335			1127
ggc ttc atg ttg cag gga cca gcc cag gtt gaa tgc acc act caa ggg Gly Phe Met Leu Gln Gly Pro Ala Gln Val Glu Cys Thr Thr Gln Gly 340 345 350			1175
cag tgg aca cag caa atc cca gtt tgt gaa gct ttc cag tgc aca gcc Gln Trp Thr Gln Gln Ile Pro Val Cys Glu Ala Phe Gln Cys Thr Ala 355 360 365			1223
ttg tcc aac ccc gag cga ggc tac atg aat tgt ctt cct agt gct tct Leu Ser Asn Pro Glu Arg Gly Tyr Met Asn Cys Leu Pro Ser Ala Ser 370 375 380 385			1271
ggc agt ttc cgt tat ggg tcc agc tgt gag ttc tcc tgt gag cag ggt Gly Ser Phe Arg Tyr Gly Ser Ser Cys Glu Phe Ser Cys Glu Gln Gly 390 395 400			1319
ttt gtg ttg aag gga tcc aaa agg ctc caa tgt ggc ccc aca ggg gag Phe Val Leu Lys Gly Ser Lys Arg Leu Gln Cys Gly Pro Thr Gly Glu 405 410 415 420			1367

-continued

405	410	415	
tgg gac aac gag aag ccc aca tgt gaa gct gtg aga tgc gat gct gtc			1415
Trp Asp Asn Glu Lys Pro Thr Cys Glu Ala Val Arg Cys Asp Ala Val			
420	425	430	
cac cag ccc ccg aag ggt ttg gtg agg tgt gct cat tcc cct att gga			1463
His Gln Pro Pro Lys Gly Leu Val Arg Cys Ala His Ser Pro Ile Gly			
435	440	445	
gaa ttc acc tac aag tcc tct tgt gcc ttc agc tgt gag gag gga ttt			1511
Glu Phe Thr Tyr Lys Ser Ser Cys Ala Phe Ser Cys Glu Glu Gly Phe			
450	455	460	465
gaa tta tat gga tca act caa ctt gag tgc aca tct cag gga caa tgg			1559
Glu Leu Tyr Gly Ser Thr Gln Leu Glu Cys Thr Ser Gln Gly Gln Trp			
470	475	480	
aca gaa gag gtt cct tcc tgc caa gtg gta aaa tgt tca agc ctg gca			1607
Thr Glu Glu Val Pro Ser Cys Gln Val Val Lys Cys Ser Ser Leu Ala			
485	490	495	
gtt ccg gga aag atc aac atg agc tgc agt ggg gag ccc gtg ttt ggc			1655
Val Pro Gly Lys Ile Asn Met Ser Cys Ser Gly Glu Pro Val Phe Gly			
500	505	510	
act gtg tgc aag ttc gcc tgt cct gaa gga tgg acg ctc aat ggc tct			1703
Thr Val Cys Lys Phe Ala Cys Pro Glu Gly Trp Thr Leu Asn Gly Ser			
515	520	525	
gca gct ccg aca tgt gga gcc aca gga cac tgg tct ggc ctg cta cct			1751
Ala Ala Arg Thr Cys Gly Ala Thr Gly His Trp Ser Gly Leu Leu Pro			
530	535	540	545
acc tgt gaa gct ccc act gag tcc aac att ccc ttg gta gct gga ctt			1799
Thr Cys Glu Ala Pro Thr Glu Ser Asn Ile Pro Leu Val Ala Gly Leu			
550	555	560	
tct gct gct gga ctc tcc ctc ctg aca tta gca cca ttt ctc ctc tgg			1847
Ser Ala Ala Gly Leu Ser Leu Leu Thr Leu Ala Pro Phe Leu Leu Trp			
565	570	575	
ctt ccg aaa tgc tta ccg aaa gca aag aaa ttt gtt cct gcc agc agc			1895
Leu Arg Lys Cys Leu Arg Lys Ala Lys Lys Phe Val Pro Ala Ser Ser			
580	585	590	
tgc caa agc ctt gaa tca gac gga agc tac caa aag cct tct tac atc			1943
Cys Gln Ser Leu Glu Ser Asp Gly Ser Tyr Gln Lys Pro Ser Tyr Ile			
595	600	605	
ctt taa gttaaaaga atcagaaaca ggtgcacatgt gggaaactaga gggatacact			1999
Leu *			
610			
gaagttaaca gagacagata actctcctcg ggtctctggc ccttcttgcc tactatgcca			2059
gatgccttta tggctgaacc gcgaacaccc atcaccactt caatagatca aagtccagca			2119
ggcaaggacg gccttcaact gaaaagactc agtggtccct ttctactct caggatcaag			2179
aaagtgttgg ctaatgaagg gaaaggatat ttctttccaa gcaaagggtga agagaccaag			2239
actctgaaat ctcagaattc cttttctaac tctcccttgc tcgctgtaaa atcttggcac			2299
agaaacacaa tattttgttg ctttctttct ttggcccttc acagtgttgc gacagctgat			2359
tacacagtgt ctgtcataag aatgaataat aattatccag agtttagagg aaaaaaatga			2419
ctaaaaatat tataacttaa aaaaatgaca gatgttgaat gccacagggc aaatgcatgg			2479
agggttgtta atgggtgcaca tcctaactgaa tgcctgttgc gagggttact atgcacaatt			2539
taatcacttt catccctatg ggattcagtg cttcttaaaag agttcttaag gattgtgata			2599
tttttacttg cattgaatat attataatct tccatacttc ttcatccaat acaagtgtgg			2659

-continued

```

tagggactta aaaaacttgt aatgctgtc aactatgata tggtaaaagt tacttattct 2719
agattacccc ctcatgtgtt attaacaat tatgttacat ctgtttttaa tttatttcaa 2779
aaagggaaac tattgtcccc tagcaaggca tgaatgtaac cagaataaag ttctgagtgt 2839
ttttactaca gttgtttttt gaaaacatgg tagaattgga gagtaaaaac tgaatggaag 2899
gtttgtatat tgcagatat ttttcagaa atatgtggtt tccacgatga aaaacttcca 2959
tgaggccaaa cgttttgaa taataaaagc ataatgcaa acacacaaag gtataatttt 3019
atgaatgtct ttgttggaag agaatacaga aagatggatg tgcatttgcac tccacaaaag 3079
atgtttgtca gatgtgatat gtaaacataa ttcttgtata ttatggaaga ttttaaattc 3139
acaatagaaa ctaccatgt aaaagagtca tctggtagat ttttaacgaa tgaagatgtc 3199
taatagttaa tccctatttg ttttctctg tatgttaggg tgcctcggaa gagaggaaag 3259
cctgtgtgag caagcattta tgtttattta taagcagatt taacaattcc aaaggaatct 3319
ccagttttca gttgatcact ggcaatgaaa aattctcagt cagtaattgc caaagctgct 3379
ctagccttga ggagtgtgag aatcaaaact ctctacact tccattaact tagcatgtgt 3439
tgaaaaaaaa agtttcagag aagttctggc tgaacactgg caacgacaaa gccaacagtc 3499
aaaacagaga tgtgataagg atcagaacag cagagggtct tttaaagggg cagaaaaact 3559
ctgggaaata agagagaaca actactgtga tcaggctatg tatggaatac agtgttattt 3619
tctttgaaat tgtttaagtg ttgtaaatat ttatgtaaac tgcattagaa attagctgtg 3679
tgaaatacca gtgtggtttg tgtttgagtt ttattgagaa ttttaaatga taacttaaaa 3739
tattttataa tttttaaagt atatatttat ttaagcttat gtcagaccta ttgacataa 3799
cactataaag gttgacaata aatgtgctta tgtttt 3834

```

<210> SEQ ID NO 36
 <211> LENGTH: 610
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapien

<400> SEQUENCE: 36

```

Met Ile Ala Ser Gln Phe Leu Ser Ala Leu Thr Leu Val Leu Leu Ile
 1             5             10            15
Lys Glu Ser Gly Ala Trp Ser Tyr Asn Thr Ser Thr Glu Ala Met Thr
      20             25
Tyr Asp Glu Ala Ser Ala Tyr Cys Gln Gln Arg Tyr Thr His Leu Val
      35             40             45
Ala Ile Gln Asn Lys Glu Glu Ile Glu Tyr Leu Asn Ser Ile Leu Ser
      50             55             60
Tyr Ser Pro Ser Tyr Tyr Trp Ile Gly Ile Arg Lys Val Asn Asn Val
      65             70             75             80
Trp Val Trp Val Gly Thr Gln Lys Pro Leu Thr Glu Glu Ala Lys Asn
      85             90             95
Trp Ala Pro Gly Glu Pro Asn Asn Arg Gln Lys Asp Glu Asp Cys Val
      100            105            110
Glu Ile Tyr Ile Lys Arg Glu Lys Asp Val Gly Met Trp Asn Asp Glu
      115            120            125
Arg Cys Ser Lys Lys Lys Leu Ala Leu Cys Tyr Thr Ala Ala Cys Thr
      130            135            140
Asn Thr Ser Cys Ser Gly His Gly Glu Cys Val Glu Thr Ile Asn Asn

```

-continued

145	150	155	160
Tyr Thr Cys Lys Cys Asp Pro Gly Phe Ser Gly Leu Lys Cys Glu Gln	165	170	175
Ile Val Asn Cys Thr Ala Leu Glu Ser Pro Glu His Gly Ser Leu Val	180	185	190
Cys Ser His Pro Leu Gly Asn Phe Ser Tyr Asn Ser Ser Cys Ser Ile	195	200	205
Ser Cys Asp Arg Gly Tyr Leu Pro Ser Ser Met Glu Thr Met Gln Cys	210	215	220
Met Ser Ser Gly Glu Trp Ser Ala Pro Ile Pro Ala Cys Asn Val Val	225	230	240
Glu Cys Asp Ala Val Thr Asn Pro Ala Asn Gly Phe Val Glu Cys Phe	245	250	255
Gln Asn Pro Gly Ser Phe Pro Trp Asn Thr Thr Cys Thr Phe Asp Cys	260	265	270
Glu Glu Gly Phe Glu Leu Met Gly Ala Gln Ser Leu Gln Cys Thr Ser	275	280	285
Ser Gly Asn Trp Asp Asn Glu Lys Pro Thr Cys Lys Ala Val Thr Cys	290	295	300
Arg Ala Val Arg Gln Pro Gln Asn Gly Ser Val Arg Cys Ser His Ser	305	310	315
Pro Ala Gly Glu Phe Thr Phe Lys Ser Ser Cys Asn Phe Thr Cys Glu	325	330	335
Glu Gly Phe Met Leu Gln Gly Pro Ala Gln Val Glu Cys Thr Thr Gln	340	345	350
Gly Gln Trp Thr Gln Gln Ile Pro Val Cys Glu Ala Phe Gln Cys Thr	355	360	365
Ala Leu Ser Asn Pro Glu Arg Gly Tyr Met Asn Cys Leu Pro Ser Ala	370	375	380
Ser Gly Ser Phe Arg Tyr Gly Ser Ser Cys Glu Phe Ser Cys Glu Gln	385	390	395
Gly Phe Val Leu Lys Gly Ser Lys Arg Leu Gln Cys Gly Pro Thr Gly	405	410	415
Glu Trp Asp Asn Glu Lys Pro Thr Cys Glu Ala Val Arg Cys Asp Ala	420	425	430
Val His Gln Pro Pro Lys Gly Leu Val Arg Cys Ala His Ser Pro Ile	435	440	445
Gly Glu Phe Thr Tyr Lys Ser Ser Cys Ala Phe Ser Cys Glu Glu Gly	450	455	460
Phe Glu Leu Tyr Gly Ser Thr Gln Leu Glu Cys Thr Ser Gln Gly Gln	465	470	475
Trp Thr Glu Glu Val Pro Ser Cys Gln Val Val Lys Cys Ser Ser Leu	485	490	495
Ala Val Pro Gly Lys Ile Asn Met Ser Cys Ser Gly Glu Pro Val Phe	500	505	510
Gly Thr Val Cys Lys Phe Ala Cys Pro Glu Gly Trp Thr Leu Asn Gly	515	520	525
Ser Ala Ala Arg Thr Cys Gly Ala Thr Gly His Trp Ser Gly Leu Leu	530	535	540
Pro Thr Cys Glu Ala Pro Thr Glu Ser Asn Ile Pro Leu Val Ala Gly	545	550	555
			560

-continued

Leu Ser Ala Ala Gly Leu Ser Leu Leu Thr Leu Ala Pro Phe Leu Leu
 565 570 575

Trp Leu Arg Lys Cys Leu Arg Lys Ala Lys Lys Phe Val Pro Ala Ser
 580 585 590

Ser Cys Gln Ser Leu Glu Ser Asp Gly Ser Tyr Gln Lys Pro Ser Tyr
 595 600 605

Ile Leu
 610

<210> SEQ ID NO 37
 <211> LENGTH: 1922
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapien
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (406)...(1428)
 <223> OTHER INFORMATION: Nucleotide sequence encoding nucleotide binding
 protein (G Protein), beta polypeptide 3 (GNB3)

<400> SEQUENCE: 37

```

ccacaatagg ggcagacctg tccatccttc tctgtgggtc ccctgtacct ttctcccca      60
acaggatcag acccagaggc agctggttgg ggtttgcga gaagaaggat tatccagatc      120
agtcttttct aatctcagct cctgcctgta ccctcccata ctcaccaaac cctcttcccc      180
accacctga gctgaggagc acagtttgag gcccccccaa cccccgcgcg gtcggggcca      240
ggccaggcca ggccagctcc tctggcagca gagcctgggc aggtgacggg cgggcgcggg      300
cgtcgcagct gagggagtaa ggaggctccc aggaaccgga gctggaacc cggccgaggt      360
ccagccagag cccaagagcc agagtgaccc ctgcacctgt cagcc atg ggg gag atg      417
                               Met Gly Glu Met
                               1

gag caa ctg cgt cag gaa gcg gag cag ctc aag aag cag att gca gat      465
Glu Gln Leu Arg Gln Glu Ala Glu Gln Leu Lys Lys Gln Ile Ala Asp
   5              10              15              20

gcc agg aaa gcc tgt gct gac gtt act ctg gca gag ctg gtg tct gcc      513
Ala Arg Lys Ala Cys Ala Asp Val Thr Leu Ala Glu Leu Val Ser Gly
              25              30              35

cta gag gtg gtg gga cga gtc cag atg cgg acg cgg cgg acg tta agg      561
Leu Glu Val Val Gly Arg Val Gln Met Arg Thr Arg Arg Thr Leu Arg
              40              45              50

gga cac ctg gcc aag att tac gcc atg cac tgg gcc act gat tct aag      609
Gly His Leu Ala Lys Ile Tyr Ala Met His Trp Ala Thr Asp Ser Lys
              55              60              65

ctg ctg gta agt gcc tcg caa gat ggg aag ctg atc gtg tgg gac agc      657
Leu Leu Val Ser Ala Ser Gln Asp Gly Lys Leu Ile Val Trp Asp Ser
              70              75              80

tac acc acc aac aag gtg cac gcc atc cca ctg cgc tcc tcc tgg gtc      705
Tyr Thr Thr Asn Lys Val His Ala Ile Pro Leu Arg Ser Ser Trp Val
              85              90              95              100

atg acc tgt gcc tat gcc cca tca ggg aac ttt gtg gca tgt ggg ggg      753
Met Thr Cys Ala Tyr Ala Pro Ser Gly Asn Phe Val Ala Cys Gly Gly
              105              110              115

ctg gac aac atg tgt tcc atc tac aac ctc aaa tcc cgt gag ggc aat      801
Leu Asp Asn Met Cys Ser Ile Tyr Asn Met Lys Ser Arg Glu Gly Asn
              120              125              130

gtc aag gtc agc cgg gag ctt tct gct cac aca ggt tat ctc tcc tgc      849
Val Lys Val Ser Arg Glu Leu Ser Ala His Thr Gly Tyr Leu Ser Cys

```

-continued

135	140	145	
tgc cgc ttc ctg gat gac aac aat att gtg acc agc tcg ggg gac acc			897
Cys Arg Phe Leu Asp Asp Asn Asn Ile Val Thr Ser Ser Gly Asp Thr			
150	155	160	
acg tgt gcc ttg tgg gac att gag act ggg cag cag aag act gta ttt			945
Thr Cys Ala Leu Trp Asp Ile Glu Thr Gly Gln Gln Lys Thr Val Phe			
165	170	175	180
gtg gga cac acg ggt gac tgc atg agc ctg gct gtg tct cct gac ttc			993
Val Gly His Thr Gly Asp Cys Met Ser Leu Ala Val Ser Pro Asp Phe			
185	190	195	
aat ctc ttc att tcg ggg gcc tgt gat gcc agt gcc aag ctc tgg gat			1041
Asn Leu Phe Ile Ser Gly Ala Cys Asp Ala Ser Ala Lys Leu Trp Asp			
200	205	210	
gtg cga gag ggg acc tgc cgt cag act ttc act ggc cac gag tcg gac			1089
Val Arg Glu Gly Thr Cys Arg Gln Thr Phe Thr Gly His Glu Ser Asp			
215	220	225	
atc aac gcc atc tgt ttc ttc ccc aat gga gag gcc atc tgc acg ggc			1137
Ile Asn Ala Ile Cys Phe Phe Pro Asn Gly Glu Ala Ile Cys Thr Gly			
230	235	240	
tcg gat gac gct tcc tgc cgc ttg ttt gac ctg cgg gca gac cag gag			1185
Ser Asp Asp Ala Ser Cys Arg Leu Phe Asp Leu Arg Ala Asp Gln Glu			
245	250	255	260
ctg atc tgc ttc tcc cac gag agc atc atc tgc ggc atc acg tcc gtg			1233
Leu Ile Cys Phe Ser His Glu Ser Ile Ile Cys Gly Ile Thr Ser Val			
265	270	275	
gcc ttc tcc ctc agt ggc cgc cta cta ttc gct ggc tac gac gac ttc			1281
Ala Phe Ser Leu Ser Gly Arg Leu Phe Ala Gly Tyr Asp Asp Phe			
280	285	290	
aac tgc aat gtc tgg gac tcc atg aag tct gag cgt gtg ggc atc ctc			1329
Asn Cys Asn Val Trp Asp Ser Met Lys Ser Glu Arg Val Gly Ile Leu			
295	300	305	
tct ggc cac gat aac agg gtg agc tgc ctg gga gtc aca gct gac ggg			1377
Ser Gly His Asp Asn Arg Val Ser Cys Leu Gly Val Thr Ala Asp Gly			
310	315	320	
atg gct gtg gcc aca ggt tcc tgg gac agc ttc ctc aaa atc tgg aac			1425
Met Ala Val Ala Thr Gly Ser Trp Asp Ser Phe Leu Lys Ile Trp Asn			
325	330	335	340
tga ggaggctgga gaaaggggaag tggaaggcag tgaacacact cagcagcccc			1478
ctgcccgcacc ccattctcatt cagggtgttct cttctatatatt ccgggtgcca ttcccactaa			1538
gctttctcct ttgagggcag tggggagcat gggactgtgc ctttgggagg cagcatcagg			1598
gacacagggg caaagaactg ccccatctcc tcccatggcc tcccctcccc acagtcccca			1658
cagcctctcc cttaatgagc aaggacaacc tgcccctccc cagccctttg caggcccagc			1718
agacttgagt ctgaggcccc aggccttagg attcctcccc cagagccact acctttgtcc			1778
aggcctgggt ggtatagggc gtttgccct gtgactatgg ctctggcacc actagggctc			1838
tgccctcttt cttatctatg ctttctcctt tttctacatt tttttctctc ctaagacacc			1898
tgaataaag tgtagcacc ttgt			1922

<210> SEQ ID NO 38

<211> LENGTH: 340

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<400> SEQUENCE: 38

-continued

Met	Gly	Glu	Met	Glu	Gln	Leu	Arg	Gln	Glu	Ala	Gln	Leu	Lys	Lys	
1				5					10				15		
Gln	Ile	Ala	Asp	Ala	Arg	Lys	Ala	Cys	Ala	Asp	Val	Thr	Leu	Ala	Glu
			20					25					30		
Leu	Val	Ser	Gly	Leu	Glu	Val	Val	Gly	Arg	Val	Gln	Met	Arg	Thr	Arg
		35					40					45			
Arg	Thr	Leu	Arg	Gly	His	Leu	Ala	Lys	Ile	Tyr	Ala	Met	His	Trp	Ala
	50					55					60				
Thr	Asp	Ser	Lys	Leu	Leu	Val	Ser	Ala	Ser	Gln	Asp	Gly	Lys	Leu	Ile
65					70					75					80
Val	Trp	Asp	Ser	Tyr	Thr	Thr	Asn	Lys	Val	His	Ala	Ile	Pro	Leu	Arg
				85					90					95	
Ser	Ser	Trp	Val	Met	Thr	Cys	Ala	Tyr	Ala	Pro	Ser	Gly	Asn	Phe	Val
			100					105					110		
Ala	Cys	Gly	Gly	Leu	Asp	Asn	Met	Cys	Ser	Ile	Tyr	Asn	Leu	Lys	Ser
		115					120					125			
Arg	Glu	Gly	Asn	Val	Lys	Val	Ser	Arg	Glu	Leu	Ser	Ala	His	Thr	Gly
	130					135					140				
Tyr	Leu	Ser	Cys	Cys	Arg	Phe	Leu	Asp	Asp	Asn	Asn	Ile	Val	Thr	Ser
145					150				155						160
Ser	Gly	Asp	Thr	Thr	Cys	Ala	Leu	Trp	Asp	Ile	Glu	Thr	Gly	Gln	Gln
			165					170						175	
Lys	Thr	Val	Phe	Val	Gly	His	Thr	Gly	Asp	Cys	Met	Ser	Leu	Ala	Val
		180						185					190		
Ser	Pro	Asp	Phe	Asn	Leu	Phe	Ile	Ser	Gly	Ala	Cys	Asp	Ala	Ser	Ala
		195				200						205			
Lys	Leu	Trp	Asp	Val	Arg	Glu	Gly	Thr	Cys	Arg	Gln	Thr	Phe	Thr	Gly
	210					215					220				
His	Glu	Ser	Asp	Ile	Asn	Ala	Ile	Cys	Phe	Phe	Pro	Asn	Gly	Glu	Ala
225					230					235					240
Ile	Cys	Thr	Gly	Ser	Asp	Asp	Ala	Ser	Cys	Arg	Leu	Phe	Asp	Leu	Arg
			245						250					255	
Ala	Asp	Gln	Glu	Leu	Ile	Cys	Phe	Ser	His	Glu	Ser	Ile	Ile	Cys	Gly
		260					265						270		
Ile	Thr	Ser	Val	Ala	Phe	Ser	Leu	Ser	Gly	Arg	Leu	Leu	Phe	Ala	Gly
	275						280					285			
Tyr	Asp	Asp	Phe	Asn	Cys	Asn	Val	Trp	Asp	Ser	Met	Lys	Ser	Glu	Arg
	290					295					300				
Val	Gly	Ile	Leu	Ser	Gly	His	Asp	Asn	Arg	Val	Ser	Cys	Leu	Gly	Val
305					310					315					320
Thr	Ala	Asp	Gly	Met	Ala	Val	Ala	Thr	Gly	Ser	Trp	Asp	Ser	Phe	Leu
			325						330					335	
Lys	Ile	Trp	Asn												
			340												

<210> SEQ ID NO 39

<211> LENGTH: 2443

<212> TYPE: DNA

<213> ORGANISM: Homo sapien

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (162)...(1253)

<223> OTHER INFORMATION: Nucleotide sequence encoding angiotensin receptor 2 (AGTR2)

-continued

<400> SEQUENCE: 39

acgtcccagc gtctgagaga acgagtaagc aagaattcaa agcattctgc agcctgaatt	60
ttgaaggagt gtgttttaggc actaagcaag ctgatttatg ataactgctt taaacttcaa	120
caaccaaagg cataagaact aggagctgct gacatttcaa t atg aag ggc aac tcc	176
Met Lys Gly Asn Ser	5
acc ctt gcc act act agc aaa aac att acc agc ggt ctt cac ttc ggg	224
Thr Leu Ala Thr Ser Lys Asn Ile Thr Ser Gly Leu His Phe Gly	20
ctt gtg aac atc tct ggc aac aat gag tot acc ttg aac tgt tca cag	272
Leu Val Asn Ile Ser Gly Asn Asn Glu Ser Thr Leu Asn Cys Ser Gln	35
aaa cca tca gat aag cat tta gat gca att cct att ctt tac tac att	320
Lys Pro Ser Asp Lys His Leu Asp Ala Ile Pro Ile Leu Tyr Tyr Ile	50
ata ttt gta att gga ttt ctg gtc aat att gtc gtg gtt aca ctg ttt	368
Ile Phe Val Ile Gly Phe Leu Val Asn Ile Val Val Val Thr Leu Phe	65
tgt tgt caa aag ggt cct aaa aag gtt tot agc ata tac atc ttc aac	416
Cys Cys Gln Lys Gly Pro Lys Lys Val Ser Ser Ile Tyr Ile Phe Asn	85
ctc gct gtg gct gat tta ctc ott ttg gct act ott cct cta tgg gca	464
Leu Ala Val Ala Asp Leu Leu Leu Leu Ala Thr Leu Pro Leu Trp Ala	100
acc tat tat tct tat aga tat gac tgg ctc ttt gga cct gtg atg tgc	512
Thr Tyr Tyr Ser Tyr Arg Tyr Asp Trp Leu Phe Gly Pro Val Met Cys	115
aaa gtt ttt ggt tct ttt ctt acc ctg aac atg ttt gca agc att ttt	560
Lys Val Phe Gly Ser Phe Leu Thr Leu Asn Met Phe Ala Ser Ile Phe	130
ttt atc acc tgc atg agt gtt gat agg tac caa tct gtc atc tac ccc	608
Phe Ile Thr Cys Met Ser Val Asp Arg Tyr Gln Ser Val Ile Tyr Pro	145
ttt ctg tct caa aga aga aat ccc tgg caa gca tct tat ata gtt ccc	656
Phe Leu Ser Gln Arg Arg Asn Pro Trp Gln Ala Ser Tyr Ile Val Pro	165
ctt gtt tgg tgt atg gcc tgt ttg tcc tca ttg cca aca ttt tat ttt	704
Leu Val Trp Cys Met Ala Cys Leu Ser Ser Leu Pro Thr Phe Tyr Phe	180
cga gac gtc aga acc att gaa tac tta gga gtg aat gct tgc att atg	752
Arg Asp Val Arg Thr Ile Glu Tyr Leu Gly Val Asn Ala Cys Ile Met	195
gct ttc cca cct gag aaa tat gcc caa tgg tca gct ggg att gcc tta	800
Ala Phe Pro Pro Glu Lys Tyr Ala Gln Trp Ser Ala Gly Ile Ala Leu	210
atg aaa aat atc ctt ggt ttt att atc cct tta ata ttc ata gca aca	848
Met Lys Asn Ile Leu Gly Phe Ile Ile Pro Leu Ile Phe Ile Ala Thr	225
tgc tat ttt gga att aga aaa cac tta ctg aag acg aat agc tat ggg	896
Cys Tyr Phe Gly Ile Arg Lys His Leu Leu Lys Thr Asn Ser Tyr Gly	245
aag aac agg ata acc cgt gac caa gtc ctg aag atg gca gct gct gtt	944
Lys Asn Arg Ile Thr Arg Asp Gln Val Leu Lys Met Ala Ala Ala Val	260
gtt ctg gcc ttc atc att tgg tgc ctt ccc ttc cat gtt ctg acc ttc	992

-continued

Val	Leu	Ala	Phe	Ile	Ile	Trp	Cys	Leu	Pro	Phe	His	Val	Leu	Thr	Phe	
		265						270					275			
ctg	gat	gct	ctg	gcc	tgg	atg	ggg	gtc	att	aat	agc	tgc	gaa	gtt	ata	1040
Leu	Asp	Ala	Leu	Ala	Trp	Met	Gly	Val	Ile	Asn	Ser	Cys	Glu	Val	Ile	
		280					285					290				
gca	gtc	att	gac	ctg	gca	ctt	cct	ttt	gcc	atc	ctc	ttg	gga	ttc	acc	1088
Ala	Val	Ile	Asp	Leu	Ala	Leu	Pro	Phe	Ala	Ile	Leu	Leu	Gly	Phe	Thr	
		295				300					305					
aac	agc	tgc	gtt	aat	cgc	ttt	ctg	tat	tgt	ttt	gtt	gga	aac	cgg	ttc	1136
Asn	Ser	Cys	Val	Asn	Pro	Phe	Leu	Tyr	Cys	Phe	Val	Gly	Asn	Arg	Phe	
		310			315				320					325		
caa	cag	aag	ctc	cgc	agt	gtg	ttt	agg	gtt	cca	att	act	tgg	ctc	caa	1184
Gln	Gln	Lys	Leu	Arg	Ser	Val	Phe	Arg	Val	Pro	Ile	Thr	Trp	Leu	Gln	
			330					335						340		
ggg	aaa	aga	gag	agt	atg	tct	tgc	cgg	aaa	agc	agt	tct	ctt	aga	gaa	1232
Gly	Lys	Arg	Glu	Ser	Met	Ser	Cys	Arg	Lys	Ser	Ser	Ser	Leu	Arg	Glu	
		345					350						355			
atg	gag	acc	ttt	gtg	tct	taa	acggagagca	aaatgcatgt	aatcaacatg							1283
Met	Glu	Thr	Phe	Val	Ser	*										
		360														
gctacttgct	ttgaggctca	ccagaattat	ttttaagtgg	ttttaataaa	ataataaaa											1343
ttccccta	atctttctgaa	tcttctgaaa	ccaaatgtaa	ctatgtttat	cgtccagtga											1403
ctttcaggaa	tgccattgt	tttctgat	atgttgacaa	gatttcattg	gtgagacata											1463
tttacaacct	agaagtaact	ggtgatata	ctcaaattgt	aattaataat	agattgtgaa											1523
taatgatttg	gggattcaga	tttctctttg	aaacatgctt	gtgtttctta	gtggggtttt											1583
atatccattt	ttatcaggat	ttcctcttga	accagaacca	gtctttcaac	tcattgcato											1643
atttacaaga	caacattgta	agagagatga	gcacttctaa	gttgagtata	ttataataga											1703
ttagtactgg	attattcagg	ctttaggcat	atgcttcttt	aaaaacgcta	taaattatat											1763
tcctcttgca	tttcaactga	gtggagggtt	atagttaatc	tataactaca	tattgaatag											1823
ggctaggaat	atagattaaa	tcatactcct	atgcttttagc	ttattttttac	agttatagaa											1883
agcaagatgt	actataacat	agaattgcaa	tctataatat	ttgtgtgttc	actaaaactct											1943
gaataagcac	tttttaaaaa	actttctact	catttttaatg	attgtttaaa	ggtttctatt											2003
ttctctgata	cttttttgaa	atcagtaaac	actgtgtatt	gttgtaaaat	gtaaagggtca											2063
cttttcacat	ccttgacttt	ttagatgtgc	tgctttgata	tataggacat	tgatttgatt											2123
tttattatta	atgcttttgt	tctgggttgt	ttcctaaaaat	atctgggtgg	cttaaaaaaa											2183
actctttaac	ttgtaataaa	ccottaactg	gcataaggaaa	tggatatccag	aatggaattt											2243
tgctacatgg	ggctcgggtg	ggggcaaaga	gacccagtca	attacatgtt	tggtaaccaag											2303
aaaggaacct	gtcagggoag	tacaatgtga	ctttgaaaat	atataccgtg	ggggtagttt											2363
taccctatat	ctataaacac	tgtttgttcc	agaatctgta	tgattctatg	gagctatttt											2423
aaaccaattg	caggtctaga															2443

<210> SEQ ID NO 40

<211> LENGTH: 363

<212> TYPE: PRT

<213> ORGANISM: Homo sapien

<400> SEQUENCE: 40

Met Lys Gly Asn Ser Thr Leu Ala Thr Thr Ser Lys Asn Ile Thr Ser

-continued

1	5	10	15
Gly Leu His Phe Gly Leu Val Asn Ile Ser Gly Asn Asn Glu Ser Thr	20	25	30
Leu Asn Cys Ser Gln Lys Pro Ser Asp Lys His Leu Asp Ala Ile Pro	35	40	45
Ile Leu Tyr Tyr Ile Ile Phe Val Ile Gly Phe Leu Val Asn Ile Val	50	55	60
Val Val Thr Leu Phe Cys Cys Gln Lys Gly Pro Lys Lys Val Ser Ser	65	70	75
Ile Tyr Ile Phe Asn Leu Ala Val Ala Asp Leu Leu Leu Ala Thr	85	90	95
Leu Pro Leu Trp Ala Thr Tyr Tyr Ser Tyr Arg Tyr Asp Trp Leu Phe	100	105	110
Gly Pro Val Met Cys Lys Val Phe Gly Ser Phe Leu Thr Leu Asn Met	115	120	125
Phe Ala Ser Ile Phe Phe Ile Thr Cys Met Ser Val Asp Arg Tyr Gln	130	135	140
Ser Val Ile Tyr Pro Phe Leu Ser Gln Arg Arg Asn Pro Trp Gln Ala	145	150	155
Ser Tyr Ile Val Pro Leu Val Trp Cys Met Ala Cys Leu Ser Ser Leu	165	170	175
Pro Thr Phe Tyr Phe Arg Asp Val Arg Thr Ile Glu Tyr Leu Gly Val	180	185	190
Asn Ala Cys Ile Met Ala Phe Pro Pro Glu Lys Tyr Ala Gln Trp Ser	195	200	205
Ala Gly Ile Ala Leu Met Lys Asn Ile Leu Gly Phe Ile Ile Pro Leu	210	215	220
Ile Phe Ile Ala Thr Cys Tyr Phe Gly Ile Arg Lys His Leu Leu Lys	225	230	235
Thr Asn Ser Tyr Gly Lys Asn Arg Ile Thr Arg Asp Gln Val Leu Lys	245	250	255
Met Ala Ala Ala Val Val Leu Ala Phe Ile Ile Trp Cys Leu Pro Phe	260	265	270
His Val Leu Thr Phe Leu Asp Ala Leu Ala Trp Met Gly Val Ile Asn	275	280	285
Ser Cys Glu Val Ile Ala Val Ile Asp Leu Ala Leu Pro Phe Ala Ile	290	295	300
Leu Leu Gly Phe Thr Asn Ser Cys Val Asn Pro Phe Leu Tyr Cys Phe	305	310	315
Val Gly Asn Arg Phe Gln Gln Lys Leu Arg Ser Val Phe Arg Val Pro	325	330	335
Ile Thr Trp Leu Gln Gly Lys Arg Glu Ser Met Ser Cys Arg Lys Ser	340	345	350
Ser Ser Leu Arg Glu Met Glu Thr Phe Val Ser	355	360	

<210> SEQ ID NO 41

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

-continued

<400> SEQUENCE: 41

actgcctgat aaccatgctg 20

<210> SEQ ID NO 42

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 42

atacttacac accaggaggg 20

<210> SEQ ID NO 43

<211> LENGTH: 19

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 43

atgcctgctc caaaggcac 19

<210> SEQ ID NO 44

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 44

atgcctgctc caaaggcacc 20

<210> SEQ ID NO 45

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 45

atgcctgctc caaaggcaca t 21

<210> SEQ ID NO 46

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 46

tacttctggt tctctgagcg 20

<210> SEQ ID NO 47

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 47

actcaccttg aactcgtctc 20

-continued

<210> SEQ ID NO 48
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 48

tggttctctg agcgagtctt 20

<210> SEQ ID NO 49
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 49

tggttctctg agcgagtctt c 21

<210> SEQ ID NO 50
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 50

tggttctctg agcgagtctt tc 22

<210> SEQ ID NO 51
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 51

tcgagatgga ctttggttc 20

<210> SEQ ID NO 52
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 52

tgcttgctt ctgtacaag 20

<210> SEQ ID NO 53
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 53

cttccctgag cactgctg 19

<210> SEQ ID NO 54
<211> LENGTH: 21
<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 54

cttccctgag cacctgctgg t 21

<210> SEQ ID NO 55
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 55

cttccctgag cacctgctga 20

<210> SEQ ID NO 56
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 56

aacagctcag gacgaaactg 20

<210> SEQ ID NO 57
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 57

agaaggagtt gacctgtcc 20

<210> SEQ ID NO 58
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 58

ggaagctcaa gtggccttc 19

<210> SEQ ID NO 59
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 59

ggaagctcaa gtggccttc 20

<210> SEQ ID NO 60
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

-continued

<400> SEQUENCE: 60

ggaagctcaa gtggccttca ac 22

<210> SEQ ID NO 61

<211> LENGTH: 19

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 61

aagtcactgg cagagctgg 19

<210> SEQ ID NO 62

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 62

gcaccagggc tttgttgaag 20

<210> SEQ ID NO 63

<211> LENGTH: 19

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 63

ttttcccgt agggctcca 19

<210> SEQ ID NO 64

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 64

ttttcccgt agggctccac 20

<210> SEQ ID NO 65

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 65

ttttcccgt agggctccag c 21

<210> SEQ ID NO 66

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 66

tgcagaagtc actggcagag 20

-continued

<210> SEQ ID NO 67
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 67

gttgaagttt tccccgtagg 20

<210> SEQ ID NO 68
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 68

actcctccac ctgctggtc 19

<210> SEQ ID NO 69
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 69

actcctccac ctgctggtcc 20

<210> SEQ ID NO 70
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 70

actcctccac ctgctggtct a 21

<210> SEQ ID NO 71
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 71

aggacgtgcg tggcaacctg 20

<210> SEQ ID NO 72
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 72

agctctgcca gtgacttctg 20

<210> SEQ ID NO 73
<211> LENGTH: 19
<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 73

gtgactttctg cagcccttc 19

<210> SEQ ID NO 74
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial sequence

<400> SEQUENCE: 74

gtgactttctg cagcccttca 20

<210> SEQ ID NO 75
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 75

gtgactttctg cagccctctg gt 22

<210> SEQ ID NO 76
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 76

cctgaccttc cagatgaag 19

<210> SEQ ID NO 77
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 77

tcagggttgcc acgcacgtc 19

<210> SEQ ID NO 78
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 78

caggatctcg gccagtgc 18

<210> SEQ ID NO 79
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 79

-continued

caggatctcg gccagtgcc	19
 <210> SEQ ID NO 80 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 80 caggatctcg gccagtgtg	
	20
 <210> SEQ ID NO 81 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 81 acctgcgaga gcttcagcag	
	20
 <210> SEQ ID NO 82 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 82 tctccatgcg ctgtgcgtag	
	20
 <210> SEQ ID NO 83 <211> LENGTH: 18 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 83 agctgcgcac ccaggtea	
	18
 <210> SEQ ID NO 84 <211> LENGTH: 19 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 84 agctgcgcac ccaggtaaa	
	19
 <210> SEQ ID NO 85 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 85 agctgcgcac ccaggtcagc	
	20
 <210> SEQ ID NO 86	

-continued

<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 86

tgtccaagga gctgcaggc 19

<210> SEQ ID NO 87
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 87

cttacgcagc ttgcgcaggt 20

<210> SEQ ID NO 88
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 88

gcggacatgg aggacgtg 18

<210> SEQ ID NO 89
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 89

gaggacatgg aggacgtgc 19

<210> SEQ ID NO 90
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 90

gaggacatgg aggacgtgtg 20

<210> SEQ ID NO 91
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 91

gtttagataa gaaccgctgc 20

<210> SEQ ID NO 92
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 92

gagaacgagt cttcaggtac 20

<210> SEQ ID NO 93

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 93

acaatctggg ctatgagatc a 21

<210> SEQ ID NO 94

<211> LENGTH: 22

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 94

acaatctggg ctatgagatc aa 22

<210> SEQ ID NO 95

<211> LENGTH: 23

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 95

acaatctggg ctatgagatc agt 23

<210> SEQ ID NO 96

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 96

cactctacac tgcattgtctc 20

<210> SEQ ID NO 97

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 97

acccttctga aaaggagagg 20

<210> SEQ ID NO 98

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 98

-continued

gaggagagac aaggcagata	20
 <210> SEQ ID NO 99 <211> LENGTH: 21 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 99	
gaggagagac aaggcagata t	21
 <210> SEQ ID NO 100 <211> LENGTH: 22 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 100	
gaggagagac aaggcagata gt	22
 <210> SEQ ID NO 101 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 101	
aaaggttcag ttgctgctgc	20
 <210> SEQ ID NO 102 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 102	
gctggggaag gtctaataac	20
 <210> SEQ ID NO 103 <211> LENGTH: 19 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 103	
gttgctgctg cctcgaatc	19
 <210> SEQ ID NO 104 <211> LENGTH: 20 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 104	
gttgctgctg cctcgaatcc	20
 <210> SEQ ID NO 105	

-continued

<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 105

gttgctgctg cctcgaatct g 21

<210> SEQ ID NO 106
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 106

cgtctttctc cagatgatgc 20

<210> SEQ ID NO 107
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 107

agtgtctat gggctgttg 20

<210> SEQ ID NO 108
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 108

ggatgccatt cataccttta c 21

<210> SEQ ID NO 109
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 109

ggatgccatt cataccttta cc 22

<210> SEQ ID NO 110
<211> LENGTH: 23
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 110

ggatgccatt cataccttta cgc 23

<210> SEQ ID NO 111
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:

-continued

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 111

tgggaaaaca gtgcagtggtg 20

<210> SEQ ID NO 112

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 112

tgatcgtctt cagaacgagg 20

<210> SEQ ID NO 113

<211> LENGTH: 23

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 113

ccagaccatc atcatcccat gga 23

<210> SEQ ID NO 114

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 114

ccagaccatc atcccatgga a 21

<210> SEQ ID NO 115

<211> LENGTH: 22

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 115

ccagaccatc atcccatgga gc 22

<210> SEQ ID NO 116

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 116

cagcaatcgt ctttctccag 20

<210> SEQ ID NO 117

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Primer

<400> SEQUENCE: 117

-continued

tccatagggc tgtttgatgc	20
<210> SEQ ID NO 118 <211> LENGTH: 21 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 118	
gttttttccc agatgatgcc a	21
<210> SEQ ID NO 119 <211> LENGTH: 22 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 119	
gttttttccc agatgatgcc aa	22
<210> SEQ ID NO 120 <211> LENGTH: 23 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 120	
gttttttccc agatgatgcc agt	23
<210> SEQ ID NO 121 <211> LENGTH: 23 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 121	
agcggataac aatttcacac agg	23
<210> SEQ ID NO 122 <211> LENGTH: 16 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Primer <400> SEQUENCE: 122	
ggcgcacgcc tccacg	16

What is claimed:

1. A method for detecting the presence or absence in a subject of at least one allelic variant of a polymorphic region of a gene associated with cardiovascular disease, comprising:

the step of detecting the presence or absence of an allelic variant of a polymorphic region of a cytochrome C oxidase subunit VIb (COX6B) gene of the subject that

is associated with high serum cholesterol or an allelic variant of a polymorphic region of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene of the subject that is associated with low serum high density lipoprotein (HDL).

2. The method of claim 1, wherein the allelic variant is of a polymorphic region of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

3. The method of claim 1, further comprising detecting the presence or absence in a subject of at least one allelic variant of another gene associated with cardiovascular disease.

4. The method of claim 3, wherein the other gene is selected from the group consisting of cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit and angiotensin II type 1 receptor gene.

5. The method of claim 2, wherein the polymorphic region is a single nucleotide polymorphism (SNP).

6. The method of claim 5, wherein the SNP is at position 2577 of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene sequence and the allelic variant is represented by an A nucleotide in the sense strand or a T nucleotide in the corresponding position in the antisense strand.

7. The method of claim 1, wherein the detecting step is by a method selected from the group consisting of allele specific hybridization, primer specific extension, oligonucleotide ligation assay, restriction enzyme site analysis and single-stranded conformation polymorphism analysis.

8. The method of claim 6, further comprising:

(a) hybridizing a target nucleic acid comprising a N-acetylglucosaminyl transferase component GPI-1 (GPI-1)-encoding nucleic acid or fragment thereof with a nucleic acid primer that hybridizes adjacent to nucleotide 2577 of the GPI-1 gene;

(b) extending the nucleic acid primer using the target nucleic acid as a template; and

(c) determining the mass of the extended primer to identify the nucleotide present at position 2577, thereby determining the presence or absence of the allelic variant.

9. The method of claim 1, wherein the detecting step comprises mass spectrometry.

10. The method of claim 1, wherein the detecting step utilizes a signal moiety selected from the group consisting of: radioisotopes, enzymes, antigens, antibodies, spectrophotometric reagents, chemiluminescent reagents, fluorescent reagents and other light producing reagents.

11. The method of claim 8, wherein the nucleic acid primer is extended in the presence of at least one dideoxynucleotide.

12. The method of claim 11, wherein the dideoxynucleotide is dideoxyguanosine (ddG).

13. The method of claim 8, wherein the primer is extended in the presence of at least two dideoxynucleotides and the dideoxynucleotides are dideoxyguanosine (ddG) and dideoxycytosine (ddC).

14. A method for indicating a predisposition to cardiovascular disease in a subject, comprising:

the step of detecting in a target nucleic acid obtained from the subject the presence or absence of at least one allelic variant of polymorphic regions of a cytochrome C oxidase subunit VIb (COX6B) gene associated with high serum cholesterol or at least one allelic variant of

polymorphic regions of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low serum HDL wherein the presence of an allelic variant is indicative of a predisposition to cardiovascular disease compared to a subject who does not comprise the allelic variant.

15. The method of claim 14, wherein the allelic variant is of a polymorphic region of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

16. The method of claim 15, wherein the polymorphic region is a single nucleotide polymorphism (SNP).

17. The method of claim 16, wherein the SNP is at position 2577 of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene sequence and the allelic variant is represented by an A nucleotide in the sense strand or a T nucleotide in the corresponding position in the antisense strand.

18. The method of claim 14, wherein the detecting step is by a method selected from the group consisting of allele specific hybridization, primer specific extension, oligonucleotide ligation assay, restriction enzyme site analysis and single-stranded conformation polymorphism analysis.

19. The method of claim 17, further comprising:

(a) hybridizing a target nucleic acid comprising a N-acetylglucosaminyl transferase component GPI-1 (GPI-1)-encoding nucleic acid or fragment thereof with a nucleic acid primer that hybridizes adjacent to nucleotide 2577 of the GPI-1 gene;

(b) extending the nucleic acid primer using the target nucleic acid as a template; and

(c) determining the mass of the extended primer to identify the nucleotide present at position 2577, thereby determining the presence or absence of the allelic variant.

20. The method of claim 14, wherein the detecting step comprises mass spectrometry.

21. The method of claim 14, wherein the detecting step utilizes a signal moiety selected from the group consisting of: radioisotopes, enzymes, antigens, antibodies, spectrophotometric reagents, chemiluminescent reagents, fluorescent reagents and other light producing reagents.

22. The method of claim 14, further comprising detecting the presence or absence of at least one allelic variant of polymorphic regions of another gene associated with cardiovascular disease, wherein the presence of the two allelic variants is associated with a predisposition to cardiovascular disease compared to a subject who does not comprise the combination of allelic variants.

23. The method of claim 22, wherein the other gene is selected from the group consisting of cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit and angiotensin II type 1 receptor gene.

24. The method of claim 22, wherein the two allelic variants are of the cytochrome C oxidase subunit VIb (COX6B) gene and the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

25. A method of screening for biologically active agents that modulate serum high density lipoprotein (HDL), comprising:

(a) combining a candidate agent with a cell comprising a nucleotide sequence encoding an allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low levels of serum HDL and operably linked to a promoter such that the nucleotide sequence is expressed as a GPI-1 protein in the cell; and

(b) determining the affect of the agent upon the expression and/or activity of the GPI-1 protein.

26. A method of screening for biologically active agents that modulate serum high density lipoprotein (HDL), comprising:

(a) combining a candidate agent with a transgenic mouse comprising a transgenic nucleotide sequence stably integrated into the genome of the mouse encoding an allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low levels of serum HDL operably linked to a promoter, wherein the transgenic nucleotide sequence is expressed and the transgenic animal develops a low level of serum HDL; and

(b) determining the affect of the agent upon the serum HDL level.

27. The method of claim 25, wherein the allelic variant is at position 2577 of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

28. The method of claim 26, wherein the allelic variant is at position 2577 of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

29. A method for predicting a response of a subject to a cardiovascular drug, comprising:

detecting the presence or absence of at least one allelic variant of a cytochrome C oxidase subunit V1b (COX6B) gene of the subject associated with high serum cholesterol or at least one allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene of the subject associated with low serum high density lipoprotein (HDL);

wherein the presence of at least one allelic variant is indicative of a positive response.

30. The method of claim 29, wherein the allelic variant is of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

31. A method for predicting a response of a subject to a biologically active agent that modulates serum high density lipoprotein (HDL), comprising:

detecting the presence or absence of at least one allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene of the subject associated with low HDL; wherein the presence of an allelic variant is indicative of a positive response.

32. A method for predicting a response of a subject to a biologically active agent that modulates serum high density lipoprotein (HDL) levels, comprising:

(a) detecting the presence or absence of at least one allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low HDL of the subject; and

(b) detecting the presence or absence of an allelic variant in at least one other gene of subject associated with cardiovascular disease, wherein the presence of both allelic variants is indicative of a positive response.

33. The method of claim 31, wherein the allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene is at position 2577.

34. The method of claims 32, wherein the allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene is at position 2577.

35. The method of claim 32, wherein the other gene associated with cardiovascular disease is selected from the group of genes consisting of cytochrome C oxidase subunit V1b (COX6B); cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit and angiotensin II type I receptor gene.

36. A primer or probe that specifically hybridizes adjacent to or at a polymorphic region of a cytochrome C oxidase subunit V1b (COX6B) gene associated with high serum cholesterol in combination with a primer or probe that specifically hybridizes adjacent to or at a polymorphic region of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low HDL.

37. The primers or probes of claim 36, further comprising primers or probes that specifically hybridizes adjacent to or at a polymorphic region of another gene associated with cardiovascular disease.

38. The primers or probes of claim 36, wherein the polymorphic region of the cytochrome C oxidase subunit V1b (COX6B) gene comprises nucleotide 86 of the coding strand and the polymorphic region of the N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene comprises nucleotide 2577.

39. The primers or probes of claim 37, wherein the other gene associated with cardiovascular disease is selected from the group of genes consisting of cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit and angiotensin II type I receptor gene.

40. A kit for indicating whether a subject has a predisposition to developing cardiovascular disease, comprising:

(a) at least one probe or primer that specifically hybridizes adjacent to or at a polymorphic region of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low serum high density lipoprotein (HDL).

41. The kit of claim 40 further comprising instructions for use.

42. The kit of claim 40, wherein the polymorphic region comprises nucleotide 2577 of the coding strand.

43. A kit for indicating whether a subject has a predisposition to developing cardiovascular disease, comprising:

- (a) at least one probe or primer which specifically hybridizes adjacent to or at a polymorphic region of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene associated with low serum high density lipoprotein (HDL); and
 - (b) at least one probe or primer which specifically hybridizes adjacent to or at a polymorphic region of another gene associated with cardiovascular disease.
44. The kit of claim 43, further comprising instructions for use.

45. The kit of claim 43, wherein the other gene associated with cardiovascular disease is selected from the group of genes consisting of cytochrome C oxidase subunit VIb (COX6B); cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate r reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit and angiotensin II type 1 receptor gene.

46. A method of diagnosing a predisposition to cardiovascular disease in a human, said method comprising the steps of:

- (a) obtaining a biological sample from the human;
- (b) isolating DNA from the biological sample; and
- (c) detecting the presence or absence of at least one allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene in the DNA.

47. The method of claim 46, wherein at least one variant is a G to A transversion at position 2577 of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

48. A method of determining a response of a human to a cardiovascular drug, said method comprising the steps of:

- (a) obtaining a biological sample from the human;
- (b) isolating DNA from the biological sample; and
- (c) detecting the presence or absence of at least one allelic variant of a cytochrome C oxidase subunit VIb (COX6B) gene in the DNA or at least one allelic variant of a N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene in the DNA.

49. The method of claim 46, wherein the detecting step is performed by an assay selected from the group consisting of allele specific hybridization, primer specific extension, oligonucleotide ligation, restriction enzyme site analysis, and single-stranded conformation polymorphism analysis.

50. The method of claim 48, wherein the detecting step is performed by an assay selected from the group consisting of allele specific hybridization, primer specific extension, oligonucleotide ligation, restriction enzyme site analysis, and single-stranded conformation polymorphism analysis.

51. A microarray comprising a nucleic acid having a sequence of a polymorphic region from a human N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

52. The microarray of claim 51, wherein the polymorphic region comprises a locus selected from the group consisting of position 2577 of the human N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene, position 2829 of the human GPI-1 gene, position 2519 of the human GPI-1 gene, position 2289 of the human GPI-1 gene, position 1938 of the human GPI-1 gene, position 1563 of the human GPI-1 gene, position 2656 of the human GPI-1 gene, and position 2664 of the human GPI-1 gene.

53. The microarray of claim 52, wherein the polymorphic region comprises position 2577 of the human N-acetylglucosaminyl transferase component GPI-1 (GPI-1) gene.

54. A kit comprising:

- (a) at least one probe specific for a polymorphic region of a human gene selected from the group consisting of cytochrome C oxidase subunit VIb (COX6B); N-acetylglucosaminyl transferase component GPI-1 (GPI-1); cholesterol ester transfer protein, plasma (CETP); apolipoprotein A-IV (APO A4); apolipoprotein A-I (APO A1); apolipoprotein E (APO E); apolipoprotein B (APO B); apolipoprotein C-III (APO C3); a gene encoding lipoprotein lipase (LPL); ATP-binding cassette transporter (ABC 1); paraoxonase 1 (PON 1); paraoxonase 2 (PON 2); 5,10-methylenetetrahydrofolate r reductase (MTHFR); a gene encoding hepatic lipase, E-selectin, G protein beta 3 subunit and angiotensin II type 1 receptor gene; and
- (b) instructions for use.

* * * * *